



BARGE "CT3"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H	W	H
0	12.93	0	270.05	0	527.14	0	783.67	0	1,040.59	0	1,297.71	0	1,554.83	0	1,811.95	0	2,069.07	0	2,326.19
1/4	18.29	1/4	275.40	1/4	532.50	1/4	789.01	1/4	1,045.95	1/4	1,303.07	1/4	1,560.19	1/4	1,817.31	1/4	2,074.43	1/4	2,331.55
1/2	23.64	1/2	280.76	1/2	537.86	1/2	794.35	1/2	1,051.31	1/2	1,308.43	1/2	1,565.55	1/2	1,822.67	1/2	2,079.78	1/2	2,336.90
3/4	29.00	3/4	286.12	3/4	543.21	3/4	799.67	3/4	1,056.67	3/4	1,313.78	3/4	1,570.90	3/4	1,828.02	3/4	2,085.14	3/4	2,342.26
1	34.36	1	291.48	1	548.57	1	805.02	1	1,062.02	1	1,318.14	1	1,576.26	1	1,833.38	1	2,090.50	1	2,347.62
1 1/4	39.71	1 1/4	296.83	1 1/4	553.93	1 1/4	810.36	1 1/4	1,067.38	1 1/4	1,324.50	1 1/4	1,581.62	1 1/4	1,838.74	1 1/4	2,095.86	1 1/4	2,352.97
1 1/2	45.07	1 1/2	302.19	1 1/2	559.29	1 1/2	815.69	1 1/2	1,072.74	1 1/2	1,329.86	1 1/2	1,586.97	1 1/2	1,844.09	1 1/2	2,101.21	1 1/2	2,358.33
1 3/4	50.43	1 3/4	307.55	1 3/4	564.64	1 3/4	821.02	1 3/4	1,078.09	1 3/4	1,335.21	1 3/4	1,592.33	1 3/4	1,849.45	1 3/4	2,106.57	1 3/4	2,363.69
2	55.79	2	312.90	2	570.00	2	826.36	2	1,083.36	2	1,340.57	2	1,597.69	2	1,854.81	2	2,111.93	2	2,369.05
2 1/4	61.14	2 1/4	318.26	2 1/4	575.35	2 1/4	831.71	2 1/4	1,088.61	2 1/4	1,345.93	2 1/4	1,603.05	2 1/4	1,860.16	2 1/4	2,117.28	2 1/4	2,374.40
2 1/2	66.50	2 1/2	323.62	2 1/2	580.70	2 1/2	837.06	2 1/2	1,094.17	2 1/2	1,351.28	2 1/2	1,608.40	2 1/2	1,865.52	2 1/2	2,122.64	2 1/2	2,379.76
2 3/4	71.86	2 3/4	328.98	2 3/4	586.05	2 3/4	842.41	2 3/4	1,099.52	2 3/4	1,356.64	2 3/4	1,613.78	2 3/4	1,870.88	2 3/4	2,128.00	2 3/4	2,385.12
3	77.21	3	334.33	3	591.40	3	847.76	3	1,104.88	3	1,362.00	3	1,619.12	3	1,876.24	3	2,133.36	3	2,390.47
3 1/4	82.57	3 1/4	339.69	3 1/4	596.76	3 1/4	853.12	3 1/4	1,110.21	3 1/4	1,367.35	3 1/4	1,624.47	3 1/4	1,881.59	3 1/4	2,138.71	3 1/4	2,395.83
3 1/2	87.93	3 1/2	345.05	3 1/2	602.12	3 1/2	858.48	3 1/2	1,115.55	3 1/2	1,372.70	3 1/2	1,629.82	3 1/2	1,886.94	3 1/2	2,144.06	3 1/2	2,401.18
3 3/4	93.29	3 3/4	350.40	3 3/4	607.48	3 3/4	863.83	3 3/4	1,120.88	3 3/4	1,378.05	3 3/4	1,635.17	3 3/4	1,892.29	3 3/4	2,149.41	3 3/4	2,406.53
4	98.64	4	355.76	4	612.83	4	869.19	4	1,126.21	4	1,383.40	4	1,640.52	4	1,897.64	4	2,154.76	4	2,411.88
4 1/4	104.01	4 1/4	361.11	4 1/4	618.18	4 1/4	874.54	4 1/4	1,131.59	4 1/4	1,388.76	4 1/4	1,645.88	4 1/4	1,903.00	4 1/4	2,160.12	4 1/4	2,417.24
4 1/2	109.37	4 1/2	366.48	4 1/2	623.52	4 1/2	879.89	4 1/2	1,136.96	4 1/2	1,394.12	4 1/2	1,651.24	4 1/2	1,908.36	4 1/2	2,165.48	4 1/2	2,422.60
4 3/4	114.73	4 3/4	371.82	4 3/4	628.87	4 3/4	885.24	4 3/4	1,142.34	4 3/4	1,399.48	4 3/4	1,656.60	4 3/4	1,913.71	4 3/4	2,170.83	4 3/4	2,427.95
5	120.10	5	377.17	5	634.21	5	890.60	5	1,147.71	5	1,404.83	5	1,661.95	5	1,919.07	5	2,176.19	5	2,433.31
5 1/4	125.45	5 1/4	382.55	5 1/4	639.58	5 1/4	895.95	5 1/4	1,153.07	5 1/4	1,410.19	5 1/4	1,667.33	5 1/4	1,924.43	5 1/4	2,181.55	5 1/4	2,438.65
5 1/2	130.81	5 1/2	387.89	5 1/2	644.80	5 1/2	901.31	5 1/2	1,158.43	5 1/2	1,415.55	5 1/2	1,672.87	5 1/2	1,929.79	5 1/2	2,186.90	5 1/2	2,444.00
5 3/4	136.17	5 3/4	393.24	5 3/4	650.23	5 3/4	906.67	5 3/4	1,163.79	5 3/4	1,420.90	5 3/4	1,678.22	5 3/4	1,935.14	5 3/4	2,192.26	5 3/4	2,449.35
6	141.52	6	398.60	6	655.57	6	912.02	6	1,169.14	6	1,426.26	6	1,683.38	6	1,940.50	6	2,197.62	6	2,454.69
6 1/4	146.88	6 1/4	403.95	6 1/4	660.91	6 1/4	917.38	6 1/4	1,174.50	6 1/4	1,431.62	6 1/4	1,688.74	6 1/4	1,945.86	6 1/4	2,202.98	6 1/4	2,460.04
6 1/2	152.23	6 1/2	409.31	6 1/2	666.25	6 1/2	922.74	6 1/2	1,179.86	6 1/2	1,436.98	6 1/2	1,694.09	6 1/2	1,951.21	6 1/2	2,208.33	6 1/2	2,465.38
6 3/4	157.58	6 3/4	414.67	6 3/4	671.59	6 3/4	928.10	6 3/4	1,185.21	6 3/4	1,442.33	6 3/4	1,699.45	6 3/4	1,956.57	6 3/4	2,213.69	6 3/4	2,470.73
7	162.93	7	420.02	7	676.93	7	933.45	7	1,190.57	7	1,447.69	7	1,704.81	7	1,961.83	7	2,219.05	7	2,476.07
7 1/4	168.29	7 1/4	425.38	7 1/4	682.26	7 1/4	938.81	7 1/4	1,195.93	7 1/4	1,453.05	7 1/4	1,710.17	7 1/4	1,967.29	7 1/4	2,224.40	7 1/4	2,481.42
7 1/2	173.64	7 1/2	430.74	7 1/2	687.60	7 1/2	944.17	7 1/2	1,201.29	7 1/2	1,458.40	7 1/2	1,715.52	7 1/2	1,972.64	7 1/2	2,229.76	7 1/2	2,486.76
7 3/4	179.00	7 3/4	436.09	7 3/4	692.93	7 3/4	949.52	7 3/4	1,206.64	7 3/4	1,463.76	7 3/4	1,720.88	7 3/4	1,978.00	7 3/4	2,235.12	7 3/4	2,492.11
8	184.36	8	441.45	8	698.26	8	954.88	8	1,212.00	8	1,469.12	8	1,726.24	8	1,983.36	8	2,240.48	8	2,497.45
8 1/4	189.71	8 1/4	446.81	8 1/4	703.60	8 1/4	960.24	8 1/4	1,217.36	8 1/4	1,474.48	8 1/4	1,731.59	8 1/4	1,988.71	8 1/4	2,245.83	8 1/4	2,502.80
8 1/2	195.07	8 1/2	452.17	8 1/2	708.94	8 1/2	965.59	8 1/2	1,222.71	8 1/2	1,479.83	8 1/2	1,736.95	8 1/2	1,994.07	8 1/2	2,251.19	8 1/2	2,508.16
8 3/4	200.43	8 3/4	457.52	8 3/4	714.28	8 3/4	970.95	8 3/4	1,228.07	8 3/4	1,485.19	8 3/4	1,742.31	8 3/4	1,999.43	8 3/4	2,256.55	8 3/4	2,513.51
9	205.79	9	462.88	9	719.62	9	976.31	9	1,233.43	9	1,490.55	9	1,747.67	9	2,004.78	9	2,261.90	9	2,518.86
9 1/4	211.14	9 1/4	468.23	9 1/4	724.96	9 1/4	981.67	9 1/4	1,238.78	9 1/4	1,495.90	9 1/4	1,753.02	9 1/4	2,010.14	9 1/4	2,267.26	9 1/4	2,524.20
9 1/2	216.50	9 1/2	473.58	9 1/2	730.30	9 1/2	987.02	9 1/2	1,244.14	9 1/2	1,501.26	9 1/2	1,758.38	9 1/2	2,015.50	9 1/2	2,272.62	9 1/2	2,529.55
9 3/4	221.86	9 3/4	478.93	9 3/4	735.64	9 3/4	992.38	9 3/4	1,249.50	9 3/4	1,506.62	9 3/4	1,763.74	9 3/4	2,020.86	9 3/4	2,277.98	9 3/4	2,534.89
10	227.21	10	484.29	10	740.98	10	997.74	10	1,254.86	10	1,511.97	10	1,769.09	10	2,026.21	10	2,283.33	10	2,540.24
10 1/4	232.57	10 1/4	489.64	10 1/4	746.31	10 1/4	1,003.09	10 1/4	1,260.21	10 1/4	1,517.33	10 1/4	1,774.45	10 1/4	2,031.57	10 1/4	2,288.69	10 1/4	2,545.58
10 1/2	237.93	10 1/2	495.00	10 1/2	751.64	10 1/2	1,008.45	10 1/2	1,265.57	10 1/2	1,522.68	10 1/2	1,779.81	10 1/2	2,036.93	10 1/2	2,294.05	10 1/2	2,550.93
10 3/4	243.29	10 3/4	500.36	10 3/4	756.98	10 3/4	1,013.81	10 3/4	1,270.93	10 3/4	1,528.05	10 3/4	1,785.17	10 3/4	2,042.28	10 3/4	2,299.40	10 3/4	2,556.27
11	248.64	11	505.71	11	762.31	11	1,019.17	11	1,276.28	11	1,533.40	11	1,790.52	11	2,047.64	11	2,304.76	11	2,561.62
11 1/4	253.99	11 1/4	511.07	11 1/4	767.65	11 1/4	1,024.52	11 1/4	1,281.64	11 1/4	1,538.76	11 1/4	1,795.88	11 1/4	2,053.00	11 1/4	2,310.12	11 1/4	2,566.94
11 1/2	259.35	11 1/2	516.43	11 1/2	772.99	11 1/2	1,029.88	11 1/2	1,287.00	11 1/2	1,544.12	11 1/2	1,801.24	11 1/2	2,058.36	11 1/2	2,315.47	11 1/2	2,572.26
11 3/4	264.70	11 3/4	521.79	11 3/4	778.33	11 3/4	1,035.24	11 3/4	1,292.35	11 3/4	1,549.47	11 3/4	1,806.59	11 3/4	2,063.71	11 3/4	2,320.83	11 3/4	2,577.67

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
GAUGE POINT: (8" GAUGE MATCH) LOCATED ON CENTERLINE AND 28'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pasadena, Texas 77568
http://www.pmacorp.net



BARGE "CT3"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "SR3"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W
0	2,561.69	0	2,807.17	0	3,032.64	0	3,258.09	0	3,405.62	0	3,405.62	0	3,405.62	0	3,405.62	0	3,405.62	0	3,405.62
1/4	2,566.39	1/4	2,811.86	1/4	3,037.34	1/4	3,262.80	1/4	3,405.85	1/4	3,405.85	1/4	3,405.85	1/4	3,405.85	1/4	3,405.85	1/4	3,405.85
1/2	2,591.08	1/2	2,816.55	1/2	3,042.04	1/2	3,267.50	1/2	3,406.07	1/2	3,406.07	1/2	3,406.07	1/2	3,406.07	1/2	3,406.07	1/2	3,406.07
3/4	2,595.78	3/4	2,821.24	3/4	3,046.73	3/4	3,272.20	3/4	3,406.30	3/4	3,406.30	3/4	3,406.30	3/4	3,406.30	3/4	3,406.30	3/4	3,406.30
1	2,600.48	1	2,825.93	1	3,051.43	1	3,276.90	1	3,406.53	1	3,406.53	1	3,406.53	1	3,406.53	1	3,406.53	1	3,406.53
1 1/4	2,605.17	1 1/4	2,830.60	1 1/4	3,056.12	1 1/4	3,281.60	1 1/4	3,406.76	1 1/4	3,406.76	1 1/4	3,406.76	1 1/4	3,406.76	1 1/4	3,406.76	1 1/4	3,406.76
1 1/2	2,609.87	1 1/2	2,835.27	1 1/2	3,060.82	1 1/2	3,286.30	1 1/2	3,406.99	1 1/2	3,406.99	1 1/2	3,406.99	1 1/2	3,406.99	1 1/2	3,406.99	1 1/2	3,406.99
3/4	2,614.57	3/4	2,839.95	3/4	3,065.52	3/4	3,290.99	3/4	3,407.22	3/4	3,407.22	3/4	3,407.22	3/4	3,407.22	3/4	3,407.22	3/4	3,407.22
2	2,619.26	2	2,844.62	2	3,070.21	2	3,295.69	2	3,407.45	2	3,407.45	2	3,407.45	2	3,407.45	2	3,407.45	2	3,407.45
1 1/4	2,623.96	1 1/4	2,849.35	1 1/4	3,074.91	1 1/4	3,300.39	1 1/4	3,407.68	1 1/4	3,407.68	1 1/4	3,407.68	1 1/4	3,407.68	1 1/4	3,407.68	1 1/4	3,407.68
1 1/2	2,628.65	1 1/2	2,854.07	1 1/2	3,079.61	1 1/2	3,305.08	1 1/2	3,407.91	1 1/2	3,407.91	1 1/2	3,407.91	1 1/2	3,407.91	1 1/2	3,407.91	1 1/2	3,407.91
3/4	2,633.35	3/4	2,858.80	3/4	3,084.30	3/4	3,309.78	3/4	3,408.14	3/4	3,408.14	3/4	3,408.14	3/4	3,408.14	3/4	3,408.14	3/4	3,408.14
3	2,638.05	3	2,863.52	3	3,089.00	3	3,314.48	3	3,408.37	3	3,408.37	3	3,408.37	3	3,408.37	3	3,408.37	3	3,408.37
1 1/4	2,642.74	1 1/4	2,868.22	1 1/4	3,093.70	1 1/4	3,318.98	1 1/4	3,408.60	1 1/4	3,408.60	1 1/4	3,408.60	1 1/4	3,408.60	1 1/4	3,408.60	1 1/4	3,408.60
1 1/2	2,647.44	1 1/2	2,872.92	1 1/2	3,098.39	1 1/2	3,323.49	1 1/2	3,408.83	1 1/2	3,408.83	1 1/2	3,408.83	1 1/2	3,408.83	1 1/2	3,408.83	1 1/2	3,408.83
3/4	2,652.14	3/4	2,877.61	3/4	3,103.09	3/4	3,327.99	3/4	3,409.06	3/4	3,409.06	3/4	3,409.06	3/4	3,409.06	3/4	3,409.06	3/4	3,409.06
4	2,656.83	4	2,882.31	4	3,107.79	4	3,332.50	4	3,409.29	4	3,409.29	4	3,409.29	4	3,409.29	4	3,409.29	4	3,409.29
1 1/4	2,661.54	1 1/4	2,887.01	1 1/4	3,112.48	1 1/4	3,336.52	1 1/4	3,409.52	1 1/4	3,409.52	1 1/4	3,409.52	1 1/4	3,409.52	1 1/4	3,409.52	1 1/4	3,409.52
1 1/2	2,666.24	1 1/2	2,891.70	1 1/2	3,117.18	1 1/2	3,340.55	1 1/2	3,409.75	1 1/2	3,409.75	1 1/2	3,409.75	1 1/2	3,409.75	1 1/2	3,409.75	1 1/2	3,409.75
3/4	2,670.94	3/4	2,896.40	3/4	3,121.87	3/4	3,344.57	3/4	3,409.98	3/4	3,409.98	3/4	3,409.98	3/4	3,409.98	3/4	3,409.98	3/4	3,409.98
5	2,675.64	5	2,901.09	5	3,126.57	5	3,348.60	5	3,410.21	5	3,410.21	5	3,410.21	5	3,410.21	5	3,410.21	5	3,410.21
1 1/4	2,680.34	1 1/4	2,905.80	1 1/4	3,131.27	1 1/4	3,352.19	1 1/4	3,410.44	1 1/4	3,410.44	1 1/4	3,410.44	1 1/4	3,410.44	1 1/4	3,410.44	1 1/4	3,410.44
1 1/2	2,685.04	1 1/2	2,910.50	1 1/2	3,135.98	1 1/2	3,355.79	1 1/2	3,410.67	1 1/2	3,410.67	1 1/2	3,410.67	1 1/2	3,410.67	1 1/2	3,410.67	1 1/2	3,410.67
3/4	2,689.73	3/4	2,915.20	3/4	3,140.68	3/4	3,359.38	3/4	3,410.90	3/4	3,410.90	3/4	3,410.90	3/4	3,410.90	3/4	3,410.90	3/4	3,410.90
6	2,694.43	6	2,919.90	6	3,145.38	6	3,362.98	6	3,411.13	6	3,411.13	6	3,411.13	6	3,411.13	6	3,411.13	6	3,411.13
1 1/4	2,699.12	1 1/4	2,924.60	1 1/4	3,150.08	1 1/4	3,366.02	1 1/4	3,411.36	1 1/4	3,411.36	1 1/4	3,411.36	1 1/4	3,411.36	1 1/4	3,411.36	1 1/4	3,411.36
1 1/2	2,703.82	1 1/2	2,929.30	1 1/2	3,154.77	1 1/2	3,369.07	1 1/2	3,411.59	1 1/2	3,411.59	1 1/2	3,411.59	1 1/2	3,411.59	1 1/2	3,411.59	1 1/2	3,411.59
3/4	2,708.52	3/4	2,933.99	3/4	3,159.47	3/4	3,372.12	3/4	3,411.82	3/4	3,411.82	3/4	3,411.82	3/4	3,411.82	3/4	3,411.82	3/4	3,411.82
7	2,713.21	7	2,938.69	7	3,164.17	7	3,375.17	7	3,412.05	7	3,412.05	7	3,412.05	7	3,412.05	7	3,412.05	7	3,412.05
1 1/4	2,717.91	1 1/4	2,943.39	1 1/4	3,168.86	1 1/4	3,377.70	1 1/4	3,412.28	1 1/4	3,412.28	1 1/4	3,412.28	1 1/4	3,412.28	1 1/4	3,412.28	1 1/4	3,412.28
1 1/2	2,722.61	1 1/2	2,948.08	1 1/2	3,173.56	1 1/2	3,380.24	1 1/2	3,412.51	1 1/2	3,412.51	1 1/2	3,412.51	1 1/2	3,412.51	1 1/2	3,412.51	1 1/2	3,412.51
3/4	2,727.30	3/4	2,952.78	3/4	3,178.26	3/4	3,382.77	3/4	3,412.74	3/4	3,412.74	3/4	3,412.74	3/4	3,412.74	3/4	3,412.74	3/4	3,412.74
8	2,732.00	8	2,957.48	8	3,182.95	8	3,385.31	8	3,412.97	8	3,412.97	8	3,412.97	8	3,412.97	8	3,412.97	8	3,412.97
1 1/4	2,736.70	1 1/4	2,962.17	1 1/4	3,187.65	1 1/4	3,387.85	1 1/4	3,413.20	1 1/4	3,413.20	1 1/4	3,413.20	1 1/4	3,413.20	1 1/4	3,413.20	1 1/4	3,413.20
1 1/2	2,741.39	1 1/2	2,966.87	1 1/2	3,192.34	1 1/2	3,389.38	1 1/2	3,413.43	1 1/2	3,413.43	1 1/2	3,413.43	1 1/2	3,413.43	1 1/2	3,413.43	1 1/2	3,413.43
3/4	2,746.09	3/4	2,971.56	3/4	3,197.04	3/4	3,391.92	3/4	3,413.66	3/4	3,413.66	3/4	3,413.66	3/4	3,413.66	3/4	3,413.66	3/4	3,413.66
9	2,750.79	9	2,976.26	9	3,201.74	9	3,393.45	9	3,413.89	9	3,413.89	9	3,413.89	9	3,413.89	9	3,413.89	9	3,413.89
1 1/4	2,755.48	1 1/4	2,980.96	1 1/4	3,206.43	1 1/4	3,394.97	1 1/4	3,414.12	1 1/4	3,414.12	1 1/4	3,414.12	1 1/4	3,414.12	1 1/4	3,414.12	1 1/4	3,414.12
1 1/2	2,760.18	1 1/2	2,985.65	1 1/2	3,211.13	1 1/2	3,396.49	1 1/2	3,414.35	1 1/2	3,414.35	1 1/2	3,414.35	1 1/2	3,414.35	1 1/2	3,414.35	1 1/2	3,414.35
3/4	2,764.87	3/4	2,990.35	3/4	3,215.83	3/4	3,398.01	3/4	3,414.58	3/4	3,414.58	3/4	3,414.58	3/4	3,414.58	3/4	3,414.58	3/4	3,414.58
10	2,769.57	10	2,995.05	10	3,220.52	10	3,399.52	10	3,414.81	10	3,414.81	10	3,414.81	10	3,414.81	10	3,414.81	10	3,414.81
1 1/4	2,774.27	1 1/4	2,999.74	1 1/4	3,225.22	1 1/4	3,400.54	1 1/4	3,415.04	1 1/4	3,415.04	1 1/4	3,415.04	1 1/4	3,415.04	1 1/4	3,415.04	1 1/4	3,415.04
1 1/2	2,778.96	1 1/2	3,004.44	1 1/2	3,229.92	1 1/2	3,401.56	1 1/2	3,415.27	1 1/2	3,415.27	1 1/2	3,415.27	1 1/2	3,415.27	1 1/2	3,415.27	1 1/2	3,415.27
3/4	2,783.66	3/4	3,009.14	3/4	3,234.61	3/4	3,402.58	3/4	3,415.50	3/4	3,415.50	3/4	3,415.50	3/4	3,415.50	3/4	3,415.50	3/4	3,415.50
11	2,788.36	11	3,013.83	11	3,239.31	11	3,403.60	11	3,415.73	11	3,415.73	11	3,415.73	11	3,415.73	11	3,415.73	11	3,415.73
1 1/4	2,793.06	1 1/4	3,018.54	1 1/4	3,244.01	1 1/4	3,404.10	1 1/4	3,415.96	1 1/4	3,415.96	1 1/4	3,415.96	1 1/4	3,415.96	1 1/4	3,415.96	1 1/4	3,415.96
1 1/2	2,797.76	1 1/2	3,023.24	1 1/2	3,248.70	1 1/2	3,404.61	1 1/2	3,416.19	1 1/2	3,416.19	1 1/2	3,416.19	1 1/2	3,416.19	1 1/2	3,416.19	1 1/2	3,416.19
3/4	2,802.46	3/4	3,027.94	3/4	3,253.40	3/4	3,405.11	3/4	3,416.42	3/4	3,416.42	3/4	3,416.42	3/4	3,416.42	3/4	3,416.42	3/4	3,416.42

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/25/1977 CM
DECK MEASUREMENTS: 12/18/2006 SW
REPRINTED: 12/27/2008 SW
CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2006

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pasadena, Texas 77568
http://www.pmacorp.net



BARGE "CT3"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "SR 3"

GAUGE HEIGHT 15'-06"

N	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	12.98	271.52	530.05	787.98	1,046.33	1,304.90	1,563.45	1,822.00	2,080.57	2,339.12
1/4	18.36	276.90	535.43	793.35	1,051.72	1,310.29	1,568.84	1,827.39	2,085.96	2,344.51
1/2	23.75	282.29	540.82	798.74	1,057.11	1,315.68	1,574.23	1,832.77	2,091.34	2,349.89
3/4	29.14	287.67	546.21	804.08	1,062.49	1,321.07	1,579.61	1,838.16	2,096.73	2,355.28
1	34.52	293.05	551.60	809.45	1,067.88	1,326.45	1,585.00	1,843.55	2,102.12	2,360.67
1/4	39.91	298.43	556.98	814.82	1,073.27	1,331.83	1,590.39	1,848.93	2,107.50	2,366.05
1/2	45.30	303.82	562.37	820.19	1,078.65	1,337.21	1,595.77	1,854.32	2,112.88	2,371.44
3/4	50.68	309.21	567.76	825.56	1,084.04	1,342.60	1,601.16	1,859.71	2,118.26	2,376.83
1	56.07	314.60	573.14	830.93	1,089.43	1,347.98	1,606.55	1,865.10	2,123.64	2,382.21
1/4	61.45	319.98	578.53	836.30	1,094.82	1,353.36	1,611.93	1,870.48	2,129.03	2,387.60
1/2	66.84	325.37	583.92	841.68	1,100.20	1,358.75	1,617.32	1,875.87	2,134.42	2,392.99
3/4	72.22	330.76	589.30	847.05	1,105.59	1,364.14	1,622.71	1,881.26	2,139.80	2,398.37
1	77.61	336.14	594.69	852.43	1,110.98	1,369.52	1,628.10	1,886.64	2,145.19	2,403.76
1/4	83.00	341.52	600.08	857.82	1,116.36	1,374.91	1,633.48	1,892.03	2,150.58	2,409.15
1/2	88.39	346.92	605.46	863.20	1,121.75	1,380.30	1,638.87	1,897.42	2,155.96	2,414.54
3/4	93.78	352.30	610.85	868.59	1,127.14	1,385.68	1,644.26	1,902.80	2,161.35	2,419.92
1	99.17	357.69	616.24	873.98	1,132.52	1,391.07	1,649.64	1,908.19	2,166.74	2,425.31
1/4	104.55	363.08	621.61	879.36	1,137.91	1,396.46	1,655.03	1,913.58	2,172.13	2,430.70
1/2	109.93	368.46	626.99	884.75	1,143.30	1,401.85	1,660.42	1,918.96	2,177.51	2,436.08
3/4	115.31	373.85	632.38	890.14	1,148.68	1,407.23	1,665.80	1,924.35	2,182.90	2,441.47
1	120.69	379.24	637.74	895.52	1,154.07	1,412.62	1,671.18	1,929.74	2,188.29	2,446.86
1/4	126.08	384.63	643.10	900.91	1,159.46	1,418.01	1,676.58	1,935.12	2,193.67	2,452.24
1/2	131.46	390.01	648.46	906.30	1,164.85	1,423.39	1,681.96	1,940.51	2,199.06	2,457.63
3/4	136.85	395.40	653.83	911.68	1,170.23	1,428.78	1,687.35	1,945.90	2,204.45	2,463.02
1	142.24	400.79	659.19	917.07	1,175.62	1,434.15	1,692.74	1,951.29	2,209.83	2,468.40
1/4	147.63	406.17	664.56	922.46	1,181.01	1,439.55	1,698.16	1,956.67	2,215.22	2,473.79
1/2	153.01	411.56	669.93	927.85	1,186.39	1,444.94	1,703.58	1,962.06	2,220.61	2,479.18
3/4	158.40	416.95	675.30	933.23	1,191.78	1,450.33	1,709.01	1,967.45	2,225.99	2,484.57
1	163.79	422.33	680.67	938.62	1,197.17	1,455.71	1,714.43	1,972.83	2,231.38	2,489.95
1/4	169.17	427.72	686.03	944.00	1,202.55	1,461.10	1,719.77	1,978.22	2,236.77	2,495.33
1/2	174.56	433.11	691.39	949.38	1,207.94	1,466.49	1,725.12	1,983.61	2,242.15	2,500.71
3/4	179.95	438.49	696.78	954.76	1,213.33	1,471.87	1,730.48	1,988.99	2,247.54	2,506.10
1	185.33	443.88	702.12	960.14	1,218.71	1,477.26	1,735.81	1,994.38	2,252.93	2,511.48
1/4	190.72	449.26	707.49	965.53	1,224.10	1,482.65	1,741.20	1,999.77	2,258.32	2,516.86
1/2	196.11	454.64	712.86	970.92	1,229.48	1,488.04	1,746.58	2,005.15	2,263.70	2,522.25
3/4	201.49	460.02	718.23	976.30	1,234.87	1,493.42	1,751.97	2,010.54	2,269.09	2,527.64
1	206.88	465.40	723.60	981.69	1,240.26	1,498.81	1,757.36	2,015.93	2,274.48	2,533.02
1/4	212.27	470.79	728.96	987.08	1,245.65	1,504.20	1,762.74	2,021.32	2,279.86	2,538.41
1/2	217.65	476.18	734.33	992.46	1,251.04	1,509.58	1,768.13	2,026.70	2,285.25	2,543.80
3/4	223.04	481.57	739.68	997.85	1,256.42	1,514.97	1,773.52	2,032.09	2,290.64	2,549.18
1	228.43	486.95	745.05	1,003.24	1,261.81	1,520.36	1,778.90	2,037.48	2,296.02	2,554.57
1/4	233.82	492.34	750.42	1,008.63	1,267.20	1,525.74	1,784.29	2,042.86	2,301.41	2,559.96
1/2	239.20	497.73	755.79	1,014.01	1,272.59	1,531.13	1,789.68	2,048.25	2,306.80	2,565.35
3/4	244.59	503.11	761.15	1,019.40	1,277.97	1,536.52	1,795.07	2,053.64	2,312.18	2,570.73
1	249.98	508.50	766.52	1,024.79	1,283.36	1,541.90	1,800.45	2,059.02	2,317.57	2,576.12
1/4	255.36	513.89	771.89	1,030.17	1,288.74	1,547.29	1,805.84	2,064.41	2,322.96	2,581.51
1/2	260.75	519.27	777.25	1,035.56	1,294.13	1,552.68	1,811.23	2,069.80	2,328.35	2,586.90
3/4	266.14	524.66	782.61	1,040.95	1,299.52	1,558.07	1,816.61	2,075.18	2,333.73	2,592.28

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
GAUGE POINT: (8" GAUGE HATCH) LOCATED ON CENTERLINE AND 28'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2082
Pasland, Texas 77548
http://www.pmaacorp.net



BARGE "CT3"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "SR 3"

GAUGE HEIGHT 15'-06"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	2,597.67	2,856.24	3,114.79	3,373.33	3,631.87	3,890.41	4,148.95	4,407.49	4,666.03	4,924.57
1/4	2,603.05	2,861.62	3,120.17	3,378.72	3,637.26	3,895.80	4,154.34	4,412.88	4,671.42	4,929.96
1/2	2,608.44	2,867.01	3,125.56	3,384.11	3,642.65	3,901.19	4,159.73	4,418.27	4,676.81	4,935.35
3/4	2,613.83	2,872.40	3,130.95	3,389.49	3,648.04	3,906.58	4,165.17	4,423.71	4,682.25	4,940.74
1	2,619.21	2,877.79	3,136.33	3,394.88	3,653.43	3,911.97	4,170.61	4,429.15	4,687.64	4,946.13
1 1/4	2,624.60	2,883.17	3,141.72	3,400.27	3,658.82	3,917.36	4,176.05	4,434.59	4,693.03	4,951.52
1 1/2	2,629.99	2,888.55	3,147.11	3,405.65	3,664.21	3,922.75	4,181.49	4,440.03	4,698.42	4,956.91
3/4	2,635.37	2,893.93	3,152.49	3,411.04	3,669.60	3,928.14	4,186.93	4,445.47	4,703.81	4,962.30
2	2,640.76	2,899.31	3,157.88	3,416.43	3,675.00	3,933.53	4,192.37	4,450.91	4,709.20	4,967.69
1 1/4	2,646.15	2,904.70	3,163.27	3,421.82	3,680.39	3,938.92	4,197.81	4,456.35	4,714.59	4,973.08
1 1/2	2,651.54	2,910.08	3,168.65	3,427.20	3,685.78	3,944.31	4,203.25	4,461.79	4,720.03	4,978.47
3/4	2,656.92	2,915.47	3,174.04	3,432.59	3,691.17	3,949.70	4,208.69	4,467.23	4,725.42	4,983.86
3	2,662.31	2,920.86	3,179.43	3,437.98	3,696.56	3,955.09	4,214.13	4,472.67	4,730.81	4,989.25
1 1/4	2,667.70	2,926.24	3,184.82	3,443.37	3,701.95	3,960.48	4,219.57	4,478.11	4,736.20	4,994.64
1 1/2	2,673.08	2,931.63	3,190.20	3,448.76	3,707.34	3,965.87	4,225.01	4,483.55	4,741.59	4,999.99
3/4	2,678.47	2,937.02	3,195.59	3,454.15	3,712.73	3,971.26	4,230.45	4,489.00	4,747.03	5,005.38
4	2,683.86	2,942.40	3,200.98	3,459.54	3,718.12	3,976.65	4,235.89	4,494.44	4,752.42	5,010.77
1 1/4	2,689.24	2,947.79	3,206.36	3,464.93	3,723.51	3,982.04	4,241.33	4,499.88	4,757.81	5,016.16
1 1/2	2,694.63	2,953.18	3,211.75	3,470.32	3,728.90	3,987.43	4,246.77	4,505.32	4,763.20	5,021.55
3/4	2,700.02	2,958.57	3,217.14	3,475.71	3,734.29	3,992.82	4,252.21	4,510.76	4,768.59	5,026.94
5	2,705.40	2,963.95	3,222.52	3,481.10	3,739.68	3,998.21	4,257.65	4,516.20	4,774.03	5,032.33
1 1/4	2,710.79	2,969.34	3,227.91	3,486.49	3,745.07	4,003.60	4,263.09	4,521.64	4,779.42	5,037.72
1 1/2	2,716.18	2,974.73	3,233.30	3,491.88	3,750.46	4,008.99	4,268.53	4,527.08	4,784.81	5,043.11
3/4	2,721.57	2,980.11	3,238.68	3,497.27	3,755.85	4,014.38	4,273.97	4,532.52	4,790.20	5,048.50
6	2,726.95	2,985.50	3,244.07	3,502.66	3,761.24	4,019.77	4,279.41	4,537.96	4,795.59	5,053.89
1 1/4	2,732.34	2,990.89	3,249.45	3,508.05	3,766.63	4,025.16	4,284.85	4,543.40	4,801.03	5,059.28
1 1/2	2,737.73	2,996.27	3,254.83	3,513.44	3,772.02	4,030.55	4,290.29	4,548.84	4,806.42	5,064.67
3/4	2,743.11	3,001.66	3,260.21	3,518.83	3,777.41	4,035.94	4,295.73	4,554.28	4,811.81	5,070.06
7	2,748.50	3,007.05	3,265.60	3,524.22	3,782.80	4,041.33	4,301.17	4,559.72	4,817.20	5,075.45
1 1/4	2,753.89	3,012.43	3,270.98	3,529.61	3,788.19	4,046.72	4,306.61	4,565.16	4,822.59	5,080.84
1 1/2	2,759.27	3,017.82	3,276.37	3,535.00	3,793.58	4,052.11	4,312.05	4,570.60	4,828.03	5,086.23
3/4	2,764.66	3,023.21	3,281.76	3,540.39	3,798.97	4,057.50	4,317.49	4,576.04	4,833.42	5,091.62
8	2,770.05	3,028.59	3,287.14	3,545.78	3,804.36	4,062.89	4,322.93	4,581.48	4,838.81	5,097.01
1 1/4	2,775.43	3,033.98	3,292.53	3,551.17	3,809.75	4,068.28	4,328.37	4,586.92	4,844.20	5,102.40
1 1/2	2,780.82	3,039.37	3,297.92	3,556.56	3,815.14	4,073.67	4,333.81	4,592.36	4,849.59	5,107.79
3/4	2,786.21	3,044.76	3,303.30	3,561.95	3,820.53	4,079.06	4,339.25	4,597.80	4,855.03	5,113.18
9	2,791.59	3,050.14	3,308.69	3,567.34	3,825.92	4,084.45	4,344.69	4,603.24	4,860.42	5,118.57
1 1/4	2,796.98	3,055.53	3,314.08	3,572.73	3,831.31	4,089.84	4,350.13	4,608.68	4,865.81	5,123.96
1 1/2	2,802.37	3,060.92	3,319.46	3,578.12	3,836.70	4,095.23	4,355.57	4,614.12	4,871.20	5,129.35
3/4	2,807.76	3,066.30	3,324.85	3,583.51	3,842.09	4,100.62	4,361.01	4,619.56	4,876.59	5,134.74
10	2,813.14	3,071.69	3,330.24	3,588.90	3,847.48	4,106.01	4,366.45	4,625.00	4,882.03	5,140.13
1 1/4	2,818.53	3,077.08	3,335.63	3,594.29	3,852.87	4,111.40	4,371.89	4,630.44	4,887.42	5,145.52
1 1/2	2,823.92	3,082.46	3,341.01	3,599.68	3,858.26	4,116.79	4,377.33	4,635.88	4,892.81	5,150.91
3/4	2,829.30	3,087.85	3,346.40	3,605.07	3,863.65	4,122.18	4,382.77	4,641.32	4,898.20	5,156.30
11	2,834.69	3,093.24	3,351.79	3,610.46	3,869.04	4,127.57	4,388.21	4,646.76	4,903.59	5,161.69
1 1/4	2,840.08	3,098.62	3,357.17	3,615.85	3,874.43	4,132.96	4,393.65	4,652.20	4,909.03	5,167.08
1 1/2	2,845.46	3,104.01	3,362.56	3,621.24	3,879.82	4,138.35	4,399.09	4,657.64	4,914.42	5,172.47
3/4	2,850.85	3,109.40	3,367.95	3,626.63	3,885.21	4,143.74	4,404.53	4,663.08	4,919.81	5,177.86

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/25/1977 CM
DECK MEASUREMENTS: 12/11/2006 SW
REPRINTED: 12/21/2006 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pasadena, Texas 77048
http://www.pmacorp.net

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2006



BARGE "CT3"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	
0	0	273.64	0	534.22	0	794.76	0	1,055.36	0	1,315.95	0	1,576.55	0	1,837.14	0	2,097.74	0	2,358.33	0	2,618.93
1/4	1/4	18.50	1/4	279.07	1/4	549.65	1/4	809.19	1/4	1,069.72	1/4	1,329.31	1/4	1,588.96	1/4	1,848.66	1/4	2,108.36	1/4	2,368.06
1/2	1/2	23.93	1/2	284.50	1/2	545.07	1/2	805.62	1/2	1,066.22	1/2	1,326.81	1/2	1,587.41	1/2	1,848.00	1/2	2,108.60	1/2	2,369.19
3/4	3/4	29.36	3/4	289.93	3/4	550.50	3/4	811.05	3/4	1,071.64	3/4	1,332.24	3/4	1,592.83	3/4	1,853.42	3/4	2,114.02	3/4	2,374.62
1	1	34.79	1	295.36	1	555.93	1	816.48	1	1,077.07	1	1,337.67	1	1,598.26	1	1,858.86	1	2,119.45	1	2,380.05
1 1/4	1 1/4	40.21	1 1/4	300.79	1 1/4	561.36	1 1/4	821.91	1 1/4	1,082.50	1 1/4	1,343.10	1 1/4	1,603.69	1 1/4	1,864.28	1 1/4	2,124.88	1 1/4	2,385.48
1 1/2	1 1/2	45.64	1 1/2	306.22	1 1/2	566.79	1 1/2	827.33	1 1/2	1,087.93	1 1/2	1,348.52	1 1/2	1,609.12	1 1/2	1,869.71	1 1/2	2,130.31	1 1/2	2,390.91
2	2	51.07	2	311.64	2	572.22	2	832.76	2	1,093.36	2	1,353.95	2	1,614.55	2	1,875.15	2	2,135.74	2	2,396.33
2 1/4	2 1/4	56.50	2 1/4	317.07	2 1/4	577.65	2 1/4	838.19	2 1/4	1,098.79	2 1/4	1,359.38	2 1/4	1,619.98	2 1/4	1,880.58	2 1/4	2,141.17	2 1/4	2,401.76
2 1/2	2 1/2	61.93	2 1/2	322.50	2 1/2	583.07	2 1/2	843.62	2 1/2	1,104.22	2 1/2	1,364.81	2 1/2	1,625.41	2 1/2	1,886.04	2 1/2	2,146.60	2 1/2	2,407.19
3	3	67.36	3	327.93	3	588.50	3	849.05	3	1,109.64	3	1,370.24	3	1,630.83	3	1,891.45	3	2,152.02	3	2,412.62
3 1/4	3 1/4	72.78	3 1/4	333.36	3 1/4	593.93	3 1/4	854.48	3 1/4	1,115.07	3 1/4	1,375.67	3 1/4	1,636.26	3 1/4	1,896.87	3 1/4	2,157.45	3 1/4	2,418.05
3 1/2	3 1/2	78.21	3 1/2	338.79	3 1/2	599.36	3 1/2	859.91	3 1/2	1,120.50	3 1/2	1,381.10	3 1/2	1,641.69	3 1/2	1,902.29	3 1/2	2,162.88	3 1/2	2,423.48
4	4	83.64	4	344.22	4	604.79	4	865.33	4	1,125.93	4	1,386.52	4	1,647.12	4	1,907.71	4	2,168.31	4	2,428.91
4 1/4	4 1/4	89.07	4 1/4	349.64	4 1/4	610.22	4 1/4	870.76	4 1/4	1,131.36	4 1/4	1,391.95	4 1/4	1,652.55	4 1/4	1,913.14	4 1/4	2,173.74	4 1/4	2,434.33
4 1/2	4 1/2	94.50	4 1/2	355.07	4 1/2	615.65	4 1/2	875.18	4 1/2	1,136.79	4 1/2	1,397.38	4 1/2	1,657.98	4 1/2	1,918.57	4 1/2	2,179.17	4 1/2	2,439.76
5	5	99.93	5	360.50	5	621.07	5	880.62	5	1,142.22	5	1,402.81	5	1,663.41	5	1,924.00	5	2,184.60	5	2,445.19
5 1/4	5 1/4	105.36	5 1/4	365.93	5 1/4	626.50	5 1/4	885.05	5 1/4	1,147.64	5 1/4	1,408.24	5 1/4	1,668.84	5 1/4	1,929.43	5 1/4	2,190.02	5 1/4	2,450.62
5 1/2	5 1/2	110.79	5 1/2	371.36	5 1/2	631.93	5 1/2	889.48	5 1/2	1,153.07	5 1/2	1,413.67	5 1/2	1,674.27	5 1/2	1,934.88	5 1/2	2,195.45	5 1/2	2,456.05
6	6	116.21	6	376.79	6	637.36	6	893.91	6	1,158.50	6	1,419.10	6	1,679.71	6	1,940.29	6	2,200.88	6	2,461.48
6 1/4	6 1/4	121.64	6 1/4	382.22	6 1/4	642.79	6 1/4	903.33	6 1/4	1,163.93	6 1/4	1,424.52	6 1/4	1,685.14	6 1/4	1,945.68	6 1/4	2,206.31	6 1/4	2,466.91
6 1/2	6 1/2	127.07	6 1/2	387.64	6 1/2	648.22	6 1/2	907.76	6 1/2	1,169.36	6 1/2	1,429.95	6 1/2	1,690.57	6 1/2	1,951.15	6 1/2	2,211.74	6 1/2	2,472.34
7	7	132.50	7	393.07	7	653.65	7	914.19	7	1,174.80	7	1,435.39	7	1,695.98	7	1,956.58	7	2,217.18	7	2,477.77
7 1/4	7 1/4	137.93	7 1/4	398.50	7 1/4	659.07	7 1/4	918.62	7 1/4	1,180.23	7 1/4	1,440.83	7 1/4	1,701.43	7 1/4	1,962.02	7 1/4	2,222.61	7 1/4	2,483.21
7 1/2	7 1/2	143.36	7 1/2	403.93	7 1/2	664.50	7 1/2	923.05	7 1/2	1,185.67	7 1/2	1,446.26	7 1/2	1,706.86	7 1/2	1,967.45	7 1/2	2,228.05	7 1/2	2,488.64
8	8	148.79	8	409.36	8	669.93	8	930.48	8	1,191.10	8	1,451.69	8	1,712.29	8	1,972.88	8	2,233.48	8	2,494.07
8 1/4	8 1/4	154.22	8 1/4	414.79	8 1/4	675.36	8 1/4	934.92	8 1/4	1,196.52	8 1/4	1,457.12	8 1/4	1,717.71	8 1/4	1,978.31	8 1/4	2,238.91	8 1/4	2,499.50
8 1/2	8 1/2	159.64	8 1/2	420.22	8 1/2	680.79	8 1/2	939.35	8 1/2	1,201.95	8 1/2	1,462.55	8 1/2	1,723.14	8 1/2	1,983.74	8 1/2	2,244.33	8 1/2	2,504.93
9	9	165.07	9	425.65	9	686.22	9	943.78	9	1,207.38	9	1,467.98	9	1,728.57	9	1,989.17	9	2,249.76	9	2,510.36
9 1/4	9 1/4	170.50	9 1/4	431.07	9 1/4	691.65	9 1/4	948.21	9 1/4	1,212.81	9 1/4	1,473.40	9 1/4	1,734.00	9 1/4	1,994.50	9 1/4	2,255.19	9 1/4	2,515.79
9 1/2	9 1/2	175.93	9 1/2	436.50	9 1/2	697.07	9 1/2	952.64	9 1/2	1,218.24	9 1/2	1,478.83	9 1/2	1,739.43	9 1/2	2,000.02	9 1/2	2,260.62	9 1/2	2,521.21
10	10	181.36	10	441.93	10	702.50	10	957.07	10	1,223.67	10	1,484.26	10	1,744.86	10	2,005.45	10	2,266.05	10	2,526.64
10 1/4	10 1/4	186.79	10 1/4	447.36	10 1/4	707.93	10 1/4	961.50	10 1/4	1,229.10	10 1/4	1,489.69	10 1/4	1,750.29	10 1/4	2,010.88	10 1/4	2,271.48	10 1/4	2,532.07
10 1/2	10 1/2	192.22	10 1/2	452.79	10 1/2	713.36	10 1/2	965.94	10 1/2	1,234.52	10 1/2	1,495.12	10 1/2	1,755.71	10 1/2	2,016.31	10 1/2	2,276.91	10 1/2	2,537.50
11	11	197.64	11	458.22	11	718.79	11	970.38	11	1,239.95	11	1,500.55	11	1,761.14	11	2,021.74	11	2,282.33	11	2,542.93
11 1/4	11 1/4	203.07	11 1/4	463.65	11 1/4	724.22	11 1/4	974.81	11 1/4	1,245.38	11 1/4	1,505.98	11 1/4	1,766.57	11 1/4	2,027.17	11 1/4	2,287.76	11 1/4	2,548.36
11 1/2	11 1/2	208.50	11 1/2	469.08	11 1/2	729.65	11 1/2	979.24	11 1/2	1,250.81	11 1/2	1,511.40	11 1/2	1,772.00	11 1/2	2,032.60	11 1/2	2,293.19	11 1/2	2,553.79
12	12	213.93	12	474.50	12	735.08	12	983.67	12	1,256.24	12	1,516.83	12	1,777.43	12	2,038.02	12	2,298.62	12	2,559.21
12 1/4	12 1/4	219.36	12 1/4	479.93	12 1/4	740.50	12 1/4	988.10	12 1/4	1,261.67	12 1/4	1,522.26	12 1/4	1,782.86	12 1/4	2,043.45	12 1/4	2,304.05	12 1/4	2,564.64
12 1/2	12 1/2	224.79	12 1/2	485.36	12 1/2	745.93	12 1/2	992.53	12 1/2	1,267.10	12 1/2	1,527.69	12 1/2	1,788.29	12 1/2	2,048.88	12 1/2	2,309.48	12 1/2	2,570.07
13	13	230.22	13	490.79	13	751.36	13	996.96	13	1,272.52	13	1,533.12	13	1,793.71	13	2,054.31	13	2,314.91	13	2,575.50
13 1/4	13 1/4	235.64	13 1/4	496.22	13 1/4	756.78	13 1/4	1,001.39	13 1/4	1,277.95	13 1/4	1,538.55	13 1/4	1,799.14	13 1/4	2,059.74	13 1/4	2,320.33	13 1/4	2,580.93
13 1/2	13 1/2	241.07	13 1/2	501.65	13 1/2	762.20	13 1/2	1,005.82	13 1/2	1,283.38	13 1/2	1,543.98	13 1/2	1,804.57	13 1/2	2,065.17	13 1/2	2,325.76	13 1/2	2,586.36
14	14	246.50	14	507.08	14	767.63	14	1,010.25	14	1,288.81	14	1,549.41	14	1,810.00	14	2,070.60	14	2,331.19	14	2,591.79
14 1/4	14 1/4	251.93	14 1/4	512.50	14 1/4	773.05	14 1/4	1,014.68	14 1/4	1,294.24	14 1/4	1,554.83	14 1/4	1,815.43	14 1/4	2,076.02	14 1/4	2,336.62	14 1/4	2,597.22
14 1/2	14 1/2	257.36	14 1/2	517.93	14 1/2	778.48	14 1/2	1,019.11	14 1/2	1,299.67	14 1/2	1,560.26	14 1/2	1,820.86	14 1/2	2,081.45	14 1/2	2,342.05	14 1/2	2,602.64
15	15	262.79	15	523.36	15	783.90	15	1,023.54	15	1,305.10	15	1,565.69	15	1,826.29	15	2,086.88	15	2,347.48	15	2,608.07
15 1/4	15 1/4	268.22	15 1/4	528.79	15 1/4	789.33	15 1/4	1,027.97	15 1/4	1,310.52	15 1/4	1,571.12	15 1/4	1,831.72	15 1/4	2,092.31	15 1/4	2,352.91	15 1/4	2,613.50



BARGE "CT-3"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	2,619.93	0	2,876.88	0	3,125.89	0	3,365.89	0	3,521.55	0	3,652.00	0	3,752.00	0	3,815.55	0	3,845.55	0	3,855.55
1/4	2,624.38	1/4	2,882.14	1/4	3,130.75	1/4	3,370.65	1/4	3,521.77	1/4	3,652.00	1/4	3,752.00	1/4	3,815.55	1/4	3,845.55	1/4	3,855.55
1/2	2,628.78	1/2	2,887.40	1/2	3,135.81	1/2	3,375.82	1/2	3,522.00	1/2	3,652.00	1/2	3,752.00	1/2	3,815.55	1/2	3,845.55	1/2	3,855.55
3/4	2,633.22	3/4	2,892.87	3/4	3,140.87	3/4	3,380.88	3/4	3,522.00	3/4	3,652.00	3/4	3,752.00	3/4	3,815.55	3/4	3,845.55	3/4	3,855.55
1	2,640.64	1	2,897.93	1	3,145.93	1	3,385.88	1	3,522.00	1	3,652.00	1	3,752.00	1	3,815.55	1	3,845.55	1	3,855.55
1 1/4	2,646.07	1 1/4	2,903.20	1 1/4	3,150.99	1 1/4	3,390.51	1 1/4	3,522.00	1 1/4	3,652.00	1 1/4	3,752.00	1 1/4	3,815.55	1 1/4	3,845.55	1 1/4	3,855.55
1 1/2	2,651.50	1 1/2	2,908.48	1 1/2	3,156.06	1 1/2	3,395.48	1 1/2	3,522.00	1 1/2	3,652.00	1 1/2	3,752.00	1 1/2	3,815.55	1 1/2	3,845.55	1 1/2	3,855.55
1 3/4	2,656.93	1 3/4	2,913.73	1 3/4	3,161.13	1 3/4	3,400.44	1 3/4	3,522.00	1 3/4	3,652.00	1 3/4	3,752.00	1 3/4	3,815.55	1 3/4	3,845.55	1 3/4	3,855.55
2	2,662.36	2	2,919.00	2	3,166.19	2	3,405.41	2	3,522.00	2	3,652.00	2	3,752.00	2	3,815.55	2	3,845.55	2	3,855.55
2 1/4	2,667.79	2 1/4	2,924.26	2 1/4	3,171.25	2 1/4	3,410.36	2 1/4	3,522.00	2 1/4	3,652.00	2 1/4	3,752.00	2 1/4	3,815.55	2 1/4	3,845.55	2 1/4	3,855.55
2 1/2	2,673.22	2 1/2	2,929.52	2 1/2	3,176.31	2 1/2	3,415.32	2 1/2	3,522.00	2 1/2	3,652.00	2 1/2	3,752.00	2 1/2	3,815.55	2 1/2	3,845.55	2 1/2	3,855.55
2 3/4	2,678.64	2 3/4	2,934.79	2 3/4	3,181.37	2 3/4	3,420.28	2 3/4	3,522.00	2 3/4	3,652.00	2 3/4	3,752.00	2 3/4	3,815.55	2 3/4	3,845.55	2 3/4	3,855.55
3	2,684.07	3	2,940.05	3	3,186.43	3	3,425.24	3	3,522.00	3	3,652.00	3	3,752.00	3	3,815.55	3	3,845.55	3	3,855.55
3 1/4	2,689.48	3 1/4	2,945.26	3 1/4	3,191.44	3 1/4	3,430.00	3 1/4	3,522.00	3 1/4	3,652.00	3 1/4	3,752.00	3 1/4	3,815.55	3 1/4	3,845.55	3 1/4	3,855.55
3 1/2	2,694.88	3 1/2	2,950.46	3 1/2	3,196.45	3 1/2	3,434.76	3 1/2	3,522.00	3 1/2	3,652.00	3 1/2	3,752.00	3 1/2	3,815.55	3 1/2	3,845.55	3 1/2	3,855.55
3 3/4	2,700.29	3 3/4	2,955.67	3 3/4	3,201.46	3 3/4	3,439.52	3 3/4	3,522.00	3 3/4	3,652.00	3 3/4	3,752.00	3 3/4	3,815.55	3 3/4	3,845.55	3 3/4	3,855.55
4	2,705.69	4	2,960.88	4	3,206.48	4	3,444.29	4	3,522.00	4	3,652.00	4	3,752.00	4	3,815.55	4	3,845.55	4	3,855.55
4 1/4	2,711.08	4 1/4	2,966.08	4 1/4	3,211.47	4 1/4	3,448.88	4 1/4	3,522.00	4 1/4	3,652.00	4 1/4	3,752.00	4 1/4	3,815.55	4 1/4	3,845.55	4 1/4	3,855.55
4 1/2	2,716.48	4 1/2	2,971.27	4 1/2	3,216.46	4 1/2	3,452.87	4 1/2	3,522.00	4 1/2	3,652.00	4 1/2	3,752.00	4 1/2	3,815.55	4 1/2	3,845.55	4 1/2	3,855.55
4 3/4	2,721.89	4 3/4	2,976.47	4 3/4	3,221.46	4 3/4	3,457.16	4 3/4	3,522.00	4 3/4	3,652.00	4 3/4	3,752.00	4 3/4	3,815.55	4 3/4	3,845.55	4 3/4	3,855.55
5	2,727.29	5	2,981.67	5	3,226.45	5	3,461.45	5	3,522.00	5	3,652.00	5	3,752.00	5	3,815.55	5	3,845.55	5	3,855.55
5 1/4	2,732.68	5 1/4	2,986.86	5 1/4	3,231.45	5 1/4	3,465.21	5 1/4	3,522.00	5 1/4	3,652.00	5 1/4	3,752.00	5 1/4	3,815.55	5 1/4	3,845.55	5 1/4	3,855.55
5 1/2	2,738.07	5 1/2	2,992.06	5 1/2	3,236.45	5 1/2	3,468.96	5 1/2	3,522.00	5 1/2	3,652.00	5 1/2	3,752.00	5 1/2	3,815.55	5 1/2	3,845.55	5 1/2	3,855.55
5 3/4	2,743.46	5 3/4	2,997.26	5 3/4	3,241.45	5 3/4	3,472.72	5 3/4	3,522.00	5 3/4	3,652.00	5 3/4	3,752.00	5 3/4	3,815.55	5 3/4	3,845.55	5 3/4	3,855.55
6	2,748.86	6	3,002.45	6	3,246.45	6	3,476.48	6	3,522.00	6	3,652.00	6	3,752.00	6	3,815.55	6	3,845.55	6	3,855.55
6 1/4	2,754.26	6 1/4	3,007.65	6 1/4	3,251.45	6 1/4	3,479.70	6 1/4	3,522.00	6 1/4	3,652.00	6 1/4	3,752.00	6 1/4	3,815.55	6 1/4	3,845.55	6 1/4	3,855.55
6 1/2	2,759.65	6 1/2	3,012.85	6 1/2	3,256.44	6 1/2	3,482.92	6 1/2	3,522.00	6 1/2	3,652.00	6 1/2	3,752.00	6 1/2	3,815.55	6 1/2	3,845.55	6 1/2	3,855.55
6 3/4	2,765.05	6 3/4	3,018.04	6 3/4	3,261.43	6 3/4	3,486.14	6 3/4	3,522.00	6 3/4	3,652.00	6 3/4	3,752.00	6 3/4	3,815.55	6 3/4	3,845.55	6 3/4	3,855.55
7	2,770.45	7	3,023.24	7	3,266.43	7	3,489.36	7	3,522.00	7	3,652.00	7	3,752.00	7	3,815.55	7	3,845.55	7	3,855.55
7 1/4	2,775.80	7 1/4	3,028.36	7 1/4	3,271.40	7 1/4	3,492.04	7 1/4	3,522.00	7 1/4	3,652.00	7 1/4	3,752.00	7 1/4	3,815.55	7 1/4	3,845.55	7 1/4	3,855.55
7 1/2	2,781.14	7 1/2	3,033.52	7 1/2	3,276.37	7 1/2	3,494.73	7 1/2	3,522.00	7 1/2	3,652.00	7 1/2	3,752.00	7 1/2	3,815.55	7 1/2	3,845.55	7 1/2	3,855.55
7 3/4	2,786.49	7 3/4	3,038.87	7 3/4	3,281.34	7 3/4	3,497.41	7 3/4	3,522.00	7 3/4	3,652.00	7 3/4	3,752.00	7 3/4	3,815.55	7 3/4	3,845.55	7 3/4	3,855.55
8	2,791.83	8	3,043.81	8	3,286.31	8	3,500.10	8	3,522.00	8	3,652.00	8	3,752.00	8	3,815.55	8	3,845.55	8	3,855.55
8 1/4	2,797.16	8 1/4	3,048.94	8 1/4	3,291.27	8 1/4	3,502.24	8 1/4	3,522.00	8 1/4	3,652.00	8 1/4	3,752.00	8 1/4	3,815.55	8 1/4	3,845.55	8 1/4	3,855.55
8 1/2	2,802.48	8 1/2	3,054.07	8 1/2	3,296.24	8 1/2	3,504.38	8 1/2	3,522.00	8 1/2	3,652.00	8 1/2	3,752.00	8 1/2	3,815.55	8 1/2	3,845.55	8 1/2	3,855.55
8 3/4	2,807.82	8 3/4	3,059.20	8 3/4	3,301.20	8 3/4	3,506.52	8 3/4	3,522.00	8 3/4	3,652.00	8 3/4	3,752.00	8 3/4	3,815.55	8 3/4	3,845.55	8 3/4	3,855.55
9	2,813.14	9	3,064.33	9	3,306.17	9	3,508.67	9	3,522.00	9	3,652.00	9	3,752.00	9	3,815.55	9	3,845.55	9	3,855.55
9 1/4	2,818.47	9 1/4	3,069.46	9 1/4	3,311.13	9 1/4	3,510.27	9 1/4	3,522.00	9 1/4	3,652.00	9 1/4	3,752.00	9 1/4	3,815.55	9 1/4	3,845.55	9 1/4	3,855.55
9 1/2	2,823.80	9 1/2	3,074.60	9 1/2	3,316.08	9 1/2	3,511.86	9 1/2	3,522.00	9 1/2	3,652.00	9 1/2	3,752.00	9 1/2	3,815.55	9 1/2	3,845.55	9 1/2	3,855.55
9 3/4	2,829.13	9 3/4	3,079.73	9 3/4	3,321.04	9 3/4	3,513.49	9 3/4	3,522.00	9 3/4	3,652.00	9 3/4	3,752.00	9 3/4	3,815.55	9 3/4	3,845.55	9 3/4	3,855.55
10	2,834.45	10	3,084.86	10	3,326.00	10	3,515.10	10	3,522.00	10	3,652.00	10	3,752.00	10	3,815.55	10	3,845.55	10	3,855.55
10 1/4	2,839.79	10 1/4	3,089.98	10 1/4	3,330.96	10 1/4	3,516.17	10 1/4	3,522.00	10 1/4	3,652.00	10 1/4	3,752.00	10 1/4	3,815.55	10 1/4	3,845.55	10 1/4	3,855.55
10 1/2	2,845.12	10 1/2	3,095.11	10 1/2	3,335.93	10 1/2	3,517.25	10 1/2	3,522.00	10 1/2	3,652.00	10 1/2	3,752.00	10 1/2	3,815.55	10 1/2	3,845.55	10 1/2	3,855.55
10 3/4	2,850.45	10 3/4	3,100.23	10 3/4	3,340.89	10 3/4	3,518.33	10 3/4	3,522.00	10 3/4	3,652.00	10 3/4	3,752.00	10 3/4	3,815.55	10 3/4	3,845.55	10 3/4	3,855.55
11	2,855.79	11	3,105.36	11	3,345.86	11	3,519.40	11	3,522.00	11	3,652.00	11	3,752.00	11	3,815.55	11	3,845.55	11	3,855.55
11 1/4	2,861.06	11 1/4	3,110.44	11 1/4	3,350.82	11 1/4	3,519.94	11 1/4	3,522.00	11 1/4	3,652.00	11 1/4	3,752.00	11 1/4	3,815.55	11 1/4	3,845.55	11 1/4	3,855.55
11 1/2	2,866.33	11 1/2	3,115.52	11 1/2	3,355.77	11 1/2	3,520.48	11 1/2	3,522.00	11 1/2	3,652.00	11 1/2	3,752.00	11 1/2	3,815.55	11 1/2	3,845.55	11 1/2	3,855.55
11 3/4	2,871.61	11 3/4	3,120.61	11 3/4	3,360.73	11 3/4	3,521.01	11 3/4	3,522.00	11 3/4	3,652.00	11 3/4	3,752.00	11 3/4	3,815.55	11 3/4	3,845.55	11 3/4	3,855.55

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/25/1977 CM
DECK MEASUREMENTS: 12/18/2006 SW
REPRINTED: 12/21/2006 SW
CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2006

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pimcorp.net