

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE IB-1025
HULL #93-2925

TANK 1

COMPUTED IN U. S. GALLONS

INNAE TABLE

GAGE HEIGHT - 14'-10 1/4"

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
IN.	0	0	0	0	0	0	0	0	0	0
1/4	96	10,211	20,969	31,720	42,247	52,973	63,725	74,483	85,240	95,998
1/2	194	10,436	21,193	31,938	42,471	53,197	63,949	74,707	85,469	96,222
3/4	292	10,660	21,417	32,156	42,695	53,420	64,173	74,931	85,689	96,446
1	390	10,884	21,641	32,374	42,919	53,643	64,397	75,155	85,913	96,670
1 1/4	489	11,108	21,865	32,592	43,143	53,866	64,621	75,379	86,137	96,895
1 1/2	587	11,332	22,089	32,810	43,368	54,089	64,845	75,603	86,361	97,119
1 3/4	678	11,556	22,314	33,028	43,592	54,313	65,069	75,827	86,585	97,343
2	767	11,780	22,538	33,246	43,816	54,536	65,294	76,051	86,809	97,567
2 1/4	857	12,004	22,762	33,464	44,040	54,760	65,518	76,275	87,033	97,791
2 1/2	947	12,228	22,986	33,683	44,264	54,984	65,742	76,500	87,257	98,015
2 3/4	1,038	12,452	23,210	33,901	44,489	55,208	65,966	76,724	87,481	98,239
3	1,129	12,676	23,434	34,119	44,713	55,432	66,190	76,948	87,706	98,463
3 1/4	1,212	12,899	23,658	34,337	44,937	55,656	66,414	77,172	87,930	98,687
3 1/2	1,297	13,123	23,883	34,555	45,161	55,881	66,638	77,396	88,154	98,912
3 3/4	1,384	13,347	24,107	34,773	45,385	56,105	66,862	77,620	88,378	99,136
4	1,471	13,571	24,331	34,991	45,608	56,329	67,087	77,844	88,602	99,360
4 1/4	1,559	13,795	24,555	35,209	45,832	56,553	67,311	78,068	88,826	99,584
4 1/2	1,648	14,019	24,779	35,427	46,055	56,777	67,535	78,293	89,050	99,808
4 3/4	1,738	14,244	25,003	35,646	46,279	57,001	67,759	78,517	89,274	100,032
5	1,829	14,468	25,228	35,864	46,502	57,225	67,983	78,741	89,499	100,256
5 1/4	1,920	14,692	25,452	36,082	46,725	57,449	68,207	78,965	89,723	100,480
5 1/2	2,012	14,916	25,676	36,300	46,948	57,674	68,431	79,189	89,947	100,705
5 3/4	2,105	15,140	25,900	36,518	47,171	57,898	68,655	79,413	90,171	100,929
6	2,199	15,364	26,124	36,736	47,395	58,122	68,880	79,637	90,395	101,153
6 1/4	2,294	15,589	26,348	36,954	47,618	58,346	69,104	79,861	90,619	101,377
6 1/2	2,389	15,813	26,573	37,172	47,841	58,570	69,328	80,086	90,843	101,601
6 3/4	2,485	16,037	26,797	37,390	48,064	58,794	69,552	80,310	91,067	101,825
7	2,582	16,261	27,021	37,609	48,287	59,018	69,776	80,534	91,292	102,049
7 1/4	2,680	16,485	27,245	37,827	48,510	59,242	70,000	80,758	91,516	102,273
7 1/2	2,779	16,710	27,469	38,045	48,734	59,466	70,224	80,982	91,740	102,498
7 3/4	2,879	16,934	27,693	38,263	48,957	59,691	70,448	81,206	91,964	102,722
8	2,980	17,158	27,918	38,481	49,180	59,915	70,672	81,430	92,188	102,946
8 1/4	3,082	17,382	28,142	38,699	49,403	60,139	70,897	81,654	92,412	103,170
8 1/2	3,185	17,606	28,366	38,917	49,626	60,363	71,121	81,878	92,636	103,394
8 3/4	3,289	17,830	28,590	39,135	49,849	60,587	71,345	82,103	92,860	103,618
9	3,394	18,055	28,814	39,353	50,073	60,811	71,569	82,327	93,084	103,842
9 1/4	3,500	18,279	29,038	39,572	50,296	61,035	71,793	82,551	93,308	104,066
9 1/2	3,607	18,503	29,263	39,792	50,519	61,259	72,017	82,775	93,533	104,288
9 3/4	3,715	18,727	29,487	40,012	50,742	61,484	72,241	82,999	93,757	104,509
10	3,824	18,951	29,711	40,233	50,965	61,708	72,465	83,223	93,981	104,731
10 1/4	3,934	19,175	29,935	40,453	51,189	61,932	72,690	83,447	94,205	104,953
10 1/2	4,045	19,400	30,159	40,678	51,412	62,156	72,914	83,671	94,429	105,174
10 3/4	4,157	19,624	30,384	40,902	51,635	62,380	73,138	83,896	94,653	105,396
11	4,270	19,848	30,608	41,126	51,858	62,604	73,362	84,120	94,877	105,618
11 1/4	4,384	20,072	30,832	41,350	52,081	62,828	73,586	84,344	95,102	105,840
11 1/2	4,500	20,296	31,054	41,574	52,304	63,052	73,810	84,568	95,326	106,062
11 3/4	4,617	20,520	31,276	41,798	52,527	63,277	74,034	84,792	95,550	106,284
12	4,735	20,745	31,498	42,023	52,750	63,501	74,258	85,016	95,774	106,506

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

PAGE NO. 1

DATE OF ISSUE - NOVEMBER 3, 1993

SAYBOLT INC.

COMPUTED BY: JW 11/02/93
CHECKED BY: SJK 11/02/93
STRAPPED BY: PLB & JAB 10/25/93

John J. Taylor

SAYBOLT INC.
 East Coast Headquarters
 400 Swenson Drive
 Kenilworth, N. J. 07033

BARGE IB-1025
HULL #93-2925

TANK 1

COMPUTED IN U. S. GALLONS

INNAGE TABLE

GAGE HEIGHT - 14'-10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.
0	106,602	0	116,037	0	125,472	0	134,907
1/4	106,799	1/4	116,234	1/4	125,669	1/4	135,103
1/2	106,995	1/2	116,430	1/2	125,865	1/2	135,300
3/4	107,192	3/4	116,627	3/4	126,062	3/4	135,497
1	107,388	1	116,823	1	126,258	1	135,693
1/4	107,585	1/4	117,020	1/4	126,455	1/4	135,890
1/2	107,782	1/2	117,216	1/2	126,651	1/2	136,086
3/4	107,978	3/4	117,413	3/4	126,848	3/4	136,283
2	108,175	2	117,610	2	127,044	2	136,479
1/4	108,371	1/4	117,806	1/4	127,241	1/4	136,671
1/2	108,568	1/2	118,003	1/2	127,438	1/2	136,862
3/4	108,764	3/4	118,199	3/4	127,634	3/4	137,053
3	108,961	3	118,396	3	127,831	3	137,244
1/4	109,157	1/4	118,592	1/4	128,027	1/4	137,416
1/2	109,354	1/2	118,789	1/2	128,224	1/2	137,588
3/4	109,551	3/4	118,985	3/4	128,420	3/4	137,760
4	109,747	4	119,182	4	128,617	4	137,933
1/4	109,944	1/4	119,379	1/4	128,813	1/4	138,077
1/2	110,140	1/2	119,575	1/2	129,010	1/2	138,220
3/4	110,337	3/4	119,772	3/4	129,207	3/4	138,364
5	110,533	5	119,968	5	129,403	5	138,508
1/4	110,730	1/4	120,165	1/4	129,600	1/4	138,624
1/2	110,927	1/2	120,361	1/2	129,796	1/2	138,740
3/4	111,123	3/4	120,558	3/4	129,993	3/4	138,856
6	111,320	6	120,755	6	130,189	6	138,972
1/4	111,516	1/4	120,951	1/4	130,386	1/4	139,059
1/2	111,713	1/2	121,148	1/2	130,583	1/2	139,147
3/4	111,909	3/4	121,344	3/4	130,779	3/4	139,235
7	112,106	7	121,541	7	130,976	7	139,323
1/4	112,302	1/4	121,737	1/4	131,172	1/4	139,382
1/2	112,499	1/2	121,934	1/2	131,369	1/2	139,442
3/4	112,696	3/4	122,130	3/4	131,565	3/4	139,502
8	112,892	8	122,327	8	131,762	8	139,561
1/4	113,089	1/4	122,524	1/4	131,958	1/4	139,593
1/2	113,285	1/2	122,720	1/2	132,155	1/2	139,624
3/4	113,482	3/4	122,917	3/4	132,352	3/4	139,656
9	113,678	9	123,113	9	132,548	9	139,687
1/4	113,875	1/4	123,310	1/4	132,745	1/4	139,719
1/2	114,071	1/2	123,506	1/2	132,941	1/2	139,751
3/4	114,268	3/4	123,703	3/4	133,138	3/4	139,783
10	114,465	10	123,899	10	133,334	10	139,815
1/4	114,661	1/4	124,096	1/4	133,531	1/4	139,847
1/2	114,858	1/2	124,293	1/2	133,727	1/2	139,879
3/4	115,054	3/4	124,489	3/4	133,924	3/4	139,911
11	115,251	11	124,686	11	134,121	11	139,943
1/4	115,447	1/4	124,882	1/4	134,317	1/4	139,975
1/2	115,644	1/2	125,079	1/2	134,514	1/2	139,997
3/4	115,841	3/4	125,275	3/4	134,710	3/4	140,009

PAGE NO. 2

GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

DATE OF ISSUE - NOVEMBER 3, 1993

COMPUTED BY: JW 11/02/93
 CHECKED BY: SJK 11/02/93
 STRAPPED BY: PLB & JAB 10/25/93

SAYBOLT INC.



SAYBOLT INC.
 East Coast Headquarters
 400 Swenson Drive
 Kenilworth, N. J. 07033

BARGE IB-1025
HULL #93-2925

TANK 2

COMPUTED IN U. S. GALLONS

INNAGE TABLE

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
IN.	10.291	10.291	21.135	31.969	42.570	53.414	64.259	75.104	85.948	96.793
1/4	195	10517	21,361	32,189	42,796	53,640	64,485	75,329	86,174	97,019
1/2	294	10,743	21,587	32,408	43,022	53,866	64,711	75,555	86,400	97,245
3/4	393	10,969	21,812	32,628	43,247	54,092	64,937	75,781	86,626	97,471
1	492	11,195	22,038	32,848	43,473	54,318	65,163	76,007	86,852	97,697
1/4	592	11,421	22,264	33,067	43,699	54,544	65,389	76,233	87,078	97,922
1/2	694	11,647	22,490	33,287	43,925	54,770	65,615	76,459	87,304	98,148
3/4	794	11,872	22,716	33,506	44,151	54,996	65,840	76,685	87,530	98,374
1	894	12,098	22,942	33,726	44,377	55,222	66,066	76,911	87,756	98,600
1/4	994	12,324	23,168	33,946	44,603	55,448	66,292	77,137	87,982	98,826
1/2	1,096	12,550	23,394	34,165	44,829	55,674	66,518	77,363	88,208	99,052
3/4	1,192	12,776	23,620	34,385	45,055	55,900	66,744	77,589	88,433	99,278
1	1,288	13,002	23,846	34,604	45,281	56,125	66,970	77,815	88,659	99,504
1/4	1,384	13,228	24,072	34,824	45,507	56,351	67,196	78,041	88,885	99,730
1/2	1,480	13,454	24,298	35,044	45,733	56,577	67,422	78,267	89,111	99,956
3/4	1,576	13,680	24,523	35,263	45,959	56,803	67,648	78,493	89,337	100,182
1	1,672	13,906	24,749	35,483	46,185	57,029	67,874	78,718	89,563	100,408
1/4	1,768	14,132	24,975	35,702	46,410	57,255	68,100	78,944	89,789	100,634
1/2	1,864	14,358	25,201	35,922	46,636	57,481	68,326	79,170	90,015	100,860
3/4	1,960	14,583	25,427	36,141	46,862	57,707	68,552	79,396	90,241	101,086
1	2,056	14,809	25,653	36,361	47,088	57,933	68,778	79,622	90,467	101,311
1/4	2,152	15,035	25,879	36,581	47,314	58,159	69,003	79,848	90,693	101,537
1/2	2,248	15,261	26,105	36,800	47,540	58,385	69,229	80,074	90,919	101,763
3/4	2,344	15,487	26,331	37,020	47,766	58,611	69,455	80,300	91,145	101,989
1	2,440	15,713	26,557	37,239	47,992	58,837	69,681	80,526	91,371	102,215
1/4	2,536	15,939	26,783	37,459	48,218	59,063	69,907	80,752	91,596	102,441
1/2	2,632	16,165	27,008	37,679	48,444	59,288	70,133	80,978	91,822	102,667
3/4	2,728	16,391	27,234	37,898	48,670	59,514	70,359	81,204	92,048	102,893
1	2,824	16,617	27,460	38,118	48,896	59,740	70,585	81,430	92,274	103,119
1/4	2,920	16,843	27,686	38,337	49,122	59,966	70,811	81,656	92,500	103,345
1/2	3,016	17,069	27,912	38,557	49,348	60,192	71,037	81,881	92,726	103,571
3/4	3,112	17,295	28,138	38,777	49,573	60,418	71,263	82,107	92,952	103,797
1	3,208	17,520	28,364	38,996	49,799	60,644	71,489	82,333	93,178	104,023
1/4	3,304	17,746	28,590	39,216	50,025	60,870	71,715	82,559	93,404	104,249
1/2	3,400	17,972	28,816	39,435	50,251	61,096	71,941	82,785	93,630	104,474
3/4	3,496	18,198	29,042	39,655	50,477	61,322	72,166	83,011	93,856	104,700
1	3,592	18,424	29,268	39,874	50,703	61,548	72,392	83,237	94,082	104,926
1/4	3,688	18,650	29,494	40,096	50,929	61,774	72,618	83,463	94,308	105,152
1/2	3,784	18,876	29,719	40,318	51,155	62,000	72,844	83,689	94,534	105,378
3/4	3,880	19,102	29,945	40,540	51,381	62,226	73,070	83,915	94,759	105,604
1	3,976	19,328	30,171	40,762	51,607	62,451	73,296	84,141	94,985	105,830
1/4	4,072	19,554	30,397	40,988	51,833	62,677	73,522	84,367	95,211	106,056
1/2	4,168	19,780	30,623	41,214	52,059	62,903	73,748	84,593	95,437	106,282
3/4	4,264	20,006	30,849	41,440	52,285	63,129	73,974	84,819	95,663	106,508
1	4,360	20,231	31,075	41,666	52,511	63,355	74,200	85,044	95,889	106,734
1/4	4,456	20,457	31,299	41,892	52,736	63,581	74,426	85,270	96,115	106,960
1/2	4,552	20,683	31,522	42,118	52,962	63,807	74,652	85,496	96,341	107,186
3/4	4,648	20,909	31,746	42,344	53,188	64,033	74,878	85,722	96,567	107,412

PAGE NO. 3

GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

DATE OF ISSUE - NOVEMBER 3, 1993

COMPUTED BY: JW 11/02/93
 CHECKED BY: SJK 11/02/93
 STRAPPED BY: PLB & JAB 10/25/93

SAYBOLT INC.

John J. Ford

SAYBOLT INC.
 East Coast Headquarters
 400 Swenson Drive
 Kenilworth, N. J. 07033

BARGE IB-1025
 HULL #93-2925

TANK 2

COMPUTED IN U. S. GALLONS

INNAGE TABLE

GAGE HEIGHT - 14'-10 1/8"

IN	10 FT.	11 FT.	12 FT.	13 FT.
3/4	118,256	118,256	118,256	118,256
1/2	118,030	118,030	118,030	118,030
1/4	117,804	117,804	117,804	117,804
11	117,578	117,578	117,578	117,578
3/4	117,352	117,352	117,352	117,352
1/2	117,127	117,127	117,127	117,127
1/4	116,901	116,901	116,901	116,901
10	116,675	116,675	116,675	116,675
3/4	116,449	116,449	116,449	116,449
1/2	116,223	116,223	116,223	116,223
1/4	115,997	115,997	115,997	115,997
9	115,771	115,771	115,771	115,771
3/4	115,545	115,545	115,545	115,545
1/2	115,319	115,319	115,319	115,319
1/4	115,093	115,093	115,093	115,093
8	114,867	114,867	114,867	114,867
3/4	114,641	114,641	114,641	114,641
1/2	114,415	114,415	114,415	114,415
1/4	114,189	114,189	114,189	114,189
7	113,964	113,964	113,964	113,964
3/4	113,738	113,738	113,738	113,738
1/2	113,512	113,512	113,512	113,512
1/4	113,286	113,286	113,286	113,286
6	113,060	113,060	113,060	113,060
3/4	112,834	112,834	112,834	112,834
1/2	112,608	112,608	112,608	112,608
1/4	112,382	112,382	112,382	112,382
5	112,156	112,156	112,156	112,156
3/4	111,930	111,930	111,930	111,930
1/2	111,704	111,704	111,704	111,704
1/4	111,478	111,478	111,478	111,478
4	111,252	111,252	111,252	111,252
3/4	111,026	111,026	111,026	111,026
1/2	110,801	110,801	110,801	110,801
1/4	110,575	110,575	110,575	110,575
3	110,349	110,349	110,349	110,349
3/4	110,123	110,123	110,123	110,123
1/2	109,897	109,897	109,897	109,897
1/4	109,671	109,671	109,671	109,671
2	109,445	109,445	109,445	109,445
3/4	109,219	109,219	109,219	109,219
1/2	108,993	108,993	108,993	108,993
1/4	108,767	108,767	108,767	108,767
1	108,541	108,541	108,541	108,541
3/4	108,315	108,315	108,315	108,315
1/2	108,089	108,089	108,089	108,089
1/4	107,863	107,863	107,863	107,863
0	107,637	107,637	107,637	107,637
IN	10 FT.	11 FT.	12 FT.	13 FT.

PAGE NO. 4

GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

DATE OF ISSUE - NOVEMBER 3, 1993

SAYBOLT INC.

COMPUTED BY: JW 11/02/93
 CHECKED BY: SJK 11/02/93

STRAPPED BY: PLB & JAB 10/25/93

John G. Taylor

SAYBOLT INC.
 East Coast Headquarters
 400 Swenson Drive
 Kenilworth, N. J. 07033

BARGE IB-1025
HULL #93-2925

TANK 3

GAGE HEIGHT - 14'-10 1/4"

COMPUTED IN U. S. GALLONS

INNAGE TABLE

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
3/4	11.381	23.644	35.906	48.147	60.410	72.674	84.937	97.201	109.464	121.728
1/2	11.125	23.388	35.651	47.891	60.155	72.418	84.682	96.945	109.209	121.472
1/4	10.870	23.133	35.396	47.636	59.899	72.163	84.426	96.690	108.953	121.217
11	10.614	22.877	35.140	47.380	59.644	71.907	84.171	96.434	108.698	120.962
3/4	10.359	22.622	34.885	47.125	59.388	71.652	83.915	96.179	108.442	120.706
1/2	10.103	22.366	34.629	46.869	59.133	71.396	83.660	95.923	108.187	120.451
1/4	9.848	22.111	34.374	46.614	58.877	71.141	83.404	95.668	107.932	120.195
10	9.592	21.855	34.118	46.358	58.622	70.885	83.149	95.413	107.676	119.940
3/4	9.337	21.600	33.863	46.103	58.366	70.630	82.893	95.157	107.421	119.684
1/2	9.081	21.344	33.607	45.848	58.111	70.374	82.638	94.902	107.165	119.429
1/4	8.826	21.089	33.352	45.593	57.855	70.119	82.383	94.646	106.910	119.173
9	8.570	20.833	33.096	45.338	57.600	69.864	82.127	94.391	106.654	118.918
3/4	8.315	20.578	32.841	45.083	57.344	69.608	81.872	94.135	106.399	118.662
1/2	8.059	20.322	32.585	44.828	57.089	69.353	81.616	93.880	106.143	118.407
1/4	7.804	20.067	32.330	44.573	56.834	69.097	81.361	93.624	105.888	118.151
8	7.548	19.811	32.075	44.318	56.578	68.842	81.105	93.369	105.632	117.896
3/4	7.293	19.556	31.819	44.063	56.323	68.586	80.850	93.113	105.377	117.640
1/2	7.037	19.300	31.564	43.808	56.067	68.331	80.594	92.858	105.121	117.385
1/4	6.782	19.045	31.308	43.554	55.812	68.075	80.339	92.602	104.866	117.129
7	6.526	18.790	31.053	43.299	55.556	67.820	80.083	92.347	104.610	116.874
3/4	6.271	18.534	30.797	43.044	55.301	67.564	79.828	92.091	104.355	116.618
1/2	6.016	18.279	30.542	42.789	55.045	67.309	79.572	91.836	104.099	116.363
1/4	5.760	18.023	30.286	42.534	54.790	67.053	79.317	91.580	103.844	116.107
6	5.505	17.768	30.031	42.279	54.534	66.798	79.061	91.325	103.588	115.852
3/4	5.249	17.512	29.775	42.024	54.279	66.542	78.806	91.069	103.333	115.596
1/2	4.994	17.257	29.520	41.769	54.023	66.287	78.550	90.814	103.077	115.341
1/4	4.738	17.001	29.264	41.514	53.768	66.031	78.295	90.558	102.822	115.085
5	4.483	16.746	29.009	41.259	53.512	65.776	78.039	90.303	102.566	114.830
3/4	4.227	16.490	28.753	41.005	53.257	65.520	77.784	90.047	102.311	114.574
1/2	3.972	16.235	28.498	40.750	53.001	65.265	77.528	89.792	102.055	114.319
1/4	3.716	15.979	28.242	40.495	52.746	65.009	77.273	89.536	101.800	114.063
4	3.461	15.724	27.987	40.240	52.490	64.754	77.017	89.281	101.544	113.808
3/4	3.205	15.468	27.732	39.985	52.235	64.498	76.762	89.025	101.289	113.552
1/2	2.950	15.213	27.476	39.730	51.979	64.243	76.506	88.770	101.033	113.297
1/4	2.694	14.957	27.221	39.475	51.724	63.987	76.251	88.514	100.778	113.041
3	2.439	14.702	26.965	39.220	51.468	63.732	75.995	88.259	100.522	112.786
3/4	2.183	14.446	26.710	38.965	51.213	63.476	75.740	88.003	100.267	112.530
1/2	1.928	14.191	26.454	38.710	50.957	63.221	75.484	87.748	100.011	112.275
1/4	1.672	13.935	26.199	38.456	50.702	62.965	75.229	87.492	99.756	112.019
2	1.417	13.680	25.943	38.201	50.446	62.710	74.973	87.237	99.500	111.764
3/4	1.201	13.424	25.688	37.946	50.191	62.454	74.718	86.981	99.245	111.508
1/2	986	13.169	25.432	37.691	49.935	62.199	74.462	86.726	98.989	111.253
1/4	770	12.913	25.177	37.436	49.680	61.943	74.207	86.470	98.734	110.997
1	555	12.658	24.921	37.181	49.424	61.688	73.951	86.215	98.478	110.742
3/4	443	12.403	24.666	36.926	49.169	61.432	73.696	85.959	98.223	110.486
1/2	331	12.147	24.410	36.671	48.913	61.177	73.440	85.704	97.967	110.231
1/4	219	11.892	24.155	36.416	48.658	60.921	73.185	85.448	97.712	109.975
0	108	11.636	23.899	36.161	48.402	60.666	72.929	85.193	97.456	109.720

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.
 GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

PAGE NO. 5

DATE OF ISSUE - NOVEMBER 3, 1993

COMPUTED BY: JW 11/02/93
 CHECKED BY: SJK 11/02/93
 STRAPPED BY: PLB & JAB 10/25/93

SAYBOLT INC.

John J. Ryan

SAYBOLT INC.
 East Coast Headquarters
 400 Swenson Drive
 Kenilworth, N. J. 07033

BARGE IB-1025
HULL #93-2925

TANK 3

GAGE HEIGHT - 14'-10 1/4"

COMPUTED IN U. S. GALLONS

INNAGE TABLE

IN	10 FT.	11 FT.	12 FT.	13 FT.
0	121.983	134.247	146.511	158.774
1/4	122.239	134.502	146.766	159.030
1/2	122.494	134.758	147.021	159.285
3/4	122.750	135.013	147.277	159.540
1	123.005	135.269	147.532	159.796
1/4	123.261	135.524	147.788	160.051
1/2	123.516	135.780	148.043	160.307
3/4	123.772	136.035	148.299	160.562
2	124.027	136.291	148.554	160.818
1/4	124.283	136.546	148.810	161.073
1/2	124.538	136.802	149.065	161.328
3/4	124.794	137.057	149.321	161.583
3	125.049	137.313	149.576	161.838
1/4	125.305	137.568	149.832	162.093
1/2	125.560	137.824	150.087	162.348
3/4	125.816	138.079	150.343	162.603
4	126.071	138.335	150.598	162.858
1/4	126.327	138.590	150.854	163.113
1/2	126.582	138.846	151.109	163.368
3/4	126.838	139.101	151.365	163.623
5	127.093	139.357	151.620	163.878
1/4	127.349	139.612	151.876	164.133
1/2	127.604	139.868	152.131	164.388
3/4	127.860	140.123	152.387	164.643
6	128.115	140.379	152.642	164.898
1/4	128.371	140.634	152.898	165.153
1/2	128.626	140.890	153.153	165.408
3/4	128.882	141.145	153.409	165.663
7	129.137	141.401	153.664	165.918
1/4	129.393	141.656	153.920	166.173
1/2	129.648	141.912	154.175	166.428
3/4	129.904	142.167	154.431	166.683
8	130.159	142.423	154.686	166.938
1/4	130.415	142.678	154.942	167.193
1/2	130.670	142.934	155.197	167.448
3/4	130.926	143.189	155.453	167.703
9	131.181	143.445	155.708	167.958
1/4	131.437	143.700	155.964	168.213
1/2	131.692	143.956	156.219	168.468
3/4	131.948	144.211	156.475	168.723
10	132.203	144.467	156.730	168.978
1/4	132.459	144.722	156.986	169.233
1/2	132.714	144.978	157.241	169.488
3/4	132.970	145.233	157.497	169.743
11	133.225	145.489	157.752	170.000
1/4	133.481	145.744	158.008	170.255
1/2	133.736	146.000	158.263	170.510
3/4	133.991	146.255	158.519	170.765

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

GAGE LOCATION CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

DATE OF ISSUE - NOVEMBER 3, 1993

SAYBOLT INC.

COMPUTED BY: JW 11/02/93

CHECKED BY: SJK 11/02/93

STRAPPED BY: PLB & JAB 10/25/93

William J. Taylor