

SAYBOLT LP.  
Calibration Dept.  
1025 W. Elizabeth Ave.  
Lindert, NJ 07038

IB1076

COMPARTMENT 1  
INNAGE TABLE  
GALLONS

GAUGE HEIGHT 16'-1 5/8"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	9.655	0	31.407	42.301	53.192	64.081	74.975	85.869	96.763
1/4	1/4	9.882	20.548	31.407	42.301	53.192	64.081	74.975	85.869	96.763
1/2	1/2	10.109	21.002	31.861	42.755	53.646	64.535	75.429	86.323	97.217
3/4	3/4	10.336	21.228	32.088	42.982	53.873	64.762	75.656	86.550	97.444
1	1	10.563	21.455	32.315	43.209	54.100	64.989	75.883	86.777	97.671
1 1/4	1 1/4	10.790	21.681	32.542	43.436	54.327	65.216	76.110	87.004	97.898
1 1/2	1 1/2	11.017	21.908	32.769	43.663	54.553	65.443	76.337	87.231	98.124
1 3/4	1 3/4	11.244	22.134	32.996	43.890	54.780	65.670	76.564	87.458	98.351
2	2	11.470	22.360	33.223	44.117	55.007	65.897	76.791	87.684	98.578
2 1/4	2 1/4	11.697	22.586	33.450	44.344	55.234	66.124	77.018	87.911	98.805
2 1/2	2 1/2	11.924	22.812	33.677	44.571	55.461	66.351	77.245	88.138	99.032
2 3/4	2 3/4	12.151	23.038	33.904	44.798	55.688	66.578	77.472	88.365	99.259
3	3	12.378	23.264	34.131	45.025	55.914	66.805	77.699	88.592	99.486
3 1/4	3 1/4	12.605	23.490	34.358	45.252	56.141	67.032	77.926	88.819	99.713
3 1/2	3 1/2	12.832	23.716	34.585	45.479	56.368	67.259	78.153	89.046	99.940
3 3/4	3 3/4	13.059	23.942	34.812	45.706	56.595	67.486	78.380	89.273	100.167
4	4	13.286	24.168	35.039	45.933	56.822	67.713	78.607	89.500	100.394
4 1/4	4 1/4	13.513	24.394	35.266	46.160	57.049	67.940	78.834	89.727	100.621
4 1/2	4 1/2	13.740	24.620	35.493	46.387	57.276	68.166	79.061	89.954	100.848
4 3/4	4 3/4	13.967	24.846	35.720	46.614	57.502	68.393	79.288	90.181	101.075
5	5	14.194	25.072	35.947	46.841	57.729	68.620	79.516	90.408	101.302
5 1/4	5 1/4	14.421	25.298	36.174	47.067	57.956	68.847	79.742	90.635	101.529
5 1/2	5 1/2	14.648	25.524	36.400	47.294	58.183	69.074	79.969	90.862	101.756
5 3/4	5 3/4	14.875	25.750	36.627	47.521	58.410	69.301	80.196	91.089	101.983
6	6	15.102	25.976	36.854	47.748	58.637	69.528	80.423	91.316	102.210
6 1/4	6 1/4	15.329	26.202	37.081	47.975	58.864	69.755	80.650	91.543	102.437
6 1/2	6 1/2	15.555	26.429	37.308	48.202	59.090	69.982	80.877	91.770	102.664
6 3/4	6 3/4	15.783	26.655	37.535	48.428	59.317	70.209	81.104	91.997	102.891
7	7	16.009	26.881	37.762	48.655	59.544	70.436	81.331	92.224	103.118
7 1/4	7 1/4	16.236	27.107	37.989	48.882	59.771	70.663	81.558	92.451	103.345
7 1/2	7 1/2	16.463	27.333	38.216	49.109	59.998	70.890	81.785	92.677	103.572
7 3/4	7 3/4	16.690	27.559	38.443	49.336	60.225	71.117	82.012	92.904	103.798
8	8	16.917	27.785	38.670	49.563	60.451	71.344	82.239	93.131	104.025
8 1/4	8 1/4	17.144	28.011	38.897	49.790	60.678	71.571	82.465	93.358	104.252
8 1/2	8 1/2	17.371	28.237	39.124	50.016	60.905	71.798	82.692	93.585	104.479
8 3/4	8 3/4	17.598	28.463	39.351	50.243	61.132	72.025	82.919	93.812	104.706
9	9	17.825	28.689	39.578	50.470	61.359	72.252	83.146	94.039	104.933
9 1/4	9 1/4	18.052	28.915	39.805	50.697	61.586	72.479	83.373	94.266	105.160
9 1/2	9 1/2	18.279	29.141	40.032	50.924	61.813	72.706	83.600	94.493	105.387
9 3/4	9 3/4	18.506	29.367	40.259	51.151	62.039	72.933	83.827	94.720	105.614
10	10	18.733	29.593	40.486	51.377	62.266	73.160	84.054	94.947	105.841
10 1/4	10 1/4	18.960	29.820	40.713	51.604	62.493	73.387	84.281	95.174	106.068
10 1/2	10 1/2	19.187	30.046	40.940	51.831	62.720	73.614	84.508	95.401	106.295
10 3/4	10 3/4	19.414	30.273	41.167	52.058	62.947	73.841	84.735	95.628	106.522
11	11	19.641	30.500	41.394	52.285	63.174	74.068	84.962	95.855	106.749
11 1/4	11 1/4	19.868	30.726	41.621	52.512	63.401	74.295	85.188	96.082	106.976
11 1/2	11 1/2	20.094	30.953	41.848	52.739	63.627	74.522	85.415	96.309	107.203
11 3/4	11 3/4	20.321	31.180	42.074	52.965	63.854	74.749	85.642	96.536	107.430

CHART IS CERTIFIED FOR THIS TANK ONLY.  
COMPUTED BY: TH 06102/09  
JAB-DH 06/28/09  
STRAPPED BY: SAYBOLT LP  
O. Cardenas

GAUGE LOCATED AT CENTERLINE AND 25'-2" FORWARD OF AFT BULKHEAD.  
TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.  
THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/09.  
TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

SAYBOLT LP.  
 Calibration Dept.  
 1026 W. Elizabeth Ave.  
 Linden, NJ 07036

IB1076

COMPARTMENT 1  
 INNAGE TABLE  
 GALLONS

GAUGE HEIGHT 16'-1 5/8"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	107.657	0	118.354	0	127.624	0
1/4	107.684	1/4	118.555	1/4	127.825	1/4
1/2	108.111	1/2	118.756	1/2	128.026	1/2
3/4	108.338	3/4	118.556	3/4	128.226	3/4
1	108.565	1	119.137	1	128.427	1
1 1/4	108.792	1 1/4	119.358	1 1/4	128.628	1 1/4
1 1/2	109.019	1 1/2	119.559	1 1/2	128.829	1 1/2
1 3/4	109.246	1 3/4	119.759	1 3/4	129.029	1 3/4
2	109.472	2	119.560	2	129.230	2
1/4	109.699	1/4	120.181	1/4	129.431	1/4
1/2	109.926	1/2	120.382	1/2	129.632	1/2
3/4	110.153	3/4	120.582	3/4	129.832	3/4
1	110.380	1	120.783	1	130.032	1
1 1/4	110.607	1 1/4	120.984	1 1/4	140.234	1 1/4
1 1/2	110.834	1 1/2	121.184	1 1/2	140.435	1 1/2
1 3/4	111.061	1 3/4	121.385	1 3/4	140.635	1 3/4
2	111.288	2	121.586	2	140.836	2
1/4	111.515	1/4	121.787	1/4	141.037	1/4
1/2	111.742	1/2	121.987	1/2	141.237	1/2
3/4	111.969	3/4	122.188	3/4	141.438	3/4
1	112.196	1	122.389	1	141.639	1
1 1/4	112.423	1 1/4	122.590	1 1/4	141.840	1 1/4
1 1/2	112.650	1 1/2	122.790	1 1/2	142.040	1 1/2
1 3/4	112.877	1 3/4	122.991	1 3/4	142.241	1 3/4
2	113.104	2	123.192	2	142.442	2
1/4	113.331	1/4	123.392	1/4	142.643	1/4
1/2	113.558	1/2	123.593	1/2	142.843	1/2
3/4	113.785	3/4	123.794	3/4	143.044	3/4
1	114.012	1	123.995	1	143.245	1
1 1/4	114.239	1 1/4	124.195	1 1/4	143.445	1 1/4
1 1/2	114.466	1 1/2	124.396	1 1/2	143.646	1 1/2
1 3/4	114.693	1 3/4	124.597	1 3/4	143.847	1 3/4
2	114.920	2	124.798	2	144.048	2
1/4	115.147	1/4	124.998	1/4	144.249	1/4
1/2	115.374	1/2	125.199	1/2	144.449	1/2
3/4	115.601	3/4	125.399	3/4	144.650	3/4
1	115.827	1	125.599	1	144.851	1
1 1/4	116.054	1 1/4	125.799	1 1/4	145.051	1 1/4
1 1/2	116.281	1 1/2	125.999	1 1/2	145.252	1 1/2
1 3/4	116.508	1 3/4	126.199	1 3/4	145.453	1 3/4
2	116.735	2	126.399	2	145.654	2
1/4	116.962	1/4	126.599	1/4	145.854	1/4
1/2	117.189	1/2	126.799	1/2	146.055	1/2
3/4	117.416	3/4	126.999	3/4	146.256	3/4
1	117.643	1	127.199	1	146.456	1
1 1/4	117.870	1 1/4	127.399	1 1/4	146.657	1 1/4
1 1/2	118.097	1 1/2	127.599	1 1/2	146.858	1 1/2
1 3/4	118.324	1 3/4	127.799	1 3/4	147.059	1 3/4
2	118.551	2	127.999	2	147.260	2

GAUGE LOCATED AT CENTERLINE AND 25'-2" FORWARD OF AFT BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API RPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/09.

TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

CHART IS CERTIFIED FOR THIS TANK ONLY  
 COMPUTED BY: TH 06/02/09  
 STRAPPED BY: JAB-DH 05/28/09

SAYBOLT LP  
*O. Endicott*

SAYBOLT LP.  
 Calibration Dept.  
 1026 W. Elizabeth Ave.  
 Edison, NJ 07036

IB1076

COMPARTMENT 2  
 INNAGE TABLE  
 GALLONS

GAUGE HEIGHT 16'-2 1/8"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	71	10,365	21,698	32,977	44,300	55,622	66,945	78,268	89,591	100,913
1/2	146	20,600	41,922	63,244	84,566	105,888	127,210	148,532	169,854	191,176
3/4	221	30,836	62,157	93,478	124,800	156,122	187,444	208,766	230,088	251,410
1	296	41,072	82,393	123,714	165,036	206,358	247,680	288,999	330,319	371,639
1 1/4	371	51,308	102,629	153,950	205,271	266,592	327,913	389,234	450,555	511,876
1 1/2	446	61,544	123,870	185,191	246,512	307,833	369,154	430,475	491,796	553,117
1 3/4	521	71,780	145,110	206,431	267,752	329,073	390,394	451,715	513,036	574,357
2	596	82,016	166,350	227,671	288,992	350,313	411,634	472,955	534,276	595,597
2 1/4	671	92,252	187,590	248,911	310,232	371,553	432,874	494,195	555,516	616,837
2 1/2	746	102,488	208,830	270,151	331,473	392,794	454,115	515,436	576,757	638,078
2 3/4	821	112,724	230,070	291,371	352,694	414,015	475,336	536,657	597,978	659,299
3	896	122,960	251,310	312,591	373,915	435,236	496,557	557,878	619,199	680,520
3 1/4	971	133,196	272,550	333,811	395,136	456,457	517,778	579,099	640,420	701,741
3 1/2	1,046	143,432	293,790	355,031	416,357	477,678	539,000	600,321	661,642	722,963
3 3/4	1,121	153,668	315,030	376,251	437,578	498,899	560,220	621,541	682,862	744,183
4	1,196	163,904	336,270	397,471	458,499	520,020	581,341	642,662	703,983	765,304
4 1/4	1,271	174,140	357,510	418,691	479,420	541,741	603,062	664,383	725,704	787,025
4 1/2	1,346	184,376	378,750	439,891	500,341	562,662	623,983	685,304	746,625	807,946
4 3/4	1,421	194,612	399,990	461,091	521,262	583,583	644,904	706,225	767,546	828,867
5	1,496	204,848	421,230	482,291	542,183	604,504	665,825	727,146	788,467	849,788
5 1/4	1,571	215,084	442,470	503,491	563,104	625,425	686,346	747,667	808,588	870,709
5 1/2	1,646	225,320	463,710	524,691	584,025	646,346	707,267	768,588	829,509	891,630
5 3/4	1,721	235,556	484,950	545,891	604,946	667,267	728,188	789,509	850,430	912,551
6	1,796	245,792	506,190	567,091	625,867	688,188	749,109	810,030	870,951	933,472
6 1/4	1,871	256,028	527,430	588,291	646,788	709,109	770,030	830,951	891,872	954,393
6 1/2	1,946	266,264	548,670	609,491	667,709	730,030	790,951	851,872	912,793	975,314
6 3/4	2,021	276,500	569,910	630,691	688,630	750,951	811,872	872,793	933,714	996,235
7	2,096	286,736	591,150	651,891	709,551	771,872	832,793	893,714	954,635	1,017,156
7 1/4	2,171	296,972	612,390	673,091	730,472	792,793	853,714	914,635	975,556	1,038,077
7 1/2	2,246	307,208	633,630	694,291	751,393	813,714	874,635	935,556	996,477	1,058,998
7 3/4	2,321	317,444	654,870	715,491	772,314	834,635	895,556	956,477	1,017,399	1,079,919
8	2,396	327,680	676,110	736,691	793,235	855,556	916,477	977,399	1,038,320	1,100,840
8 1/4	2,471	337,916	697,350	757,891	814,156	876,477	937,399	998,320	1,059,241	1,121,761
8 1/2	2,546	348,152	718,590	779,091	835,077	897,399	958,320	1,019,241	1,080,162	1,142,682
8 3/4	2,621	358,388	739,830	800,291	855,998	918,320	979,241	1,040,163	1,101,083	1,163,603
9	2,696	368,624	761,070	821,491	876,919	939,241	1,000,163	1,061,084	1,121,964	1,184,524
9 1/4	2,771	378,860	782,310	842,691	897,840	960,163	1,021,084	1,081,965	1,142,845	1,205,445
9 1/2	2,846	389,096	803,550	863,891	918,761	981,084	1,041,965	1,102,846	1,163,766	1,226,366
9 3/4	2,921	399,332	824,790	885,091	939,682	1,001,965	1,062,846	1,123,767	1,184,687	1,247,287
10	2,996	409,568	846,030	906,291	960,603	1,022,846	1,083,767	1,144,688	1,205,608	1,268,208
10 1/4	3,071	419,804	867,270	927,491	981,524	1,043,767	1,104,688	1,165,609	1,226,529	1,289,129
10 1/2	3,146	429,040	888,510	948,691	1,002,445	1,064,688	1,125,609	1,186,530	1,247,450	1,310,050
10 3/4	3,221	439,276	909,750	969,891	1,023,366	1,085,609	1,146,530	1,207,451	1,268,371	1,330,971
11	3,296	449,512	931,000	991,091	1,044,287	1,106,530	1,167,451	1,228,372	1,289,292	1,351,892
11 1/4	3,371	459,748	952,240	1,012,291	1,065,208	1,127,451	1,188,372	1,249,293	1,310,213	1,372,813
11 1/2	3,446	469,984	973,480	1,033,491	1,086,129	1,148,372	1,209,293	1,270,214	1,331,134	1,393,734
11 3/4	3,521	480,220	994,720	1,054,691	1,107,050	1,169,293	1,230,214	1,291,135	1,352,055	1,414,655
12	3,596	490,456	1,015,960	1,075,891	1,127,971	1,190,214	1,251,135	1,311,966	1,372,976	1,435,576
12 1/4	3,671	500,692	1,037,200	1,097,091	1,148,892	1,211,135	1,272,056	1,332,887	1,393,897	1,456,497
12 1/2	3,746	510,928	1,058,440	1,118,291	1,169,813	1,232,056	1,292,977	1,353,808	1,414,818	1,477,418
12 3/4	3,821	521,164	1,079,680	1,139,491	1,190,734	1,252,977	1,313,899	1,374,729	1,435,739	1,498,339
13	3,896	531,400	1,100,920	1,160,691	1,211,655	1,273,899	1,334,820	1,395,650	1,456,660	1,519,260
13 1/4	3,971	541,636	1,122,160	1,181,891	1,232,576	1,294,820	1,355,741	1,416,571	1,477,581	1,540,181
13 1/2	4,046	551,872	1,143,400	1,203,091	1,253,497	1,315,741	1,376,662	1,437,492	1,498,502	1,561,102
13 3/4	4,121	562,108	1,164,640	1,224,291	1,274,418	1,336,662	1,397,583	1,458,413	1,519,423	1,582,023
14	4,196	572,344	1,185,880	1,245,491	1,295,339	1,357,583	1,418,504	1,479,334	1,540,344	1,602,944
14 1/4	4,271	582,580	1,207,120	1,266,691	1,316,260	1,378,504	1,439,425	1,500,255	1,561,265	1,623,865
14 1/2	4,346	592,816	1,228,360	1,287,891	1,337,181	1,399,425	1,460,346	1,521,176	1,582,186	1,644,786
14 3/4	4,421	603,052	1,249,600	1,309,091	1,358,102	1,420,346	1,481,267	1,542,097	1,603,107	1,665,707
15	4,496	613,288	1,270,840	1,330,291	1,379,023	1,441,267	1,502,188	1,563,018	1,624,028	1,686,628
15 1/4	4,571	623,524	1,292,080	1,351,491	1,400,944	1,462,188	1,523,109	1,583,939	1,644,949	1,707,549
15 1/2	4,646	633,760	1,313,320	1,372,691	1,421,865	1,483,109	1,544,030	1,604,860	1,665,870	1,728,470
15 3/4	4,721	644,000	1,334,560	1,393,891	1,442,786	1,504,030	1,564,951	1,625,781	1,686,791	1,749,391
16	4,796	654,236	1,355,800	1,415,091	1,463,707	1,524,951	1,585,872	1,646,702	1,707,712	1,770,312
16 1/4	4,871	664,472	1,377,040	1,436,291	1,484,628	1,545,872	1,606,793	1,667,623	1,728,633	1,791,233
16 1/2	4,946	674,708	1,398,280	1,457,491	1,505,549	1,566,793	1,627,714	1,688,544	1,749,554	1,812,154
16 3/4	5,021	684,944	1,419,520	1,478,691	1,526,470	1,587,714	1,648,635	1,709,465	1,770,475	1,833,075
17	5,096	695,180	1,440,760	1,499,891	1,547,391	1,608,635	1,669,556	1,730,386	1,791,307	1,853,996
17 1/4	5,171	705,416	1,462,000	1,521,091	1,568,312	1,629,556	1,690,477	1,751,307	1,812,228	1,874,917
17 1/2	5,246	715,652	1,483,240	1,542,291	1,589,233	1,650,477	1,711,328	1,772,229	1,833,148	1,895,838
17 3/4	5,321	725,888	1,504,480	1,563,491	1,610,154	1,671,398	1,732,249	1,793,150	1,854,069	1,916,759
18	5,396	736,124	1,525,720	1,584,691	1,631,075	1,692,319	1,753,170	1,814,080	1,874,991	1,937,680
18 1/4	5,471	746,360	1,546,960	1,605,891	1,652,000	1,713,240	1,774,091	1,835,012	1,895,933	1,958,601
18 1/2	5,546	756,596	1,568,200	1,627,091	1,672,921	1,734,161	1,794,952	1,855,933	1,916,824	1,979,522
18 3/4	5,621	766,832	1,589,440	1,648,291	1,693,842	1,755,082	1,815,873	1,876,845	1,937,745	1,999,443
19	5,696	777,068	1,610,680	1,669,491	1,714,763	1,776,003	1,836,796	1,897,717	1,958,638	2,020,364
19 1/4	5,771	787,304	1,631,920	1,690,691	1,735,684	1,796,924	1,857,717	1,918,639	1,979,560	2,041,285
19 1/2	5,846	797,540	1,653,160	1,711,891	1,756,605	1,817,845	1,878,640	1,939,560	2,000,481	2,062,206
19 3/4	5,921	807,776	1,674,400	1,733,091	1,777,526	1,838,766	1,899,561	1,960,481	2,021,362	2,083,127
20	5,996	818,012	1,695,640	1,754,291	1,798,447	1,859,687	1,920,482	1,981,403	2,042,283	2,104,048
20 1/4	6,071	828,248	1,716,880	1,775,491	1,819,368	1,880,608	1,941,403	2,002,324	2,063,204	2,124,969
20 1/2	6,146	838,484	1,738,120	1,796,691	1,840,289	1,901,529	1,962,324	2,023,245	2,084,125	2,145,890
20 3/4	6,221	848,720	1,759,360	1,817,891	1,861,210	1,922,450	1,983,245	2,044,166	2,105,046	2,166,811
21	6,296	858,956	1,780,600	1,839,091	1,882,131	1,943,371	2,004,166	2,065,087	2,125,967	2,187,732
21 1/4	6,371	869,192	1,801,840	1,860,291	1,903,052	1,964,292	2,025,087	2,085,		

**SAYBOLT LP.**  
 Calibration Dept.  
 1028 W. Elizabeth Ave.  
 Linden, NJ 07036

**IB1076**

**COMPARTMENT 2**  
 INNAGE TABLE  
 GALLONS

**GAUGE HEIGHT 16'-2 1/8"**

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	112.236	123.559	134.882	146.204	157.527	168.850
1/4	112.472	123.795	135.117	146.440	157.763	169.086
1/2	112.708	124.031	135.353	146.676	157.999	169.322
3/4	112.944	124.266	135.589	146.912	158.235	169.558
1	113.180	124.502	135.825	147.148	158.471	169.794
1 1/4	113.416	124.738	136.061	147.384	158.706	170.030
1 1/2	113.651	124.974	136.297	147.620	158.942	170.266
1 3/4	113.887	125.210	136.533	147.855	159.178	170.502
2	114.123	125.446	136.769	148.091	159.414	170.738
2 1/4	114.359	125.682	137.005	148.327	159.650	170.974
2 1/2	114.595	125.918	137.240	148.563	159.886	171.210
2 3/4	114.831	126.154	137.476	148.799	160.122	171.446
3	115.067	126.390	137.712	149.035	160.358	171.682
3 1/4	115.303	126.625	137.948	149.271	160.594	171.918
3 1/2	115.539	126.861	138.184	149.507	160.830	172.154
3 3/4	115.774	127.097	138.420	149.743	161.066	172.390
4	116.010	127.333	138.656	149.978	161.302	172.626
4 1/4	116.246	127.569	138.892	150.214	161.538	172.862
4 1/2	116.482	127.805	139.128	150.450	161.774	173.098
4 3/4	116.718	128.041	139.363	150.686	162.010	173.334
5	116.954	128.277	139.599	150.922	162.246	173.570
5 1/4	117.190	128.512	139.835	151.158	162.482	173.806
5 1/2	117.426	128.748	140.071	151.394	162.717	174.042
5 3/4	117.662	128.984	140.307	151.630	162.953	174.278
6	117.897	129.220	140.543	151.866	163.189	174.514
6 1/4	118.133	129.456	140.779	152.101	163.425	174.750
6 1/2	118.369	129.692	141.015	152.337	163.661	174.986
6 3/4	118.605	129.928	141.251	152.573	163.897	175.222
7	118.841	130.164	141.486	152.809	164.133	175.458
7 1/4	119.077	130.400	141.722	153.045	164.369	175.694
7 1/2	119.313	130.635	141.958	153.281	164.605	175.930
7 3/4	119.549	130.871	142.194	153.517	164.841	176.166
8	119.785	131.107	142.430	153.753	165.077	176.402
8 1/4	120.020	131.343	142.666	153.989	165.313	176.638
8 1/2	120.256	131.579	142.902	154.224	165.549	176.874
8 3/4	120.492	131.815	143.138	154.460	165.785	177.110
9	120.728	132.051	143.374	154.696	166.021	177.346
9 1/4	120.964	132.287	143.609	154.932	166.257	177.582
9 1/2	121.200	132.523	143.845	155.168	166.493	177.818
9 3/4	121.436	132.758	144.081	155.404	166.729	178.054
10	121.672	132.994	144.317	155.640	166.965	178.290
10 1/4	121.908	133.230	144.553	155.876	167.201	178.526
10 1/2	122.143	133.466	144.789	156.112	167.437	178.762
10 3/4	122.379	133.702	145.025	156.347	167.673	179.000
11	122.615	133.938	145.261	156.583	167.909	179.236
11 1/4	122.851	134.174	145.497	156.819	168.145	179.472
11 1/2	123.087	134.410	145.732	157.055	168.381	179.708
11 3/4	123.323	134.646	145.968	157.291	168.617	179.944

GAUGE LOCATED AT CENTERLINE AND 28'-10" FORWARD OF AFT BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/09.

TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: TH 06/02/09  
 STRAPPED BY: JAB-DH 05/28/09

SAYBOLT LP  
*Cordasco*

SAYBOLT I.P.  
 Callerton Dept.  
 1026 W. Elizabeth Ave.  
 Linden, N.J. 07036

IB1076

COMPARTMENT 3  
 INNAGE TABLE  
 GALLONS

GAUGE HEIGHT 16'-2 1/8"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	9.576	20.036	30.491	40.952	51.412	61.872	72.332	82.793	93.253
1/4	1/4	9.754	20.254	30.709	41.170	51.630	62.090	72.550	83.011	93.471
1/2	1/2	10.012	20.472	30.927	41.388	51.848	62.308	72.768	83.228	93.689
3/4	3/4	10.230	20.690	31.145	41.606	52.066	62.526	72.986	83.446	93.907
1	1	10.448	20.908	31.363	41.823	52.284	62.744	73.204	83.664	94.124
1 1/4	1 1/4	10.666	21.126	31.581	42.041	52.502	62.962	73.422	83.882	94.342
1 1/2	1 1/2	10.884	21.344	31.799	42.259	52.720	63.180	73.640	84.100	94.560
3/4	3/4	11.102	21.561	32.017	42.477	52.938	63.398	73.858	84.318	94.778
2	2	11.320	21.779	32.235	42.695	53.155	63.616	74.076	84.536	94.995
1/4	1/4	11.538	21.997	32.452	42.913	53.373	63.834	74.294	84.754	95.214
1/2	1/2	11.755	22.215	32.670	43.131	53.591	64.051	74.512	84.972	95.432
3/4	3/4	11.973	22.433	32.888	43.349	53.809	64.269	74.730	85.190	95.650
3	3	12.191	22.650	33.106	43.567	54.027	64.487	74.947	85.408	95.868
1/4	1/4	12.409	22.868	33.324	43.785	54.245	64.705	75.165	85.626	96.086
1/2	1/2	12.627	23.086	33.542	44.003	54.463	64.923	75.383	85.843	96.304
3/4	3/4	12.845	23.304	33.760	44.221	54.681	65.141	75.601	86.061	96.522
4	4	13.063	23.521	33.978	44.439	54.899	65.359	75.819	86.279	96.739
1/4	1/4	13.281	23.739	34.196	44.657	55.117	65.577	76.037	86.497	96.957
1/2	1/2	13.499	23.957	34.414	44.874	55.335	65.795	76.255	86.715	97.175
3/4	3/4	13.717	24.175	34.632	45.092	55.553	66.013	76.473	86.933	97.393
5	5	13.935	24.392	34.850	45.310	55.771	66.231	76.691	87.151	97.611
1/4	1/4	14.153	24.610	35.068	45.528	55.989	66.449	76.909	87.369	97.829
1/2	1/2	14.370	24.828	35.286	45.746	56.206	66.667	77.127	87.587	98.047
3/4	3/4	14.588	25.046	35.503	45.964	56.424	66.884	77.345	87.805	98.265
6	6	14.806	25.263	35.721	46.182	56.642	67.102	77.563	88.023	98.483
1/4	1/4	15.024	25.481	35.939	46.400	56.860	67.320	77.780	88.241	98.701
1/2	1/2	15.242	25.699	36.157	46.618	57.078	67.538	77.998	88.459	98.919
3/4	3/4	15.460	25.917	36.375	46.836	57.296	67.756	78.216	88.676	99.137
7	7	15.678	26.134	36.593	47.054	57.514	67.974	78.434	88.894	99.355
1/4	1/4	15.896	26.352	36.811	47.272	57.732	68.192	78.652	89.112	99.572
1/2	1/2	16.114	26.570	37.029	47.490	57.950	68.410	78.870	89.330	99.790
3/4	3/4	16.332	26.788	37.247	47.707	58.168	68.628	79.088	89.548	100.008
8	8	16.550	27.005	37.465	47.925	58.386	68.846	79.306	89.766	100.226
1/4	1/4	16.768	27.223	37.683	48.143	58.603	69.064	79.524	89.984	100.444
1/2	1/2	16.986	27.441	37.901	48.361	58.821	69.282	79.742	90.202	100.662
3/4	3/4	17.203	27.659	38.119	48.579	59.039	69.499	79.960	90.420	100.880
9	9	17.421	27.876	38.337	48.797	59.257	69.717	80.178	90.638	101.098
1/4	1/4	17.639	28.094	38.555	49.015	59.475	69.935	80.395	90.856	101.316
1/2	1/2	17.857	28.312	38.772	49.233	59.693	70.153	80.613	91.074	101.534
3/4	3/4	18.075	28.530	38.990	49.451	59.911	70.371	80.831	91.291	101.752
10	10	18.293	28.748	39.208	49.669	60.129	70.589	81.049	91.509	101.970
1/4	1/4	18.511	28.965	39.426	49.887	60.347	70.807	81.267	91.727	102.188
1/2	1/2	18.729	29.184	39.644	50.105	60.565	71.025	81.485	91.945	102.405
3/4	3/4	18.947	29.401	39.862	50.323	60.783	71.243	81.703	92.163	102.623
11	11	19.165	29.619	40.080	50.540	61.001	71.461	81.921	92.381	102.841
1/4	1/4	19.383	29.837	40.298	50.758	61.219	71.679	82.139	92.599	103.059
1/2	1/2	19.601	30.055	40.516	50.976	61.437	71.897	82.357	92.817	103.277
3/4	3/4	19.818	30.273	40.734	51.194	61.654	72.115	82.575	93.035	103.495

GAUGE LOCATED AT CENTERLINE AND 30"-4" FORWARD OF AFT BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/09.

TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 06/02/09  
 COMPUTED BY: TH  
 JAB-DH  
 STRAPPED BY: SAYBOLT LP

*Enclosed*

SAYBOLT LP.  
 Calibration Dept.  
 1026 W. Elizabeth Ave.  
 Linden, NJ 07036

COMPARTMENT 3  
 INNAE TABLE  
 GALLONS

IB1076

GAUGE HEIGHT 16'-2 1/8"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	103.713	114.173	124.633	135.093	145.554	155.171
1/4	105.931	114.391	124.851	135.311	145.772	155.248
1/2	104.149	114.609	125.069	135.529	145.989	155.325
3/4	104.367	114.827	125.287	135.747	146.207	155.403
1	104.585	115.045	125.505	135.965	146.425	155.480
1 1/4	104.803	115.263	125.723	136.183	146.643	155.521
1 1/2	105.020	115.481	125.941	136.401	146.861	155.562
3/4	105.238	115.699	126.159	136.619	147.079	155.602
2	105.456	115.916	126.377	136.837	147.297	155.643
1 1/4	105.674	116.134	126.595	137.055	147.515	
1 1/2	105.892	116.352	126.812	137.273	147.733	
3/4	106.110	116.570	127.030	137.491	147.951	
3	106.328	116.788	127.248	137.708	148.169	
1 1/4	106.546	117.006	127.466	137.926	148.387	
1 1/2	106.764	117.224	127.684	138.144	148.604	
3/4	106.982	117.442	127.902	138.362	148.822	
4	107.200	117.660	128.120	138.580	149.040	
1 1/4	107.418	117.878	128.338	138.798	149.258	
1 1/2	107.635	118.096	128.556	139.016	149.476	
3/4	107.853	118.314	128.774	139.234	149.694	
5	108.071	118.531	128.992	139.452	149.912	
1 1/4	108.289	118.749	129.210	139.670	150.130	
1 1/2	108.507	118.967	129.427	139.888	150.348	
3/4	108.725	119.185	129.645	140.106	150.566	
6	108.943	119.403	129.863	140.324	150.784	
1 1/4	109.161	119.621	130.081	140.541	151.002	
1 1/2	109.379	119.839	130.299	140.759	151.220	
3/4	109.597	120.057	130.517	140.977	151.437	
7	109.815	120.275	130.735	141.195	151.655	
1 1/4	110.033	120.493	130.953	141.413	151.873	
1 1/2	110.251	120.711	131.171	141.631	152.091	
3/4	110.468	120.929	131.389	141.849	152.309	
8	110.686	121.147	131.607	142.067	152.527	
1 1/4	110.904	121.364	131.825	142.285	152.739	
1 1/2	111.122	121.582	132.043	142.503	152.950	
3/4	111.340	121.800	132.260	142.721	153.162	
9	111.558	122.018	132.478	142.939	153.374	
1 1/4	111.776	122.236	132.696	143.156	153.586	
1 1/2	111.994	122.454	132.914	143.374	153.798	
3/4	112.212	122.672	133.132	143.592	154.010	
10	112.430	122.890	133.350	143.810	154.222	
1 1/4	112.648	123.108	133.568	144.028	154.434	
1 1/2	112.866	123.326	133.786	144.246	154.646	
3/4	113.083	123.544	134.004	144.464	154.858	
11	113.301	123.762	134.222	144.682	155.070	
1 1/4	113.519	123.979	134.440	144.900	155.282	
1 1/2	113.737	124.197	134.658	145.118	155.494	
3/4	113.955	124.415	134.876	145.336	155.706	

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: TH 0902/09  
 STRAPPED BY: JAB-0H 0522/09  
 SAYBOLT LP  
*E. Endress*

GAUGE LOCATED AT CENTERLINE AND 30'-4" FORWARD OF AFT BULKHEAD.  
 TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.  
 THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/09.  
 TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL