

Gallop



BARGE "1B 1320"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/8	- 01-1/8	01-1/4	- 01-1/4
3 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

$$\begin{aligned} \text{FWD. DRAFT} &= 2'-00" \\ \text{AFT DRAFT} &= \frac{4'-00"}{2} \\ \text{DIFF.} &= 2'-00" \quad (\text{DOWN BY STERN}) \end{aligned}$$

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/8"
FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 163'-03"

April 7, 2020

**PRECISION MEASUREMENT
& ANALYSIS, INC.**
P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "IB 1320"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
0	117,678	0	128,728	0	138,893	0	149,058	0	159,223	0	169,381	0	179,540	0	189,698	0	199,856	0	209,995	0
1/4	117,925	1/4	128,939	1/4	139,105	1/4	149,270	1/4	159,435	1/4	169,506	1/4	179,674	1/4	189,841	1/4	199,995	1/4	209,995	1/4
1/2	118,172	1/2	129,151	1/2	139,316	1/2	149,481	1/2	159,646	1/2	169,805	1/2	179,964	1/2	189,841	1/2	199,995	1/2	209,995	1/2
3/4	118,420	3/4	129,353	3/4	139,528	3/4	149,693	3/4	159,858	3/4	169,795	3/4	179,905	3/4	189,841	3/4	199,995	3/4	209,995	3/4
1	118,667	1	129,575	1	139,740	1	149,905	1	159,905	1	169,940	1	179,905	1	189,841	1	199,995	1	209,995	1
1/4	118,914	1/4	129,787	1/4	139,952	1/4	149,905	1/4	159,905	1/4	169,940	1/4	179,905	1/4	189,841	1/4	199,995	1/4	209,995	1/4
1/2	119,161	1/2	129,998	1/2	140,163	1/2	150,328	1/2	160,493	1/2	170,658	1/2	180,823	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	119,408	3/4	130,210	3/4	140,375	3/4	150,540	3/4	160,705	3/4	170,741	3/4	180,823	3/4	190,988	3/4	200,995	3/4	209,995	3/4
2	119,656	2	130,422	2	140,587	2	150,752	2	160,917	2	170,208	2	180,917	2	190,988	2	200,995	2	209,995	2
1/4	119,903	1/4	130,634	1/4	140,799	1/4	150,964	1/4	161,129	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	120,150	1/2	130,845	1/2	141,010	1/2	151,176	1/2	161,341	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	120,397	3/4	131,057	3/4	141,222	3/4	151,387	3/4	161,552	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
3	120,645	3	131,269	3	141,434	3	151,599	3	161,764	3	170,229	3	180,917	3	190,988	3	200,995	3	209,995	3
1/4	120,892	1/4	131,481	1/4	141,646	1/4	151,811	1/4	161,976	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	121,139	1/2	131,693	1/2	141,858	1/2	152,023	1/2	162,188	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	121,386	3/4	131,904	3/4	142,069	3/4	152,234	3/4	162,399	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
4	121,634	4	132,116	4	142,281	4	152,446	4	162,611	4	170,229	4	180,917	4	190,988	4	200,995	4	209,995	4
1/4	121,881	1/4	132,328	1/4	142,493	1/4	152,658	1/4	162,823	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	122,128	1/2	132,540	1/2	142,705	1/2	152,870	1/2	163,035	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	122,375	3/4	132,751	3/4	142,916	3/4	153,081	3/4	163,247	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
5	122,622	5	132,963	5	143,128	5	153,293	5	163,458	5	170,229	5	180,917	5	190,988	5	200,995	5	209,995	5
1/4	122,865	1/4	133,175	1/4	143,340	1/4	153,505	1/4	163,670	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	123,108	1/2	133,387	1/2	143,552	1/2	153,717	1/2	163,882	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	123,351	3/4	133,598	3/4	143,764	3/4	153,929	3/4	164,094	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
5	123,593	5	133,810	5	143,975	5	154,140	5	164,305	5	170,229	5	180,917	5	190,988	5	200,995	5	209,995	5
1/4	123,818	1/4	134,022	1/4	144,187	1/4	154,352	1/4	164,517	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	124,043	1/2	134,234	1/2	144,399	1/2	154,564	1/2	164,729	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	124,268	3/4	134,446	3/4	144,611	3/4	154,776	3/4	164,941	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
7	124,492	7	134,657	7	144,822	7	154,987	7	165,152	7	170,229	7	180,917	7	190,988	7	200,995	7	209,995	7
1/4	124,704	1/4	134,869	1/4	145,034	1/4	155,199	1/4	165,364	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	124,916	1/2	135,081	1/2	145,246	1/2	155,411	1/2	165,576	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	125,128	3/4	135,293	3/4	145,458	3/4	155,623	3/4	165,788	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
8	125,339	8	135,504	8	145,669	8	155,834	8	165,999	8	170,229	8	180,917	8	190,988	8	200,995	8	209,995	8
1/4	125,551	1/4	135,716	1/4	145,881	1/4	156,046	1/4	166,211	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	125,763	1/2	135,928	1/2	146,093	1/2	156,258	1/2	166,423	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	125,975	3/4	136,140	3/4	146,305	3/4	156,470	3/4	166,635	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
9	126,186	9	136,351	9	146,517	9	156,682	9	166,846	9	170,229	9	180,917	9	190,988	9	200,995	9	209,995	9
1/4	126,398	1/4	136,563	1/4	146,728	1/4	156,893	1/4	167,058	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	126,610	1/2	136,775	1/2	146,940	1/2	157,105	1/2	167,269	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	126,822	3/4	136,987	3/4	147,152	3/4	157,317	3/4	167,480	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
10	127,034	10	137,199	10	147,364	10	157,529	10	167,691	10	170,229	10	180,917	10	190,988	10	200,995	10	209,995	10
1/4	127,245	1/4	137,410	1/4	147,575	1/4	157,740	1/4	167,904	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	127,457	1/2	137,622	1/2	147,787	1/2	157,952	1/2	168,116	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	127,669	3/4	137,834	3/4	147,999	3/4	158,164	3/4	168,328	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4
11	127,881	11	138,046	11	148,211	11	158,376	11	168,541	11	170,229	11	180,917	11	190,988	11	200,995	11	209,995	11
1/4	128,092	1/4	138,257	1/4	148,422	1/4	158,588	1/4	168,746	1/4	170,229	1/4	180,917	1/4	190,988	1/4	200,995	1/4	209,995	1/4
1/2	128,304	1/2	138,469	1/2	148,634	1/2	158,799	1/2	168,951	1/2	170,229	1/2	180,917	1/2	190,988	1/2	200,995	1/2	209,995	1/2
3/4	128,516	3/4	138,681	3/4	148,846	3/4	159,011	3/4	169,155	3/4	170,229	3/4	180,917	3/4	190,988	3/4	200,995	3/4	209,995	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/07/2020 CL
CALCULATED: 04/08/2020 CL
PRINTED: 04/08/2020 SW
CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmaacorp.net



BARGE "IB 1320"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-02"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	74	0	9,428	0	19,691	0	29,795	0	39,964	0	50,227	0	60,480	0	70,753	0	81,016	0	91,279
1/4	138	1/4	9,642	1/4	19,904	1/4	30,002	1/4	40,178	1/4	50,441	1/4	60,704	1/4	70,967	1/4	81,230	1/4	91,493
1/2	202	1/2	9,856	1/2	20,118	1/2	30,210	1/2	40,392	1/2	50,655	1/2	60,918	1/2	71,181	1/2	81,444	1/2	91,707
3/4	266	3/4	10,069	3/4	20,332	3/4	30,417	3/4	40,605	3/4	50,868	3/4	61,132	3/4	71,395	3/4	81,658	3/4	91,921
1	330	1	10,283	1	20,546	1	30,622	1	40,819	1	51,082	1	61,345	1	71,609	1	81,872	1	92,135
1/4	477	1/4	10,497	1/4	20,760	1/4	30,835	1/4	41,033	1/4	51,296	1/4	61,559	1/4	71,822	1/4	82,085	1/4	92,349
1/2	623	1/2	10,711	1/2	20,974	1/2	31,040	1/2	41,247	1/2	51,510	1/2	61,773	1/2	72,036	1/2	82,299	1/2	92,562
3/4	770	3/4	10,925	3/4	21,187	3/4	31,247	3/4	41,461	3/4	51,724	3/4	61,987	3/4	72,250	3/4	82,513	3/4	92,776
2	917	2	11,138	2	21,401	2	31,455	2	41,674	2	51,938	2	62,201	2	72,464	2	82,727	2	92,990
1/4	1,121	1/4	11,352	1/4	21,615	1/4	31,663	1/4	41,888	1/4	52,151	1/4	62,414	1/4	72,678	1/4	82,941	1/4	93,204
1/2	1,326	1/2	11,566	1/2	21,829	1/2	31,870	1/2	42,102	1/2	52,365	1/2	62,628	1/2	72,891	1/2	83,155	1/2	93,418
3/4	1,531	3/4	11,780	3/4	22,043	3/4	32,078	3/4	42,316	3/4	52,579	3/4	62,842	3/4	73,105	3/4	83,368	3/4	93,631
3	1,735	3	11,994	3	22,256	3	32,285	3	42,530	3	52,793	3	63,056	3	73,319	3	83,582	3	93,845
1/4	1,948	1/4	12,207	1/4	22,470	1/4	32,494	1/4	42,744	1/4	53,007	1/4	63,270	1/4	73,533	1/4	83,796	1/4	94,059
1/2	2,161	1/2	12,421	1/2	22,684	1/2	32,704	1/2	42,957	1/2	53,220	1/2	63,484	1/2	73,747	1/2	84,010	1/2	94,273
3/4	2,374	3/4	12,635	3/4	22,898	3/4	32,913	3/4	43,171	3/4	53,434	3/4	63,697	3/4	73,960	3/4	84,224	3/4	94,487
4	2,587	4	12,849	4	23,112	4	33,122	4	43,385	4	53,648	4	63,911	4	74,174	4	84,437	4	94,701
1/4	2,801	1/4	13,063	1/4	23,325	1/4	33,336	1/4	43,599	1/4	53,862	1/4	64,125	1/4	74,388	1/4	84,651	1/4	94,914
1/2	3,014	1/2	13,277	1/2	23,539	1/2	33,549	1/2	43,813	1/2	54,076	1/2	64,339	1/2	74,602	1/2	84,865	1/2	95,128
3/4	3,228	3/4	13,490	3/4	23,753	3/4	33,763	3/4	44,026	3/4	54,290	3/4	64,553	3/4	74,816	3/4	85,079	3/4	95,342
5	3,441	5	13,704	5	23,967	5	33,977	5	44,240	5	54,503	5	64,766	5	75,030	5	85,293	5	95,556
1/4	3,655	1/4	13,918	1/4	24,179	1/4	34,191	1/4	44,454	1/4	54,717	1/4	64,980	1/4	75,243	1/4	85,506	1/4	95,770
1/2	3,869	1/2	14,132	1/2	24,391	1/2	34,405	1/2	44,668	1/2	54,931	1/2	65,194	1/2	75,457	1/2	85,720	1/2	95,983
3/4	4,083	3/4	14,346	3/4	24,603	3/4	34,619	3/4	44,882	3/4	55,145	3/4	65,408	3/4	75,671	3/4	85,934	3/4	96,197
6	4,297	6	14,559	6	24,815	6	34,832	6	45,095	6	55,358	6	65,622	6	75,885	6	86,148	6	96,411
1/4	4,510	1/4	14,773	1/4	25,023	1/4	35,046	1/4	45,309	1/4	55,572	1/4	65,836	1/4	76,099	1/4	86,362	1/4	96,625
1/2	4,724	1/2	14,987	1/2	25,230	1/2	35,260	1/2	45,523	1/2	55,786	1/2	66,049	1/2	76,312	1/2	86,579	1/2	96,839
3/4	4,938	3/4	15,201	3/4	25,437	3/4	35,474	3/4	45,737	3/4	56,000	3/4	66,263	3/4	76,526	3/4	86,799	3/4	97,052
7	5,152	7	15,415	7	25,645	7	35,688	7	45,951	7	56,214	7	66,477	7	76,740	7	87,003	7	97,266
1/4	5,366	1/4	15,628	1/4	25,852	1/4	35,901	1/4	46,165	1/4	56,428	1/4	66,691	1/4	76,954	1/4	87,217	1/4	97,480
1/2	5,579	1/2	15,842	1/2	26,059	1/2	36,115	1/2	46,378	1/2	56,641	1/2	66,905	1/2	77,168	1/2	87,431	1/2	97,694
3/4	5,793	3/4	16,056	3/4	26,267	3/4	36,329	3/4	46,592	3/4	56,855	3/4	67,118	3/4	77,382	3/4	87,645	3/4	97,908
8	6,007	8	16,270	8	26,474	8	36,543	8	46,806	8	57,069	8	67,332	8	77,595	8	87,858	8	98,122
1/4	6,221	1/4	16,484	1/4	26,682	1/4	36,757	1/4	47,020	1/4	57,283	1/4	67,546	1/4	77,809	1/4	88,072	1/4	98,335
1/2	6,435	1/2	16,697	1/2	26,889	1/2	36,971	1/2	47,234	1/2	57,497	1/2	67,760	1/2	78,023	1/2	88,286	1/2	98,549
3/4	6,649	3/4	16,911	3/4	27,097	3/4	37,184	3/4	47,447	3/4	57,711	3/4	67,974	3/4	78,237	3/4	88,500	3/4	98,763
9	6,862	9	17,125	9	27,304	9	37,398	9	47,661	9	57,924	9	68,187	9	78,451	9	88,714	9	98,977
1/4	7,076	1/4	17,339	1/4	27,512	1/4	37,612	1/4	47,875	1/4	58,138	1/4	68,401	1/4	78,664	1/4	88,928	1/4	99,191
1/2	7,290	1/2	17,553	1/2	27,719	1/2	37,826	1/2	48,089	1/2	58,352	1/2	68,615	1/2	78,878	1/2	89,141	1/2	99,404
3/4	7,504	3/4	17,766	3/4	27,927	3/4	38,040	3/4	48,303	3/4	58,566	3/4	68,829	3/4	79,092	3/4	89,355	3/4	99,618
10	7,718	10	17,980	10	28,134	10	38,253	10	48,517	10	58,780	10	69,043	10	79,306	10	89,569	10	99,832
1/4	7,931	1/4	18,194	1/4	28,342	1/4	38,467	1/4	48,740	1/4	59,003	1/4	69,266	1/4	79,529	1/4	89,792	1/4	100,055
1/2	8,145	1/2	18,408	1/2	28,549	1/2	38,681	1/2	48,944	1/2	59,207	1/2	69,470	1/2	79,733	1/2	89,997	1/2	100,260
3/4	8,359	3/4	18,622	3/4	28,757	3/4	38,895	3/4	49,158	3/4	59,421	3/4	69,684	3/4	79,947	3/4	89,947	3/4	100,474
11	8,573	11	18,835	11	28,965	11	39,109	11	49,372	11	59,635	11	69,898	11	80,161	11	90,424	11	100,687
1/4	8,787	1/4	19,049	1/4	29,172	1/4	39,322	1/4	49,586	1/4	59,849	1/4	70,112	1/4	80,375	1/4	90,638	1/4	100,901
1/2	9,000	1/2	19,263	1/2	29,380	1/2	39,536	1/2	49,799	1/2	60,063	1/2	70,326	1/2	80,589	1/2	90,852	1/2	101,115
3/4	9,214	3/4	19,477	3/4	29,587	3/4	39,750	3/4	50,013	3/4	60,276	3/4	70,539	3/4	80,803	3/4	91,066	3/4	101,329

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER "HERMETIC" VALVE.
GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 23'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

http://www.pmacorp.net



BARGE "IB 1320"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-02"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	101,543	111,806	122,069	132,332	142,595	152,741				
1/4	101,756	112,020	122,283	132,546	142,809	152,866				
1/2	101,970	112,233	122,496	132,760	143,023	152,991				
3/4	102,184	112,447	122,710	132,973	143,236	153,115				
1	102,398	112,661	122,924	133,187	143,450	153,240				
1/4	102,612	112,875	123,138	133,401	143,664	153,298				
1/2	102,825	113,089	123,352	133,615	143,878	153,356				
3/4	103,039	113,302	123,566	133,829	144,092	153,414				
2	103,253	113,516	123,779	134,042	144,306	153,472				
1/4	103,467	113,730	123,993	134,256	144,519	153,489				
1/2	103,681	113,944	124,207	134,470	144,733					
3/4	103,895	114,158	124,421	134,684	144,947					
3	104,108	114,371	124,635	134,898	145,161					
1/4	104,322	114,585	124,848	135,112	145,375					
1/2	104,536	114,799	125,062	135,325	145,588					
3/4	104,750	115,013	125,276	135,539	145,802					
4	104,964	115,227	125,490	135,753	146,016					
1/4	105,177	115,441	125,704	135,967	146,230					
1/2	105,391	115,654	125,917	136,181	146,444					
3/4	105,605	115,868	126,131	136,394	146,658					
5	105,819	116,082	126,345	136,608	146,871					
1/4	106,033	116,296	126,559	136,822	147,085					
1/2	106,247	116,510	126,773	137,036	147,299					
3/4	106,460	116,723	126,987	137,250	147,513					
6	106,674	116,937	127,200	137,463	147,727					
1/4	106,888	117,151	127,414	137,677	147,940					
1/2	107,102	117,365	127,628	137,891	148,154					
3/4	107,316	117,579	127,842	138,105	148,368					
7	107,529	117,793	128,056	138,319	148,582					
1/4	107,743	118,006	128,269	138,533	148,796					
1/2	107,957	118,220	128,483	138,746	149,009					
3/4	108,171	118,434	128,697	138,960	149,223					
8	108,385	118,648	128,911	139,174	149,437					
1/4	108,598	118,862	129,125	139,388	149,651					
1/2	108,812	119,075	129,339	139,602	149,865					
3/4	109,026	119,289	129,552	139,815	150,078					
9	109,240	119,503	129,766	140,029	150,292					
1/4	109,454	119,717	129,980	140,243	150,505					
1/2	109,668	119,931	130,194	140,457	150,719					
3/4	109,881	120,144	130,408	140,671	150,932					
10	110,095	120,358	130,621	140,885	151,146					
1/4	110,309	120,572	130,835	141,098	151,359					
1/2	110,523	120,786	131,049	141,312	151,567					
3/4	110,737	121,000	131,263	141,526	151,777					
11	110,950	121,214	131,477	141,740	151,988					
1/4	111,164	121,427	131,690	141,954	152,176					
1/2	111,378	121,641	131,904	142,167	152,364					
3/4	111,592	121,855	132,118	142,381	152,553					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/07/2020 CL
 CALCULATED: 04/08/2020 CL
 PRINTED: 04/08/2020 SW
 CANCELS AND SUPERCENDES
 ALL PRIOR TO 04/2020

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 http://www.pmtacorp.net

