

# BARGE NUMBER - IB9303

PREVIOUSLY BARGE "Star 303"

## General Barge Information:

Barge Size	195 ft. x 35 ft.
Total Capacity (Liquid Tons)	1400
Compartment Lining	Unlined
Compartments (Number)	3
Drafts (At Capacity)	8 ft. 6 in.
Pump Type	Diesel (2)
Pump Capacity (GPM)	1250

## Compartment Information

Barge tables are given as innages in U.S. gallons. For caustic soda and caustic potash, the Surveyor will normally take outage measurements and subtract this value from the below noted compartment gauge height to obtain innage values.

<u>COMPARTMENT</u>	<u>GAUGE POINT</u>	<u>GAUGE HEIGHT</u>	<u>GALLONS BELOW STRIKER PLATE</u>
1	2" Gauge pipe on deck - center of tank	15' - 11 3/8"	509
2	2" Gauge pipe on deck - center of tank	15' - 10 3/4"	512
3	2" Gauge pipe on deck - center of tank	15' - 11 3/8"	514









Chas. MARTIN

A  
COMPANY OF INSPECTORATE

BARGE NUMBER IB9303

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

1

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

12 FEET			13 FEET			FEET			FEET			FEET			FEET			
IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	
0	130,006	6	135,413	0	139,953	6		0		6		0		6		0		6
1/8	130,119	1/8	135,526	1/8	140,005	1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	130,231	1/4	135,638	1/4	140,057	1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	130,344	3/8	135,751	3/8	140,109	3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	130,457	1/2	135,864	1/2	140,161	1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	130,569	5/8	135,976	5/8	140,196	5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	130,682	3/4	136,089	3/4	140,231	3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	130,795	7/8	136,202	7/8	140,265	7/8		7/8		7/8		7/8		7/8		7/8		7/8
1	130,907	7	136,314	1	140,300	7		1		7		1		7		1		7
1 1/8	131,020	1 1/8	136,427	1 1/8	140,335	1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8
1 1/4	131,133	1 1/4	136,539	1 1/4	140,369	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4
1 3/8	131,245	1 3/8	136,652	1 3/8	140,404	1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8
1 1/2	131,358	1 1/2	136,765	1 1/2	140,439	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2
5/8	131,470	5/8	136,877	5/8	140,456	5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	131,583	3/4	136,990	3/4	140,473	3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	131,696	7/8	137,103	7/8	140,491	7/8		7/8		7/8		7/8		7/8		7/8		7/8
2	131,808	8	137,215	2	140,508	8		2		8		2		8		2		8
1 1/8	131,921	1 1/8	137,328	1 1/8	140,525	1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8
1 1/4	132,034	1 1/4	137,441	1 1/4	140,543	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4
1 3/8	132,146	1 3/8	137,553	1 3/8	140,560	1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8
1 1/2	132,259	1 1/2	137,666	1 1/2	140,577	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2
5/8	132,372	5/8	137,770	5/8	140,582	5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	132,484	3/4	137,874	3/4	140,586	3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	132,597	7/8	137,978	7/8	140,590	7/8		7/8		7/8		7/8		7/8		7/8		7/8
3	132,710	9	138,082	3	140,595	9		3		9		3		9		3		9
1 1/8	132,822	1 1/8	138,186	1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8
1 1/4	132,935	1 1/4	138,290	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4
1 3/8	133,048	1 3/8	138,394	1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8
1 1/2	133,160	1 1/2	138,498	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2
5/8	133,273	5/8	138,584	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	133,385	3/4	138,671	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	133,498	7/8	138,758	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8
4	133,611	10	138,844	4		10		4		10		4		10		4		10
1 1/8	133,723	1 1/8	138,931	1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8
1 1/4	133,836	1 1/4	139,018	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4
1 3/8	133,949	1 3/8	139,104	1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8
1 1/2	134,061	1 1/2	139,191	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2
5/8	134,174	5/8	139,260	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	134,287	3/4	139,330	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	134,399	7/8	139,399	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8
5	134,512	11	139,468	5		11		5		11		5		11		5		11
1 1/8	134,625	1 1/8	139,538	1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8		1 1/8
1 1/4	134,737	1 1/4	139,607	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4
1 3/8	134,850	1 3/8	139,676	1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8		1 3/8
1 1/2	134,962	1 1/2	139,746	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2
5/8	135,075	5/8	139,797	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	135,188	3/4	139,849	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	135,300	7/8	139,901	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8

CAPACITY IN: U.S. GALLONS

MANUAL REFERENCE GAUGE HEIGHT: 15'-11 3/8" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 11/6/73

REISSUED: 3/8/93

*Kauer*  
INSPECTORATE AMERICA CORPORATION

**Chas. MARTIN**

A COMPANY OF INSPECTORATE

**BARGE NUMBER IB9303**

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

**INNAGE TABLE**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:

**2**

6 FEET		7 FEET		8 FEET		9 FEET		10 FEET		11 FEET													
IN.		IN.		IN.		IN.		IN.		IN.													
0	65,304	6	70,744	0	76,184	6	81,624	0	87,064	6	92,504	0	97,944	6	103,384	0	108,824	6	114,264	0	119,704	6	125,144
1/8	65,418	1/8	70,858	1/8	76,298	1/8	81,738	1/8	87,178	1/8	92,618	1/8	98,058	1/8	103,498	1/8	108,938	1/8	114,378	1/8	119,818	1/8	125,258
1/4	65,531	1/4	70,971	1/4	76,411	1/4	81,851	1/4	87,291	1/4	92,731	1/4	98,171	1/4	103,611	1/4	109,051	1/4	114,491	1/4	119,931	1/4	125,371
3/8	65,644	3/8	71,084	3/8	76,524	3/8	81,964	3/8	87,404	3/8	92,844	3/8	98,284	3/8	103,724	3/8	109,164	3/8	114,604	3/8	120,044	3/8	125,484
1/2	65,758	1/2	71,198	1/2	76,638	1/2	82,078	1/2	87,518	1/2	92,958	1/2	98,398	1/2	103,838	1/2	109,278	1/2	114,718	1/2	120,158	1/2	125,598
5/8	65,871	5/8	71,311	5/8	76,751	5/8	82,191	5/8	87,631	5/8	93,071	5/8	98,511	5/8	103,951	5/8	109,391	5/8	114,831	5/8	120,271	5/8	125,711
3/4	65,984	3/4	71,424	3/4	76,864	3/4	82,304	3/4	87,744	3/4	93,184	3/4	98,624	3/4	104,064	3/4	109,504	3/4	114,944	3/4	120,384	3/4	125,824
7/8	66,098	7/8	71,538	7/8	76,978	7/8	82,418	7/8	87,858	7/8	93,298	7/8	98,738	7/8	104,178	7/8	109,618	7/8	115,058	7/8	120,498	7/8	125,938
1	66,211	7	71,651	1	77,091	7	82,531	1	87,971	7	93,411	1	98,851	7	104,291	1	109,731	7	115,171	1	120,611	7	126,051
1/8	66,324	1/8	71,764	1/8	77,204	1/8	82,644	1/8	88,084	1/8	93,524	1/8	98,964	1/8	104,404	1/8	109,844	1/8	115,284	1/8	120,724	1/8	126,164
1/4	66,438	1/4	71,878	1/4	77,318	1/4	82,758	1/4	88,198	1/4	93,638	1/4	99,078	1/4	104,518	1/4	109,958	1/4	115,398	1/4	120,838	1/4	126,278
3/8	66,551	3/8	71,991	3/8	77,431	3/8	82,871	3/8	88,311	3/8	93,751	3/8	99,191	3/8	104,631	3/8	110,071	3/8	115,511	3/8	120,951	3/8	126,391
1/2	66,664	1/2	72,104	1/2	77,544	1/2	82,984	1/2	88,424	1/2	93,864	1/2	99,304	1/2	104,744	1/2	110,184	1/2	115,624	1/2	121,064	1/2	126,504
5/8	66,778	5/8	72,218	5/8	77,658	5/8	83,098	5/8	88,538	5/8	93,978	5/8	99,418	5/8	104,858	5/8	110,298	5/8	115,738	5/8	121,178	5/8	126,618
3/4	66,891	3/4	72,331	3/4	77,771	3/4	83,211	3/4	88,651	3/4	94,091	3/4	99,531	3/4	104,971	3/4	110,411	3/4	115,851	3/4	121,291	3/4	126,731
7/8	67,004	7/8	72,444	7/8	77,884	7/8	83,324	7/8	88,764	7/8	94,204	7/8	99,644	7/8	105,084	7/8	110,524	7/8	115,964	7/8	121,404	7/8	126,844
2	67,118	8	72,558	2	77,998	8	83,438	2	88,878	8	94,318	2	99,758	8	105,198	2	110,638	8	116,078	2	121,518	8	126,958
1/8	67,231	1/8	72,671	1/8	78,111	1/8	83,551	1/8	88,991	1/8	94,431	1/8	99,871	1/8	105,311	1/8	110,751	1/8	116,191	1/8	121,631	1/8	127,071
1/4	67,344	1/4	72,784	1/4	78,224	1/4	83,664	1/4	89,104	1/4	94,544	1/4	99,984	1/4	105,424	1/4	110,864	1/4	116,304	1/4	121,744	1/4	127,184
3/8	67,458	3/8	72,898	3/8	78,338	3/8	83,778	3/8	89,218	3/8	94,658	3/8	100,098	3/8	105,538	3/8	110,978	3/8	116,418	3/8	121,858	3/8	127,298
1/2	67,571	1/2	73,011	1/2	78,451	1/2	83,891	1/2	89,331	1/2	94,771	1/2	100,211	1/2	105,651	1/2	111,091	1/2	116,531	1/2	121,971	1/2	127,411
5/8	67,684	5/8	73,124	5/8	78,564	5/8	84,004	5/8	89,444	5/8	94,884	5/8	100,324	5/8	105,764	5/8	111,204	5/8	116,644	5/8	122,084	5/8	127,524
3/4	67,798	3/4	73,238	3/4	78,678	3/4	84,118	3/4	89,558	3/4	94,998	3/4	100,438	3/4	105,878	3/4	111,318	3/4	116,758	3/4	122,198	3/4	127,638
7/8	67,911	7/8	73,351	7/8	78,791	7/8	84,231	7/8	89,671	7/8	95,111	7/8	100,551	7/8	105,991	7/8	111,431	7/8	116,871	7/8	122,311	7/8	127,751
3	68,024	9	73,464	3	78,904	9	84,344	3	89,784	9	95,224	3	100,664	9	106,104	3	111,544	9	116,984	3	122,424	9	127,864
1/8	68,138	1/8	73,578	1/8	79,018	1/8	84,458	1/8	89,898	1/8	95,338	1/8	100,778	1/8	106,218	1/8	111,658	1/8	117,098	1/8	122,538	1/8	127,978
1/4	68,251	1/4	73,691	1/4	79,131	1/4	84,571	1/4	90,011	1/4	95,451	1/4	100,891	1/4	106,331	1/4	111,771	1/4	117,211	1/4	122,651	1/4	128,091
3/8	68,364	3/8	73,804	3/8	79,244	3/8	84,684	3/8	90,124	3/8	95,564	3/8	101,004	3/8	106,444	3/8	111,884	3/8	117,324	3/8	122,764	3/8	128,204
1/2	68,478	1/2	73,918	1/2	79,358	1/2	84,798	1/2	90,238	1/2	95,678	1/2	101,118	1/2	106,558	1/2	111,998	1/2	117,438	1/2	122,878	1/2	128,318
5/8	68,591	5/8	74,031	5/8	79,471	5/8	84,911	5/8	90,351	5/8	95,791	5/8	101,231	5/8	106,671	5/8	112,111	5/8	117,551	5/8	122,991	5/8	128,431
3/4	68,704	3/4	74,144	3/4	79,584	3/4	85,024	3/4	90,464	3/4	95,904	3/4	101,344	3/4	106,784	3/4	112,224	3/4	117,664	3/4	123,104	3/4	128,544
7/8	68,818	7/8	74,258	7/8	79,698	7/8	85,138	7/8	90,578	7/8	96,018	7/8	101,458	7/8	106,898	7/8	112,338	7/8	117,778	7/8	123,218	7/8	128,658
4	68,931	10	74,371	4	79,811	10	85,251	4	90,691	10	96,131	4	101,571	10	107,011	4	112,451	10	117,891	4	123,331	10	128,771
1/8	69,044	1/8	74,484	1/8	79,924	1/8	85,364	1/8	90,804	1/8	96,244	1/8	101,684	1/8	107,124	1/8	112,564	1/8	118,004	1/8	123,444	1/8	128,884
1/4	69,158	1/4	74,598	1/4	80,038	1/4	85,478	1/4	90,918	1/4	96,358	1/4	101,798	1/4	107,238	1/4	112,678	1/4	118,118	1/4	123,558	1/4	128,998
3/8	69,271	3/8	74,711	3/8	80,151	3/8	85,591	3/8	91,031	3/8	96,471	3/8	101,911	3/8	107,351	3/8	112,791	3/8	118,231	3/8	123,671	3/8	129,111
1/2	69,384	1/2	74,824	1/2	80,264	1/2	85,704	1/2	91,144	1/2	96,584	1/2	102,024	1/2	107,464	1/2	112,904	1/2	118,344	1/2	123,784	1/2	129,224
5/8	69,498	5/8	74,938	5/8	80,378	5/8	85,818	5/8	91,258	5/8	96,698	5/8	102,138	5/8	107,578	5/8	113,018	5/8	118,458	5/8	123,898	5/8	129,338
3/4	69,611	3/4	75,051	3/4	80,491	3/4	85,931	3/4	91,371	3/4	96,811	3/4	102,251	3/4	107,691	3/4	113,131	3/4	118,571	3/4	124,011	3/4	129,451
7/8	69,724	7/8	75,164	7/8	80,604	7/8	86,044	7/8	91,484	7/8	96,924	7/8	102,364	7/8	107,804	7/8	113,244	7/8	118,684	7/8	124,124	7/8	129,564
5	69,838	11	75,278	5	80,718	11	86,158	5	91,598	11	97,038	5	102,478	11	107,918	5	113,358	11	118,798	5	124,238	11	129,678
1/8	69,951	1/8	75,391	1/8	80,831	1/8	86,271	1/8	91,711	1/8	97,151	1/8	102,591	1/8	108,031	1/8	113,471	1/8	118,911	1/8	124,351	1/8	129,791
1/4	70,064	1/4	75,504	1/4	80,944	1/4	86,384	1/4	91,824	1/4	97,264	1/4	102,704	1/4	108,144	1/4	113,584	1/4	119,024	1/4	124,464	1/4	129,904
3/8	70,178	3/8	75,618	3/8	81,058	3/8	86,498	3/8	91,938	3/8	97,378	3/8	102,818	3/8	108,258	3/8	113,698	3/8	119,138	3/8	124,578	3/8	130,018
1/2	70,291	1/2	75,731	1/2	81,171	1/2	86,611	1/2	92,051	1/2	97,491	1/2	102,931	1/2	108,371	1/2	113,811	1/2	119,251	1/2	124,691	1/2	130,131
5/8	70,404	5/8	75,844	5/8	81,284	5/8	86,724	5/8	92,164	5/8	97,604	5/8	103,044	5/8	108,484	5/8	113,924	5/8	119,364	5/8	124,804	5/8	130,244
3/4	70,518	3/4	75,958	3/4	81,398	3/4	86,838	3/4	92,278	3/4	97,718	3/4	103,158	3/4	108,598	3/4	114,038	3/4	119,478	3/4	124,918	3/4	130,358
7/8	70,631	7/8	76,071	7/8	81,511	7/8	86,951																

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER IB9303

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

2

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET			1 FEET			2 FEET			3 FEET			4 FEET			5 FEET								
IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.						
0	* 59	6	5,499	0	10,939	6	16,379	0	21,819	6	27,250	0	32,673	6	38,105	0	43,545	6	48,984	0	54,424	6	59,864
1/8	172	1/8	5,612	1/8	11,052	1/8	16,492	1/8	21,932	1/8	27,363	1/8	32,786	1/8	38,218	1/8	43,658	1/8	49,098	1/8	54,538	1/8	59,978
1/4	286	1/4	5,726	1/4	11,166	1/4	16,606	1/4	22,046	1/4	27,476	1/4	32,899	1/4	38,331	1/4	43,771	1/4	49,211	1/4	54,651	1/4	60,091
3/8	399	3/8	5,839	3/8	11,279	3/8	16,719	3/8	22,159	3/8	27,589	3/8	33,012	3/8	38,445	3/8	43,885	3/8	49,324	3/8	54,764	3/8	60,204
1/2	512	1/2	5,952	1/2	11,392	1/2	16,832	1/2	22,272	1/2	27,702	1/2	33,125	1/2	38,558	1/2	43,998	1/2	49,438	1/2	54,878	1/2	60,318
5/8	626	5/8	6,066	5/8	11,506	5/8	16,946	5/8	22,386	5/8	27,815	5/8	33,238	5/8	38,671	5/8	44,111	5/8	49,551	5/8	54,991	5/8	60,431
3/4	739	3/4	6,179	3/4	11,619	3/4	17,059	3/4	22,499	3/4	27,928	3/4	33,351	3/4	38,785	3/4	44,225	3/4	49,664	3/4	55,104	3/4	60,544
7/8	852	7/8	6,292	7/8	11,732	7/8	17,172	7/8	22,612	7/8	28,041	7/8	33,464	7/8	38,898	7/8	44,338	7/8	49,778	7/8	55,218	7/8	60,658
1	966	7	6,406	1	11,846	7	17,286	1	22,726	7	28,154	1	33,577	7	39,011	1	44,451	7	49,891	1	55,331	7	60,771
1/8	1,079	1/8	6,519	1/8	11,959	1/8	17,399	1/8	22,839	1/8	28,267	1/8	33,690	1/8	39,125	1/8	44,565	1/8	50,004	1/8	55,444	1/8	60,884
1/4	1,192	1/4	6,632	1/4	12,072	1/4	17,512	1/4	22,952	1/4	28,380	1/4	33,803	1/4	39,238	1/4	44,678	1/4	50,118	1/4	55,558	1/4	60,998
3/8	1,306	3/8	6,746	3/8	12,186	3/8	17,626	3/8	23,066	3/8	28,493	3/8	33,916	3/8	39,351	3/8	44,791	3/8	50,231	3/8	55,671	3/8	61,111
1/2	1,419	1/2	6,859	1/2	12,299	1/2	17,739	1/2	23,179	1/2	28,606	1/2	34,029	1/2	39,465	1/2	44,905	1/2	50,344	1/2	55,784	1/2	61,224
5/8	1,532	5/8	6,972	5/8	12,412	5/8	17,852	5/8	23,292	5/8	28,719	5/8	34,142	5/8	39,578	5/8	45,018	5/8	50,458	5/8	55,898	5/8	61,338
3/4	1,646	3/4	7,086	3/4	12,526	3/4	17,966	3/4	23,406	3/4	28,832	3/4	34,255	3/4	39,691	3/4	45,131	3/4	50,571	3/4	56,011	3/4	61,451
7/8	1,759	7/8	7,199	7/8	12,639	7/8	18,079	7/8	23,519	7/8	28,945	7/8	34,368	7/8	39,805	7/8	45,245	7/8	50,684	7/8	56,124	7/8	61,564
2	1,872	8	7,312	2	12,752	8	18,192	2	23,632	8	29,058	2	34,481	8	39,918	2	45,358	8	50,798	2	56,238	8	61,678
1/8	1,986	1/8	7,426	1/8	12,866	1/8	18,306	1/8	23,746	1/8	29,171	1/8	34,594	1/8	40,031	1/8	45,471	1/8	50,911	1/8	56,351	1/8	61,791
1/4	2,099	1/4	7,539	1/4	12,979	1/4	18,419	1/4	23,859	1/4	29,284	1/4	34,707	1/4	40,145	1/4	45,585	1/4	51,024	1/4	56,464	1/4	61,904
3/8	2,212	3/8	7,652	3/8	13,092	3/8	18,532	3/8	23,972	3/8	29,397	3/8	34,820	3/8	40,258	3/8	45,698	3/8	51,138	3/8	56,578	3/8	62,018
1/2	2,326	1/2	7,766	1/2	13,206	1/2	18,646	1/2	24,086	1/2	29,510	1/2	34,933	1/2	40,371	1/2	45,811	1/2	51,251	1/2	56,691	1/2	62,131
5/8	2,439	5/8	7,879	5/8	13,319	5/8	18,759	5/8	24,199	5/8	29,623	5/8	35,046	5/8	40,485	5/8	45,925	5/8	51,364	5/8	56,804	5/8	62,244
3/4	2,552	3/4	7,992	3/4	13,432	3/4	18,872	3/4	24,312	3/4	29,736	3/4	35,159	3/4	40,598	3/4	46,038	3/4	51,478	3/4	56,918	3/4	62,358
7/8	2,666	7/8	8,106	7/8	13,546	7/8	18,986	7/8	24,426	7/8	29,849	7/8	35,272	7/8	40,711	7/8	46,151	7/8	51,591	7/8	57,031	7/8	62,471
3	2,779	9	8,219	3	13,659	9	19,099	3	24,539	9	29,962	3	35,385	9	40,825	3	46,265	9	51,704	3	57,144	9	62,584
1/8	2,892	1/8	8,332	1/8	13,772	1/8	19,212	1/8	24,652	1/8	30,075	1/8	35,498	1/8	40,938	1/8	46,378	1/8	51,818	1/8	57,258	1/8	62,698
1/4	3,006	1/4	8,446	1/4	13,886	1/4	19,326	1/4	24,765	1/4	30,188	1/4	35,611	1/4	41,051	1/4	46,491	1/4	51,931	1/4	57,371	1/4	62,811
3/8	3,119	3/8	8,559	3/8	13,999	3/8	19,439	3/8	24,878	3/8	30,301	3/8	35,725	3/8	41,165	3/8	46,604	3/8	52,044	3/8	57,484	3/8	62,924
1/2	3,232	1/2	8,672	1/2	14,112	1/2	19,552	1/2	24,991	1/2	30,414	1/2	35,838	1/2	41,278	1/2	46,718	1/2	52,158	1/2	57,598	1/2	63,038
5/8	3,346	5/8	8,786	5/8	14,226	5/8	19,666	5/8	25,104	5/8	30,527	5/8	35,951	5/8	41,391	5/8	46,831	5/8	52,271	5/8	57,711	5/8	63,151
3/4	3,459	3/4	8,899	3/4	14,339	3/4	19,779	3/4	25,217	3/4	30,640	3/4	36,065	3/4	41,505	3/4	46,944	3/4	52,384	3/4	57,824	3/4	63,264
7/8	3,572	7/8	9,012	7/8	14,452	7/8	19,892	7/8	25,330	7/8	30,753	7/8	36,178	7/8	41,618	7/8	47,058	7/8	52,498	7/8	57,938	7/8	63,378
4	3,686	10	9,126	4	14,566	10	20,006	4	25,443	10	30,865	4	36,291	10	41,731	4	47,171	10	52,611	4	58,051	10	63,491
1/8	3,799	1/8	9,239	1/8	14,679	1/8	20,119	1/8	25,556	1/8	30,978	1/8	36,405	1/8	41,845	1/8	47,284	1/8	52,724	1/8	58,164	1/8	63,604
1/4	3,912	1/4	9,352	1/4	14,792	1/4	20,232	1/4	25,669	1/4	31,091	1/4	36,518	1/4	41,958	1/4	47,398	1/4	52,838	1/4	58,278	1/4	63,718
3/8	4,026	3/8	9,466	3/8	14,906	3/8	20,346	3/8	25,782	3/8	31,204	3/8	36,631	3/8	42,071	3/8	47,511	3/8	52,951	3/8	58,391	3/8	63,831
1/2	4,139	1/2	9,579	1/2	15,019	1/2	20,459	1/2	25,895	1/2	31,317	1/2	36,745	1/2	42,185	1/2	47,624	1/2	53,064	1/2	58,504	1/2	63,944
5/8	4,252	5/8	9,692	5/8	15,132	5/8	20,572	5/8	26,008	5/8	31,430	5/8	36,858	5/8	42,298	5/8	47,738	5/8	53,178	5/8	58,618	5/8	64,058
3/4	4,366	3/4	9,806	3/4	15,246	3/4	20,686	3/4	26,121	3/4	31,543	3/4	36,971	3/4	42,411	3/4	47,851	3/4	53,291	3/4	58,731	3/4	64,171
7/8	4,479	7/8	9,919	7/8	15,359	7/8	20,799	7/8	26,233	7/8	31,656	7/8	37,085	7/8	42,525	7/8	47,964	7/8	53,404	7/8	58,844	7/8	64,284
5	4,592	11	10,032	5	15,472	11	20,912	5	26,346	11	31,769	5	37,198	11	42,638	5	48,078	11	53,518	5	58,958	11	64,398
1/8	4,706	1/8	10,146	1/8	15,586	1/8	21,026	1/8	26,459	1/8	31,882	1/8	37,311	1/8	42,751	1/8	48,191	1/8	53,631	1/8	59,071	1/8	64,511
1/4	4,819	1/4	10,259	1/4	15,699	1/4	21,139	1/4	26,572	1/4	31,995	1/4	37,425	1/4	42,865	1/4	48,304	1/4	53,744	1/4	59,184	1/4	64,624
3/8	4,932	3/8	10,372	3/8	15,812	3/8	21,252	3/8	26,685	3/8	32,108	3/8	37,538	3/8	42,978	3/8	48,418	3/8	53,858	3/8	59,298	3/8	64,738
1/2	5,046	1/2	10,486	1/2	15,926	1/2	21,366	1/2	26,798	1/2	32,221	1/2	37,651	1/2	43,091	1/2	48,531	1/2	53,971	1/2	59,411	1/2	64,851
5/8	5,159	5/8	10,599	5/8	16,039	5/8	21,479	5/8	26,911	5/8	32,334	5/8	37,765	5/8	43,205	5/8	48,644	5/8	54,084	5/8	59,524	5/8	64,964
3/4	5,272	3/4	10,712	3/4	16,152	3/4	21,592	3/4	27,024	3/4													

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER IB9303

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

2

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

12 FEET			13 FEET			FEET			FEET			FEET			FEET			
IN.		IN.	IN.		IN.	IN.		IN.	IN.	IN.		IN.	IN.	IN.		IN.	IN.	
0	130,584	6	136,024	0	140,617	6		0		6		0		6		0		6
1/8	130,698	1/8	136,138	1/8	140,661	1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	130,811	1/4	136,251	1/4	140,705	1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	130,924	3/8	136,364	3/8	140,750	3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	131,038	1/2	136,478	1/2	140,794	1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	131,151	5/8	136,591	5/8	140,838	5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	131,264	3/4	136,704	3/4	140,883	3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	131,378	7/8	136,818	7/8	140,907	7/8		7/8		7/8		7/8		7/8		7/8		7/8
1	131,491	7	136,931	1	140,932	7		1		7		1		7		1		7
1/8	131,604	1/8	137,044	1/8	140,957	1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	131,718	1/4	137,158	1/4	140,981	1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	131,831	3/8	137,271	3/8	141,006	3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	131,944	1/2	137,384	1/2	141,031	1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	132,058	5/8	137,498	5/8	141,055	5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	132,171	3/4	137,611	3/4	141,080	3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	132,284	7/8	137,724	7/8	141,087	7/8		7/8		7/8		7/8		7/8		7/8		7/8
2	132,398	8	137,838	2	141,095	8		2		8		2		8		2		8
1/8	132,511	1/8	137,951	1/8	141,102	1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	132,624	1/4	138,064	1/4	141,109	1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	132,738	3/8	138,178	3/8	141,117	3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	132,851	1/2	138,291	1/2	141,124	1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	132,964	5/8	138,404	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	133,078	3/4	138,518	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	133,191	7/8	138,621	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8
3	133,304	9	138,725	3		9		3		9		3		9		3		9
1/8	133,418	1/8	138,828	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	133,531	1/4	138,931	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	133,644	3/8	139,035	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	133,758	1/2	139,138	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	133,871	5/8	139,242	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	133,984	3/4	139,345	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	134,098	7/8	139,429	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8
4	134,211	10	139,513	4		10		4		10		4		10		4		10
1/8	134,324	1/8	139,597	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	134,438	1/4	139,680	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	134,551	3/8	139,764	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	134,664	1/2	139,848	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	134,778	5/8	139,932	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	134,891	3/4	140,016	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	135,004	7/8	140,080	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8
5	135,118	11	140,144	5		11		5		11		5		11		5		11
1/8	135,231	1/8	140,208	1/8		1/8		1/8		1/8		1/8		1/8		1/8		1/8
1/4	135,344	1/4	140,272	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
3/8	135,458	3/8	140,336	3/8		3/8		3/8		3/8		3/8		3/8		3/8		3/8
1/2	135,571	1/2	140,400	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
5/8	135,684	5/8	140,464	5/8		5/8		5/8		5/8		5/8		5/8		5/8		5/8
3/4	135,798	3/4	140,528	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7/8	135,911	7/8	140,572	7/8		7/8		7/8		7/8		7/8		7/8		7/8		7/8

CAPACITY IN: U.S. GALLONS

MANUAL REFERENCE GAUGE HEIGHT: 15'-10 3/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 11/6/73  
REISSUED: 8/8/93

*Chas. Martin*  
INSPECTORATE AMERICA CORPORATION



Chas. MARTIN

A COMPANY OF INSPECTORATE

**BARGE NUMBER IB9303**

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

**3**

**INNAGE TABLE**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET			1 FEET			2 FEET			3 FEET			4 FEET			5 FEET								
IN.		IN.	IN.		IN.	IN.		IN.	IN.	IN.		IN.	IN.	IN.		IN.	IN.						
0	* 286	6	5,746	0	11,206	6	16,666	0	22,125	6	27,585	0	33,045	6	38,505	0	43,965	6	49,425	0	54,886	6	60,346
1/8	400	1/8	5,860	1/8	11,320	1/8	16,779	1/8	22,239	1/8	27,699	1/8	33,158	1/8	38,618	1/8	44,079	1/8	49,539	1/8	54,999	1/8	60,460
1/4	514	1/4	5,974	1/4	11,433	1/4	16,893	1/4	22,353	1/4	27,812	1/4	33,272	1/4	38,732	1/4	44,193	1/4	49,653	1/4	55,113	1/4	60,574
3/8	628	3/8	6,087	3/8	11,547	3/8	17,007	3/8	22,466	3/8	27,926	3/8	33,386	3/8	38,846	3/8	44,306	3/8	49,767	3/8	55,227	3/8	60,687
1/2	741	1/2	6,201	1/2	11,661	1/2	17,121	1/2	22,580	1/2	28,040	1/2	33,500	1/2	38,960	1/2	44,420	1/2	49,880	1/2	55,341	1/2	60,801
5/8	855	5/8	6,315	5/8	11,775	5/8	17,234	5/8	22,694	5/8	28,154	5/8	33,513	5/8	39,074	5/8	44,534	5/8	49,994	5/8	55,455	5/8	60,915
7/8	969	7/8	6,429	7/8	11,888	7/8	17,348	7/8	22,808	7/8	28,267	7/8	33,727	7/8	39,187	7/8	44,648	7/8	50,108	7/8	55,568	7/8	61,029
1	1,083	1	6,542	1	12,002	1	17,462	1	22,921	1	28,381	1	33,841	1	39,301	1	44,761	1	50,222	1	55,682	1	61,142
1 1/8	1,196	7	6,656	1	12,116	7	17,575	1	23,035	7	28,495	1	33,955	7	39,415	1	44,875	7	50,335	1	55,796	7	61,256
1 1/4	1,310	1/8	6,770	1 1/4	12,230	1/8	17,689	1 1/4	23,149	1/8	28,609	1 1/4	34,068	1/8	39,529	1 1/4	44,989	1/8	50,449	1 1/4	55,910	1/8	61,370
1 1/2	1,424	1/4	6,884	1 1/2	12,343	1/4	17,803	1 1/2	23,263	1/4	28,722	1 1/2	34,182	1/4	39,642	1 1/2	45,103	1/4	50,563	1 1/2	56,023	1/4	61,484
1 3/4	1,538	3/8	6,997	1 3/4	12,457	3/8	17,917	1 3/4	23,376	3/8	28,836	1 3/4	34,296	3/8	39,756	1 3/4	45,216	3/8	50,677	1 3/4	56,137	3/8	61,597
2	1,651	1/2	7,111	2	12,571	1/2	18,030	2	23,490	1/2	28,950	2	34,410	1/2	39,870	2	45,330	1/2	50,790	2	56,251	1/2	61,711
2 1/8	1,765	5/8	7,225	2 1/8	12,684	5/8	18,144	2 1/8	23,504	5/8	29,064	2 1/8	34,523	5/8	39,984	2 1/8	45,444	5/8	50,904	2 1/8	56,365	5/8	61,825
2 1/4	1,879	3/4	7,339	2 1/4	12,798	3/4	18,258	2 1/4	23,618	3/4	29,177	2 1/4	34,637	3/4	40,097	2 1/4	45,558	3/4	51,018	2 1/4	56,478	3/4	61,939
2 1/2	1,993	7/8	7,452	2 1/2	12,912	7/8	18,372	2 1/2	23,731	7/8	29,291	2 1/2	34,751	7/8	40,211	2 1/2	45,671	7/8	51,132	2 1/2	56,592	7/8	62,052
2 3/4	2,106	8	7,566	2 3/4	13,026	8	18,485	2 3/4	23,845	8	29,405	2 3/4	34,865	8	40,325	2 3/4	45,785	8	51,246	2 3/4	56,706	8	62,166
3	2,220	1/8	7,680	3	13,139	1/8	18,599	3	24,059	1/8	29,519	3	34,978	1/8	40,439	3	45,899	1/8	51,359	3	56,820	1/8	62,280
3 1/8	2,334	1/4	7,794	3 1/8	13,253	1/4	18,713	3 1/8	24,173	1/4	29,632	3 1/8	35,092	1/4	40,552	3 1/8	46,013	1/4	51,473	3 1/8	56,933	1/4	62,394
3 1/4	2,448	3/8	7,907	3 1/4	13,367	3/8	18,827	3 1/4	24,286	3/8	29,746	3 1/4	35,206	3/8	40,666	3 1/4	46,126	3/8	51,587	3 1/4	57,047	3/8	62,507
3 1/2	2,561	1/2	8,021	3 1/2	13,481	1/2	18,940	3 1/2	24,400	1/2	29,860	3 1/2	35,320	1/2	40,780	3 1/2	46,240	1/2	51,701	3 1/2	57,161	1/2	62,621
3 3/4	2,675	5/8	8,135	3 3/4	13,594	5/8	19,054	3 3/4	24,514	5/8	29,974	3 3/4	35,433	5/8	40,894	3 3/4	46,354	5/8	51,814	3 3/4	57,275	5/8	62,735
4	2,789	3/4	8,248	4	13,708	3/4	19,168	4	24,628	3/4	30,087	4	35,547	3/4	41,007	4	46,468	3/4	51,928	4	57,388	3/4	62,849
4 1/8	2,903	7/8	8,362	4 1/8	13,822	7/8	19,282	4 1/8	24,741	7/8	30,201	4 1/8	35,661	7/8	41,121	4 1/8	46,581	7/8	52,042	4 1/8	57,502	7/8	62,962
4 1/4	3,016	9	8,476	4 1/4	13,936	9	19,395	4 1/4	24,855	9	30,315	4 1/4	35,775	9	41,235	4 1/4	46,695	9	52,156	4 1/4	57,616	9	63,076
4 1/2	3,130	1/8	8,590	4 1/2	14,049	1/8	19,509	4 1/2	24,969	1/8	30,429	4 1/2	35,888	1/8	41,349	4 1/2	46,809	1/8	52,269	4 1/2	57,730	1/8	63,190
4 3/4	3,244	1/4	8,703	4 3/4	14,163	1/4	19,623	4 3/4	25,083	1/4	30,542	4 3/4	36,002	1/4	41,462	4 3/4	46,923	1/4	52,383	4 3/4	57,843	1/4	63,304
5	3,357	3/8	8,817	5	14,277	3/8	19,737	5	25,196	3/8	30,656	5	36,116	3/8	41,576	5	47,036	3/8	52,497	5	57,957	3/8	63,418
5 1/8	3,471	1/2	8,931	5 1/8	14,391	1/2	19,850	5 1/8	25,310	1/2	30,770	5 1/8	36,230	1/2	41,690	5 1/8	47,150	1/2	52,611	5 1/8	58,071	1/2	63,531
5 1/4	3,585	5/8	9,045	5 1/4	14,504	5/8	19,964	5 1/4	25,424	5/8	30,884	5 1/4	36,343	5/8	41,804	5 1/4	47,264	5/8	52,724	5 1/4	58,185	5/8	63,645
5 1/2	3,699	3/4	9,158	5 1/2	14,618	3/4	20,078	5 1/2	25,538	3/4	30,997	5 1/2	36,457	3/4	41,917	5 1/2	47,378	3/4	52,838	5 1/2	58,298	3/4	63,759
5 3/4	3,812	7/8	9,272	5 3/4	14,732	7/8	20,192	5 3/4	25,651	7/8	31,111	5 3/4	36,571	7/8	42,031	5 3/4	47,492	7/8	52,952	5 3/4	58,412	7/8	63,873
6	3,926	10	9,386	6	14,846	10	20,305	6	25,765	10	31,225	6	36,685	10	42,145	6	47,605	10	53,066	6	58,526	10	63,986
6 1/8	4,040	1/8	9,500	6 1/8	14,959	1/8	20,419	6 1/8	25,879	1/8	31,339	6 1/8	36,798	1/8	42,259	6 1/8	47,719	1/8	53,179	6 1/8	58,640	1/8	64,100
6 1/4	4,154	1/4	9,613	6 1/4	15,073	1/4	20,533	6 1/4	25,993	1/4	31,452	6 1/4	36,912	1/4	42,372	6 1/4	47,833	1/4	53,293	6 1/4	58,753	1/4	64,214
6 1/2	4,267	3/8	9,727	6 1/2	15,187	3/8	20,647	6 1/2	26,106	3/8	31,566	6 1/2	37,026	3/8	42,486	6 1/2	47,947	3/8	53,407	6 1/2	58,867	3/8	64,328
6 3/4	4,381	1/2	9,841	6 3/4	15,301	1/2	20,760	6 3/4	26,220	1/2	31,680	6 3/4	37,140	1/2	42,600	6 3/4	48,060	1/2	53,521	6 3/4	58,981	1/2	64,441
7	4,495	5/8	9,955	7	15,414	5/8	20,874	7	26,334	5/8	31,793	7	37,253	5/8	42,714	7	48,174	5/8	53,634	7	59,095	5/8	64,555
7 1/8	4,609	3/4	10,068	7 1/8	15,528	3/4	20,988	7 1/8	26,448	3/4	31,907	7 1/8	37,367	3/4	42,827	7 1/8	48,288	3/4	53,748	7 1/8	59,208	3/4	64,669
7 1/4	4,722	7/8	10,182	7 1/4	15,642	7/8	21,102	7 1/4	26,561	7/8	32,021	7 1/4	37,481	7/8	42,941	7 1/4	48,402	7/8	53,862	7 1/4	59,322	7/8	64,783
7 1/2	4,836	9	10,296	7 1/2	15,756	9	21,215	7 1/2	26,675	9	32,135	7 1/2	37,595	9	43,055	7 1/2	48,515	9	53,976	7 1/2	59,436	9	64,896
7 3/4	4,950	1/8	10,410	7 3/4	15,869	1/8	21,329	7 3/4	26,789	1/8	32,248	7 3/4	37,708	1/8	43,169	7 3/4	48,629	1/8	54,089	7 3/4	59,550	1/8	65,010
8	5,064	1/4	10,523	8	15,983	1/4	21,443	8	26,902	1/4	32,362	8	37,822	1/4	43,283	8	48,743	1/4	54,203	8	59,664	1/4	65,124
8 1/8	5,177	3/8	10,637	8 1/8	16,097	3/8	21,557	8 1/8	27,016	3/8	32,476	8 1/8	37,936	3/8	43,396	8 1/8	48,857	3/8	54,317	8 1/8	59,777	3/8	65,238
8 1/4	5,291	1/2	10,751	8 1/4	16,211	1/2	21,670	8 1/4	27,130	1/2	32,590	8 1/4	38,050	1/2	43,510	8 1/4	48,970	1/2	54,431	8 1/4	59,891	1/2	65,351
8 1/2	5,405	5/8	10,865	8 1/2	16,324																		

**Chas. MARTIN**

A COMPANY OF INSPECTORATE

**BARGE NUMBER IB9303**

TANK NUMBER

**3**

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

**INNAGE TABLE**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

6 FEET			7 FEET			8 FEET			9 FEET			10 FEET			11 FEET								
IN.			IN.			IN.			IN.			IN.			IN.								
0	65,806	6	71,267	0	76,727	6	82,187	0	87,648	6	93,108	0	98,568	6	104,029	0	109,489	6	114,949	0	120,410	6	125,870
1/8	65,920	1/8	71,380	1/8	76,841	1/8	82,301	1/8	87,762	1/8	93,222	1/8	98,682	1/8	104,143	1/8	109,603	1/8	115,063	1/8	120,524	1/8	125,984
1/4	66,034	1/4	71,494	1/4	76,955	1/4	82,415	1/4	87,875	1/4	93,336	1/4	98,796	1/4	104,256	1/4	109,717	1/4	115,177	1/4	120,637	1/4	126,098
3/8	66,148	3/8	71,608	3/8	77,068	3/8	82,529	3/8	87,989	3/8	93,449	3/8	98,910	3/8	104,370	3/8	109,830	3/8	115,291	3/8	120,751	3/8	126,211
1/2	66,261	1/2	71,722	1/2	77,182	1/2	82,642	1/2	88,103	1/2	93,563	1/2	99,023	1/2	104,484	1/2	109,944	1/2	115,404	1/2	120,865	1/2	126,325
5/8	66,375	5/8	71,836	5/8	77,296	5/8	82,756	5/8	88,217	5/8	93,677	5/8	99,137	5/8	104,598	5/8	110,058	5/8	115,518	5/8	120,979	5/8	126,439
3/4	66,489	3/4	71,949	3/4	77,410	3/4	82,870	3/4	88,330	3/4	93,791	3/4	99,251	3/4	104,711	3/4	110,172	3/4	115,632	3/4	121,092	3/4	126,553
7/8	66,603	7/8	72,063	7/8	77,523	7/8	82,984	7/8	88,444	7/8	93,904	7/8	99,365	7/8	104,825	7/8	110,285	7/8	115,746	7/8	121,206	7/8	126,666
1	66,716	7	72,177	1	77,637	7	83,097	1	88,558	7	94,018	1	99,478	7	104,939	1	110,399	7	115,859	1	121,320	7	126,780
1/8	66,830	1/8	72,291	1/8	77,751	1/8	83,211	1/8	88,672	1/8	94,132	1/8	99,592	1/8	105,053	1/8	110,513	1/8	115,973	1/8	121,434	1/8	126,894
1/4	66,944	1/4	72,404	1/4	77,865	1/4	83,325	1/4	88,785	1/4	94,246	1/4	99,706	1/4	105,166	1/4	110,627	1/4	116,087	1/4	121,547	1/4	127,008
3/8	67,058	3/8	72,518	3/8	77,978	3/8	83,439	3/8	88,899	3/8	94,359	3/8	99,820	3/8	105,280	3/8	110,740	3/8	116,201	3/8	121,661	3/8	127,121
1/2	67,171	1/2	72,632	1/2	78,092	1/2	83,552	1/2	89,013	1/2	94,473	1/2	99,934	1/2	105,394	1/2	110,854	1/2	116,315	1/2	121,775	1/2	127,235
5/8	67,285	5/8	72,746	5/8	78,206	5/8	83,666	5/8	89,127	5/8	94,587	5/8	100,047	5/8	105,508	5/8	110,968	5/8	116,428	5/8	121,889	5/8	127,349
3/4	67,399	3/4	72,859	3/4	78,320	3/4	83,780	3/4	89,240	3/4	94,701	3/4	100,161	3/4	105,621	3/4	111,082	3/4	116,542	3/4	122,002	3/4	127,463
7/8	67,513	7/8	72,973	7/8	78,433	7/8	83,894	7/8	89,354	7/8	94,814	7/8	100,275	7/8	105,735	7/8	111,195	7/8	116,656	7/8	122,116	7/8	127,576
2	67,627	8	73,087	2	78,547	8	84,008	2	89,468	8	94,928	2	100,389	8	105,849	2	111,309	8	116,770	2	122,230	8	127,690
1/8	67,740	1/8	73,201	1/8	78,661	1/8	84,121	1/8	89,582	1/8	95,042	1/8	100,502	1/8	105,963	1/8	111,423	1/8	116,883	1/8	122,344	1/8	127,804
1/4	67,854	1/4	73,314	1/4	78,775	1/4	84,235	1/4	89,695	1/4	95,156	1/4	100,616	1/4	106,076	1/4	111,537	1/4	116,997	1/4	122,457	1/4	127,918
3/8	67,968	3/8	73,428	3/8	78,888	3/8	84,349	3/8	89,809	3/8	95,269	3/8	100,730	3/8	106,190	3/8	111,650	3/8	117,111	3/8	122,571	3/8	128,031
1/2	68,082	1/2	73,542	1/2	79,002	1/2	84,463	1/2	89,923	1/2	95,383	1/2	100,844	1/2	106,304	1/2	111,764	1/2	117,225	1/2	122,685	1/2	128,145
5/8	68,195	5/8	73,656	5/8	79,116	5/8	84,576	5/8	90,037	5/8	95,497	5/8	100,957	5/8	106,418	5/8	111,878	5/8	117,338	5/8	122,799	5/8	128,259
3/4	68,309	3/4	73,769	3/4	79,230	3/4	84,690	3/4	90,150	3/4	95,611	3/4	101,071	3/4	106,531	3/4	111,992	3/4	117,452	3/4	122,912	3/4	128,373
7/8	68,423	7/8	73,883	7/8	79,343	7/8	84,804	7/8	90,264	7/8	95,724	7/8	101,185	7/8	106,645	7/8	112,106	7/8	117,566	7/8	123,026	7/8	128,487
3	68,537	9	73,997	3	79,457	9	84,918	3	90,378	9	95,838	3	101,299	9	106,759	3	112,219	9	117,680	3	123,140	9	128,600
1/8	68,650	1/8	74,111	1/8	79,571	1/8	85,031	1/8	90,492	1/8	95,952	1/8	101,412	1/8	106,873	1/8	112,333	1/8	117,793	1/8	123,254	1/8	128,714
1/4	68,764	1/4	74,224	1/4	79,685	1/4	85,145	1/4	90,605	1/4	96,066	1/4	101,526	1/4	106,986	1/4	112,447	1/4	117,907	1/4	123,367	1/4	128,828
3/8	68,878	3/8	74,338	3/8	79,799	3/8	85,259	3/8	90,719	3/8	96,180	3/8	101,640	3/8	107,100	3/8	112,561	3/8	118,021	3/8	123,481	3/8	128,942
1/2	68,992	1/2	74,452	1/2	79,912	1/2	85,373	1/2	90,833	1/2	96,293	1/2	101,754	1/2	107,214	1/2	112,674	1/2	118,135	1/2	123,595	1/2	129,055
5/8	69,105	5/8	74,566	5/8	80,026	5/8	85,486	5/8	90,947	5/8	96,407	5/8	101,868	5/8	107,328	5/8	112,788	5/8	118,248	5/8	123,709	5/8	129,169
3/4	69,219	3/4	74,679	3/4	80,140	3/4	85,600	3/4	91,060	3/4	96,521	3/4	101,981	3/4	107,441	3/4	112,902	3/4	118,362	3/4	123,822	3/4	129,283
7/8	69,333	7/8	74,793	7/8	80,254	7/8	85,714	7/8	91,174	7/8	96,635	7/8	102,095	7/8	107,555	7/8	113,016	7/8	118,476	7/8	123,936	7/8	129,397
4	69,447	10	74,907	4	80,367	10	85,828	4	91,288	10	96,748	4	102,209	10	107,669	4	113,129	10	118,590	4	124,050	10	129,510
1/8	69,560	1/8	75,021	1/8	80,481	1/8	85,941	1/8	91,402	1/8	96,862	1/8	102,322	1/8	107,783	1/8	113,243	1/8	118,703	1/8	124,164	1/8	129,624
1/4	69,674	1/4	75,134	1/4	80,595	1/4	86,055	1/4	91,515	1/4	96,976	1/4	102,436	1/4	107,896	1/4	113,357	1/4	118,817	1/4	124,277	1/4	129,738
3/8	69,788	3/8	75,248	3/8	80,709	3/8	86,169	3/8	91,629	3/8	97,090	3/8	102,550	3/8	108,010	3/8	113,471	3/8	118,931	3/8	124,391	3/8	129,852
1/2	69,902	1/2	75,362	1/2	80,822	1/2	86,283	1/2	91,743	1/2	97,203	1/2	102,664	1/2	108,124	1/2	113,584	1/2	119,045	1/2	124,505	1/2	129,965
5/8	70,015	5/8	75,476	5/8	80,936	5/8	86,396	5/8	91,857	5/8	97,317	5/8	102,777	5/8	108,238	5/8	113,698	5/8	119,158	5/8	124,619	5/8	130,079
3/4	70,129	3/4	75,590	3/4	81,050	3/4	86,510	3/4	91,971	3/4	97,431	3/4	102,891	3/4	108,352	3/4	113,812	3/4	119,272	3/4	124,733	3/4	130,193
7/8	70,243	7/8	75,703	7/8	81,164	7/8	86,624	7/8	92,084	7/8	97,545	7/8	103,005	7/8	108,465	7/8	113,926	7/8	119,386	7/8	124,846	7/8	130,307
5	70,357	11	75,817	5	81,277	11	86,738	5	92,198	11	97,658	5	103,119	11	108,579	5	114,039	11	119,500	5	124,960	11	130,420
1/8	70,470	1/8	75,931	1/8	81,391	1/8	86,851	1/8	92,312	1/8	97,772	1/8	103,232	1/8	108,693	1/8	114,153	1/8	119,613	1/8	125,074	1/8	130,534
1/4	70,584	1/4	76,045	1/4	81,505	1/4	86,965	1/4	92,426	1/4	97,886	1/4	103,346	1/4	108,807	1/4	114,267	1/4	119,727	1/4	125,188	1/4	130,648
3/8	70,698	3/8	76,158	3/8	81,619	3/8	87,079	3/8	92,539	3/8	98,000	3/8	103,460	3/8	108,920	3/8	114,381	3/8	119,841	3/8	125,301	3/8	130,762
1/2	70,812	1/2	76,272	1/2	81,732	1/2	87,193	1/2	92,653	1/2	98,113	1/2	103,574	1/2	109,034	1/2	114,494	1/2	119,955	1/2	125,415	1/2	130,875
5/8	70,925	5/8	76,386	5/8	81,846	5/8	87,306	5/8	92,767	5/8	98,227	5/8	103,687	5/8	109,148	5/8	114,608	5/8	120,068	5/8	125,529	5/8	130,989
3/4	71,039	3/4	76,500	3/4	81,960	3/4	87,420	3/4	92,881	3/4	98,341	3/4	103,801	3/4	109,262	3/4	114,722	3/4	120,182	3/4	125,643	3/4	131,103
7/8	71,153	7/8	76,613	7/8	82,074	7/8	87,534	7/8	92,994	7/8	98,455	7/8	103,915	7/8	109,375	7/8	114,836	7/8	120,296	7/8	125,756	7/8	131,217

CAPACITY IN: U.S. GALLONS

MANUAL REFERENCE GAUGE HEIGHT: 15'-11 3/8" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 11/6/73  
REISSUED: 3/8/93

*[Signature]*  
INSPECTORATE AMERICA CORPORATION



Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER IB9303

PREVIOUSLY BARGE "STAR 303" OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

3

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

12 FEET		13 FEET		FEET		FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.	
0	131,330	6	136,791	0	141,291	6		0		6	
1/8	131,444	1/8	136,905	1/8	141,345	1/8		1/8		1/8	
1/4	131,558	1/4	137,018	1/4	141,400	1/4		1/4		1/4	
3/8	131,672	3/8	137,132	3/8	141,438	3/8		3/8		3/8	
1/2	131,785	1/2	137,246	1/2	141,476	1/2		1/2		1/2	
5/8	131,899	5/8	137,360	5/8	141,514	5/8		5/8		5/8	
3/4	132,013	3/4	137,473	3/4	141,552	3/4		3/4		3/4	
7/8	132,127	7/8	137,587	7/8	141,590	7/8		7/8		7/8	
1	132,240	7	137,701	1	141,628	7		1		7	
1/8	132,354	1/8	137,815	1/8	141,665	1/8		1/8		1/8	
1/4	132,468	1/4	137,928	1/4	141,703	1/4		1/4		1/4	
3/8	132,582	3/8	138,042	3/8	141,724	3/8		3/8		3/8	
1/2	132,696	1/2	138,156	1/2	141,746	1/2		1/2		1/2	
5/8	132,809	5/8	138,270	5/8	141,767	5/8		5/8		5/8	
3/4	132,923	3/4	138,383	3/4	141,788	3/4		3/4		3/4	
7/8	133,037	7/8	138,497	7/8	141,809	7/8		7/8		7/8	
2	133,151	8	138,611	2	141,830	8		2		8	
1/8	133,264	1/8	138,725	1/8	141,851	1/8		1/8		1/8	
1/4	133,378	1/4	138,838	1/4	141,872	1/4		1/4		1/4	
3/8	133,492	3/8	138,944	3/8	141,878	3/8		3/8		3/8	
1/2	133,606	1/2	139,049	1/2	141,885	1/2		1/2		1/2	
5/8	133,719	5/8	139,154	5/8	141,891	5/8		5/8		5/8	
3/4	133,833	3/4	139,260	3/4	141,897	3/4		3/4		3/4	
7/8	133,947	7/8	139,365	7/8	141,904	7/8		7/8		7/8	
3	134,061	9	139,470	3	141,910	9		3		9	
1/8	134,174	1/8	139,576	1/8		1/8		1/8		1/8	
1/4	134,288	1/4	139,681	1/4		1/4		1/4		1/4	
3/8	134,402	3/8	139,770	3/8		3/8		3/8		3/8	
1/2	134,516	1/2	139,858	1/2		1/2		1/2		1/2	
5/8	134,629	5/8	139,946	5/8		5/8		5/8		5/8	
3/4	134,743	3/4	140,035	3/4		3/4		3/4		3/4	
7/8	134,857	7/8	140,123	7/8		7/8		7/8		7/8	
4	134,971	10	140,212	4		10		4		10	
1/8	135,084	1/8	140,300	1/8		1/8		1/8		1/8	
1/4	135,198	1/4	140,389	1/4		1/4		1/4		1/4	
3/8	135,312	3/8	140,460	3/8		3/8		3/8		3/8	
1/2	135,426	1/2	140,532	1/2		1/2		1/2		1/2	
5/8	135,539	5/8	140,604	5/8		5/8		5/8		5/8	
3/4	135,653	3/4	140,675	3/4		3/4		3/4		3/4	
7/8	135,767	7/8	140,747	7/8		7/8		7/8		7/8	
5	135,881	11	140,819	5		11		5		11	
1/8	135,994	1/8	140,890	1/8		1/8		1/8		1/8	
1/4	136,108	1/4	140,962	1/4		1/4		1/4		1/4	
3/8	136,222	3/8	141,017	3/8		3/8		3/8		3/8	
1/2	136,336	1/2	141,071	1/2		1/2		1/2		1/2	
5/8	136,449	5/8	141,126	5/8		5/8		5/8		5/8	
3/4	136,563	3/4	141,181	3/4		3/4		3/4		3/4	
7/8	136,677	7/8	141,236	7/8		7/8		7/8		7/8	

CAPACITY IN: U.S. GALLONS

MANUAL REFERENCE GAUGE HEIGHT: 15'-11 3/8" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 11/6/73  
REISSUED: 3/8/93

*Hauer*  
INSPECTORATE AMERICA CORPORATION