

BARGE # - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL CORPORATION

CORRECTION TABLE FOR TRIM AFT.

FOR INNAGE GAUGES ONLY

TRIM	TANK NO. 1	TANK NO. 2	TANK NO. 3
0'-6"	(+) 0'-0 5/8"	(+) 0'-0 1/2"	(+) 0'-0 1/2"
1'-0"	(+) 0'-1 1/8"	(+) 0'-1 1/8"	(+) 0'-1"
1'-6"	(+) 0'-1 3/4"	(+) 0'-1 3/4"	(+) 0'-1 5/8"
2'-0"	(+) 0'-2 3/8"	(+) 0'-2 1/4"	(+) 0'-2 1/8"
2'-6"	(+) 0'-2 7/8"	(+) 0'-2 7/8"	(+) 0'-2 5/8"
3'-0"	(+) 0'-3 1/2"	(+) 0'-3 3/8"	(+) 0'-3 1/4"
3'-6"	(+) 0'-4 1/8"	(+) 0'-4"	(+) 0'-3 3/4"
4'-0"	(+) 0'-4 5/8"	(+) 0'-4 1/2"	(+) 0'-4 1/4"
4'-6"	(+) 0'-5 1/4"	(+) 0'-5 1/8"	(+) 0'-4 3/4"
5'-0"	(+) 0'-5 7/8"	(+) 0'-5 3/4"	(+) 0'-5 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

CHAS. MARTIN INSPECTION
AND CONTROLS, INC.



BY: D. SAUER

DATE: 3/26/93

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SHEET NO. 1 OF 3
TANK NUMBER:

1

0 FEET			1 FEET			2 FEET			3 FEET			4 FEET			5 FEET								
IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.						
0	* 12.14	6	140.97	0	269.79	6	398.62	0	527.24	6	655.70	0	784.38	6	913.21	0	1,042.04	6	1,170.86	0	1,299.69	6	1,428.52
1/8	14.82	1/8	143.65	1/8	272.48	1/8	401.30	1/8	529.91	1/8	658.38	1/8	787.07	1/8	915.89	1/8	1,044.72	1/8	1,173.55	1/8	1,302.37	1/8	1,431.20
1/4	17.51	1/4	146.33	1/4	275.16	1/4	403.99	1/4	532.59	1/4	661.06	1/4	789.75	1/4	918.58	1/4	1,047.40	1/4	1,176.23	1/4	1,305.06	1/4	1,433.89
3/8	20.19	3/8	149.02	3/8	277.84	3/8	406.67	3/8	535.27	3/8	663.73	3/8	792.43	3/8	921.26	3/8	1,050.09	3/8	1,178.91	3/8	1,307.74	3/8	1,436.57
1/2	22.87	1/2	151.70	1/2	280.53	1/2	409.36	1/2	537.94	1/2	666.41	1/2	795.12	1/2	923.94	1/2	1,052.77	1/2	1,181.60	1/2	1,310.43	1/2	1,439.25
5/8	25.56	5/8	154.38	5/8	283.21	5/8	412.04	5/8	540.62	5/8	669.09	5/8	797.80	5/8	926.63	5/8	1,055.46	5/8	1,184.28	5/8	1,313.11	5/8	1,441.94
3/4	28.24	3/4	157.07	3/4	285.90	3/4	414.72	3/4	543.30	3/4	671.76	3/4	800.48	3/4	929.31	3/4	1,058.14	3/4	1,186.97	3/4	1,315.79	3/4	1,444.62
7/8	30.93	7/8	159.75	7/8	288.58	7/8	417.41	7/8	545.97	7/8	674.44	7/8	803.17	7/8	932.00	7/8	1,060.82	7/8	1,189.65	7/8	1,318.48	7/8	1,447.30
1	33.61	7	162.44	1	291.26	7	420.09	1	548.65	7	677.12	1	805.85	7	934.68	1	1,063.51	7	1,192.33	1	1,321.16	7	1,449.99
1/8	36.29	1/8	165.12	1/8	293.95	1/8	422.77	1/8	551.32	1/8	679.79	1/8	808.54	1/8	937.36	1/8	1,066.19	1/8	1,195.02	1/8	1,323.85	1/8	1,452.67
1/4	38.98	1/4	167.80	1/4	296.63	1/4	425.46	1/4	554.00	1/4	682.47	1/4	811.22	1/4	940.05	1/4	1,068.87	1/4	1,197.70	1/4	1,326.53	1/4	1,455.36
3/8	41.66	3/8	170.49	3/8	299.32	3/8	428.14	3/8	556.68	3/8	685.14	3/8	813.90	3/8	942.73	3/8	1,071.56	3/8	1,200.39	3/8	1,329.21	3/8	1,458.04
1/2	44.34	1/2	173.17	1/2	302.00	1/2	430.83	1/2	559.35	1/2	687.82	1/2	816.59	1/2	945.42	1/2	1,074.24	1/2	1,203.07	1/2	1,331.90	1/2	1,460.72
5/8	47.03	5/8	175.86	5/8	304.68	5/8	433.51	5/8	562.03	5/8	690.50	5/8	819.27	5/8	948.10	5/8	1,076.93	5/8	1,205.75	5/8	1,334.58	5/8	1,463.41
3/4	49.71	3/4	178.54	3/4	307.37	3/4	436.19	3/4	564.71	3/4	693.17	3/4	821.96	3/4	950.78	3/4	1,079.61	3/4	1,208.44	3/4	1,337.26	3/4	1,466.09
7/8	52.40	7/8	181.22	7/8	310.05	7/8	438.88	7/8	567.38	7/8	695.85	7/8	824.64	7/8	953.47	7/8	1,082.29	7/8	1,211.12	7/8	1,339.95	7/8	1,468.78
2	55.08	8	183.91	2	312.74	8	441.56	2	570.06	8	698.53	2	827.32	8	956.15	2	1,084.98	8	1,213.81	2	1,342.63	8	1,471.46
1/8	57.76	1/8	186.59	1/8	315.42	1/8	444.25	1/8	572.74	1/8	701.20	1/8	830.01	1/8	958.83	1/8	1,087.66	1/8	1,216.49	1/8	1,345.32	1/8	1,474.14
1/4	60.45	1/4	189.28	1/4	318.10	1/4	446.93	1/4	575.41	1/4	703.88	1/4	832.69	1/4	961.52	1/4	1,090.35	1/4	1,219.17	1/4	1,348.00	1/4	1,476.83
3/8	63.13	3/8	191.96	3/8	320.79	3/8	449.61	3/8	578.09	3/8	706.56	3/8	835.38	3/8	964.20	3/8	1,093.03	3/8	1,221.86	3/8	1,350.68	3/8	1,479.51
1/2	65.82	1/2	194.64	1/2	323.47	1/2	452.30	1/2	580.76	1/2	709.23	1/2	838.06	1/2	966.89	1/2	1,095.71	1/2	1,224.54	1/2	1,353.37	1/2	1,482.20
5/8	68.50	5/8	197.33	5/8	326.15	5/8	454.97	5/8	583.44	5/8	711.92	5/8	840.74	5/8	969.57	5/8	1,098.40	5/8	1,227.22	5/8	1,356.05	5/8	1,484.88
3/4	71.18	3/4	200.01	3/4	328.84	3/4	457.65	3/4	586.12	3/4	714.60	3/4	843.43	3/4	972.25	3/4	1,101.08	3/4	1,229.91	3/4	1,358.74	3/4	1,487.56
7/8	73.87	7/8	202.70	7/8	331.52	7/8	460.33	7/8	588.79	7/8	717.28	7/8	846.11	7/8	974.94	7/8	1,103.77	7/8	1,232.59	7/8	1,361.42	7/8	1,490.25
3	76.55	9	205.38	3	334.21	9	463.00	3	591.47	9	719.97	3	848.79	9	977.62	3	1,106.45	9	1,235.28	3	1,364.10	9	1,492.93
1/8	79.24	1/8	208.06	1/8	336.89	1/8	465.68	1/8	594.15	1/8	722.65	1/8	851.48	1/8	980.31	1/8	1,109.13	1/8	1,237.96	1/8	1,366.79	1/8	1,495.61
1/4	81.92	1/4	210.75	1/4	339.57	1/4	468.36	1/4	596.82	1/4	725.34	1/4	854.16	1/4	982.99	1/4	1,111.82	1/4	1,240.64	1/4	1,369.47	1/4	1,498.30
3/8	84.60	3/8	213.43	3/8	342.26	3/8	471.03	3/8	599.50	3/8	728.02	3/8	856.85	3/8	985.67	3/8	1,114.50	3/8	1,243.33	3/8	1,372.16	3/8	1,500.98
1/2	87.29	1/2	216.11	1/2	344.94	1/2	473.71	1/2	602.18	1/2	730.70	1/2	859.53	1/2	988.36	1/2	1,117.18	1/2	1,246.01	1/2	1,374.84	1/2	1,503.67
5/8	89.97	5/8	218.80	5/8	347.63	5/8	476.39	5/8	604.85	5/8	733.39	5/8	862.21	5/8	991.04	5/8	1,119.87	5/8	1,248.70	5/8	1,377.52	5/8	1,506.35
3/4	92.66	3/4	221.48	3/4	350.31	3/4	479.06	3/4	607.53	3/4	736.07	3/4	864.90	3/4	993.73	3/4	1,122.55	3/4	1,251.38	3/4	1,380.21	3/4	1,509.03
7/8	95.34	7/8	224.17	7/8	352.99	7/8	481.74	7/8	610.21	7/8	738.76	7/8	867.58	7/8	996.41	7/8	1,125.24	7/8	1,254.06	7/8	1,382.89	7/8	1,511.72
4	98.02	10	226.85	4	355.68	10	484.41	4	612.88	10	741.44	4	870.27	10	999.09	4	1,127.92	10	1,256.75	4	1,385.58	10	1,514.40
1/8	100.71	1/8	229.53	1/8	358.36	1/8	487.09	1/8	615.56	1/8	744.12	1/8	872.95	1/8	1,001.78	1/8	1,130.60	1/8	1,259.43	1/8	1,388.26	1/8	1,517.09
1/4	103.39	1/4	232.22	1/4	361.05	1/4	489.77	1/4	618.23	1/4	746.81	1/4	875.63	1/4	1,004.46	1/4	1,133.29	1/4	1,262.12	1/4	1,390.94	1/4	1,519.77
3/8	106.07	3/8	234.90	3/8	363.73	3/8	492.44	3/8	620.91	3/8	749.49	3/8	878.32	3/8	1,007.15	3/8	1,135.97	3/8	1,264.80	3/8	1,393.63	3/8	1,522.45
1/2	108.76	1/2	237.59	1/2	366.41	1/2	495.12	1/2	623.59	1/2	752.17	1/2	881.00	1/2	1,009.83	1/2	1,138.66	1/2	1,267.48	1/2	1,396.31	1/2	1,525.14
5/8	111.44	5/8	240.27	5/8	369.10	5/8	497.80	5/8	626.26	5/8	754.86	5/8	883.69	5/8	1,012.51	5/8	1,141.34	5/8	1,270.17	5/8	1,398.99	5/8	1,527.82
3/4	114.13	3/4	242.95	3/4	371.78	3/4	500.47	3/4	628.94	3/4	757.54	3/4	886.37	3/4	1,015.20	3/4	1,144.02	3/4	1,272.85	3/4	1,401.68	3/4	1,530.51
7/8	116.81	7/8	245.64	7/8	374.46	7/8	503.15	7/8	631.62	7/8	760.23	7/8	889.05	7/8	1,017.88	7/8	1,146.71	7/8	1,275.54	7/8	1,404.36	7/8	1,533.19
5	119.49	11	248.32	5	377.15	11	505.83	5	634.29	11	762.91	5	891.74	11	1,020.56	5	1,149.39	11	1,278.22	5	1,407.05	11	1,535.87
1/8	122.18	1/8	251.01	1/8	379.83	1/8	508.50	1/8	636.97	1/8	765.59	1/8	894.42	1/8	1,023.25	1/8	1,152.08	1/8	1,280.90	1/8	1,409.73	1/8	1,538.56
1/4	124.86	1/4	253.69	1/4	382.52	1/4	511.18	1/4	639.65	1/4	768.28	1/4	897.11	1/4	1,025.93	1/4	1,154.76	1/4	1,283.59	1/4	1,412.41	1/4	1,541.24
3/8	127.55	3/8	256.37	3/8	385.20	3/8	513.86	3/8	642.32	3/8	770.96	3/8	899.79	3/8	1,028.62	3/8	1,157.44	3/8	1,286.27	3/8	1,415.10	3/8	1,543.93
1/2	130.23	1/2	259.06	1/2	387.88	1/2	516.53	1/2	645.00	1/2	773.65	1/2	902.47	1/2	1,031.30	1/2	1,160.13	1/2	1,288.95	1/2	1,417.78	1/2	1,546.61
5/8	132.91	5/8	261.74	5/8	390.57	5/8	519.21	5/8	647.67	5/8	776.33	5/8	905.16	5/8	1,033.98	5/8	1,162.81	5/8	1,291.64	5/8	1,420.47	5/8	1,549.29
3/4	135.60	3/4	264.42	3/4	393.25	3/4	521.88	3/4	650.35	3/4	779.01	3/4	907.84	3/4	1,036.67	3/4	1,165.50	3/4	1,294.32	3/4	1,423.15	3/4	1,551.98
7/8	138.28	7/8	267.11	7/8	395.94	7/8	524.56	7/8	653.03	7/8	781.70	7/8	910.52	7/8	1,039.35	7/8	1,168.18	7/8	1,297.01	7/8	1,425.83	7/8	1,554.66

CAPACITY IN: 42-GALLON BARRELS
*CAPACITY BELOW STRIKE POINT.

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 1/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMET

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

1

Table with columns for 6 FEET, 7 FEET, 8 FEET, 9 FEET, 10 FEET, and 11 FEET. Each column contains two sub-columns for 'IN.' and 'G.' with numerical values ranging from 1,557.34 to 2,974.44.

CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 1/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74 REISSUED: 3/26/93

INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:

1

12 FEET		13 FEET		FEET		FEET		FEET		FEET					
IN.		IN.		IN.		IN.		IN.		IN.					
0	3,103.24	6	3,232.05	0	3,342.34	6		0		6		0		6	
1/8	3,105.92	1/8	3,234.73	1/8	3,343.88	1/8		1/8		1/8		1/8		1/8	
1/4	3,108.61	1/4	3,237.42	1/4	3,345.43	1/4		1/4		1/4		1/4		1/4	
3/8	3,111.29	3/8	3,240.10	3/8	3,346.65	3/8		3/8		3/8		3/8		3/8	
1/2	3,113.97	1/2	3,242.78	1/2	3,347.87	1/2		1/2		1/2		1/2		1/2	
5/8	3,116.65	5/8	3,245.47	5/8	3,349.09	5/8		5/8		5/8		5/8		5/8	
3/4	3,119.34	3/4	3,248.15	3/4	3,350.31	3/4		3/4		3/4		3/4		3/4	
7/8	3,122.02	7/8	3,250.84	7/8	3,351.53	7/8		7/8		7/8		7/8		7/8	
1	3,124.70	7	3,253.52	1	3,352.75	7		1		7		1		7	
1/8	3,127.39	1/8	3,256.20	1/8	3,353.97	1/8		1/8		1/8		1/8		1/8	
1/4	3,130.07	1/4	3,258.89	1/4	3,355.19	1/4		1/4		1/4		1/4		1/4	
3/8	3,132.75	3/8	3,261.57	3/8	3,356.08	3/8		3/8		3/8		3/8		3/8	
1/2	3,135.43	1/2	3,264.26	1/2	3,356.98	1/2		1/2		1/2		1/2		1/2	
5/8	3,138.12	5/8	3,266.94	5/8	3,357.87	5/8		5/8		5/8		5/8		5/8	
3/4	3,140.80	3/4	3,269.62	3/4	3,358.77	3/4		3/4		3/4		3/4		3/4	
7/8	3,143.48	7/8	3,272.31	7/8	3,359.66	7/8		7/8		7/8		7/8		7/8	
2	3,146.16	8	3,274.99	2	3,360.55	8		2		8		2		8	
1/8	3,148.85	1/8	3,277.68	1/8	3,361.45	1/8		1/8		1/8		1/8		1/8	
1/4	3,151.53	1/4	3,280.36	1/4	3,362.34	1/4		1/4		1/4		1/4		1/4	
3/8	3,154.21	3/8	3,282.88	3/8	3,362.91	3/8		3/8		3/8		3/8		3/8	
1/2	3,156.90	1/2	3,285.40	1/2	3,363.48	1/2		1/2		1/2		1/2		1/2	
5/8	3,159.58	5/8	3,287.92	5/8	3,364.05	5/8		5/8		5/8		5/8		5/8	
3/4	3,162.26	3/4	3,290.45	3/4	3,364.62	3/4		3/4		3/4		3/4		3/4	
7/8	3,164.95	7/8	3,292.97	7/8	3,365.19	7/8		7/8		7/8		7/8		7/8	
3	3,167.63	9	3,295.49	3	3,365.76	9		3		9		3		9	
1/8	3,170.32	1/8	3,298.01	1/8	3,366.33	1/8		1/8		1/8		1/8		1/8	
1/4	3,173.00	1/4	3,300.53	1/4	3,366.90	1/4		1/4		1/4		1/4		1/4	
3/8	3,175.68	3/8	3,302.73	3/8	3,367.14	3/8		3/8		3/8		3/8		3/8	
1/2	3,178.37	1/2	3,304.92	1/2	3,367.39	1/2		1/2		1/2		1/2		1/2	
5/8	3,181.05	5/8	3,307.12	5/8	3,367.63	5/8		5/8		5/8		5/8		5/8	
3/4	3,183.74	3/4	3,309.31	3/4	3,367.87	3/4		3/4		3/4		3/4		3/4	
7/8	3,186.42	7/8	3,311.51	7/8	3,368.12	7/8		7/8		7/8		7/8		7/8	
4	3,189.10	10	3,313.71	4	3,368.36	10		4		10		4		10	
1/8	3,191.79	1/8	3,315.90	1/8	3,368.61	1/8		1/8		1/8		1/8		1/8	
1/4	3,194.47	1/4	3,318.10	1/4	3,368.85	1/4		1/4		1/4		1/4		1/4	
3/8	3,197.16	3/8	3,319.97	3/8	3,368.89	3/8		3/8		3/8		3/8		3/8	
1/2	3,199.84	1/2	3,321.84	1/2	3,368.93	1/2		1/2		1/2		1/2		1/2	
5/8	3,202.52	5/8	3,323.71	5/8		5/8		5/8		5/8		5/8		5/8	
3/4	3,205.21	3/4	3,325.58	3/4		3/4		3/4		3/4		3/4		3/4	
7/8	3,207.89	7/8	3,327.45	7/8		7/8		7/8		7/8		7/8		7/8	
5	3,210.58	11	3,329.32	5		11		5		11		5		11	
1/8	3,213.26	1/8	3,331.19	1/8		1/8		1/8		1/8		1/8		1/8	
1/4	3,215.94	1/4	3,333.06	1/4		1/4		1/4		1/4		1/4		1/4	
3/8	3,218.63	3/8	3,334.61	3/8		3/8		3/8		3/8		3/8		3/8	
1/2	3,221.31	1/2	3,336.15	1/2		1/2		1/2		1/2		1/2		1/2	
5/8	3,224.00	5/8	3,337.70	5/8		5/8		5/8		5/8		5/8		5/8	
3/4	3,226.68	3/4	3,339.25	3/4		3/4		3/4		3/4		3/4		3/4	
7/8	3,229.36	7/8	3,340.79	7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 1/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74
REISSUED: 3/26/93

[Signature]
INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A COMPANY OF  INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

TANK NUMBER:

2

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET			1 FEET			2 FEET			3 FEET			4 FEET			5 FEET								
IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.	IN.		IN.						
0	* 6.80	6	136.45	0	266.10	6	395.75	0	525.40	6	654.84	0	784.12	6	913.60	0	1,043.26	6	1,172.91	0	1,302.56	6	1,432.22
1/8	9.51	1/8	139.15	1/8	268.80	1/8	398.45	1/8	528.10	1/8	657.54	1/8	786.82	1/8	916.31	1/8	1,045.96	1/8	1,175.61	1/8	1,305.26	1/8	1,434.92
1/4	12.21	1/4	141.85	1/4	271.50	1/4	401.15	1/4	530.80	1/4	660.23	1/4	789.51	1/4	919.01	1/4	1,048.66	1/4	1,178.31	1/4	1,307.96	1/4	1,437.62
3/8	14.91	3/8	144.56	3/8	274.20	3/8	403.85	3/8	533.50	3/8	662.92	3/8	792.20	3/8	921.71	3/8	1,051.36	3/8	1,181.01	3/8	1,310.67	3/8	1,440.32
1/2	17.61	1/2	147.26	1/2	276.90	1/2	406.55	1/2	536.20	1/2	665.62	1/2	794.90	1/2	924.41	1/2	1,054.06	1/2	1,183.71	1/2	1,313.37	1/2	1,443.02
5/8	20.31	5/8	149.96	5/8	279.61	5/8	409.25	5/8	538.90	5/8	668.31	5/8	797.59	5/8	927.11	5/8	1,056.76	5/8	1,186.42	5/8	1,316.07	5/8	1,445.72
3/4	23.01	3/4	152.66	3/4	282.31	3/4	411.95	3/4	541.60	3/4	671.00	3/4	800.28	3/4	929.81	3/4	1,059.46	3/4	1,189.12	3/4	1,318.77	3/4	1,448.42
7/8	25.71	7/8	155.36	7/8	285.01	7/8	414.66	7/8	544.30	7/8	673.70	7/8	802.98	7/8	932.51	7/8	1,062.16	7/8	1,191.82	7/8	1,321.47	7/8	1,451.12
1	28.41	1	158.06	1	287.71	1	417.36	1	547.00	1	676.39	1	805.67	1	935.21	1	1,064.87	1	1,194.52	1	1,324.17	1	1,453.82
1/8	31.11	1/8	160.76	1/8	290.41	1/8	420.06	1/8	549.71	1/8	679.08	1/8	808.36	1/8	937.91	1/8	1,067.57	1/8	1,197.22	1/8	1,326.87	1/8	1,456.53
1/4	33.81	1/4	163.46	1/4	293.11	1/4	422.76	1/4	552.41	1/4	681.78	1/4	811.06	1/4	940.62	1/4	1,070.27	1/4	1,199.92	1/4	1,329.57	1/4	1,459.23
3/8	36.52	3/8	166.16	3/8	295.81	3/8	425.46	3/8	555.11	3/8	684.47	3/8	813.75	3/8	943.32	3/8	1,072.97	3/8	1,202.62	3/8	1,332.27	3/8	1,461.93
1/2	39.22	1/2	168.86	1/2	298.51	1/2	428.16	1/2	557.81	1/2	687.16	1/2	816.44	1/2	946.02	1/2	1,075.67	1/2	1,205.32	1/2	1,334.98	1/2	1,464.63
5/8	41.92	5/8	171.57	5/8	301.21	5/8	430.86	5/8	560.51	5/8	689.86	5/8	819.14	5/8	948.72	5/8	1,078.37	5/8	1,208.02	5/8	1,337.68	5/8	1,467.33
3/4	44.62	3/4	174.27	3/4	303.91	3/4	433.56	3/4	563.21	3/4	692.55	3/4	821.83	3/4	951.42	3/4	1,081.07	3/4	1,210.72	3/4	1,340.38	3/4	1,470.03
7/8	47.32	7/8	176.97	7/8	306.62	7/8	436.26	7/8	565.91	7/8	695.24	7/8	824.52	7/8	954.12	7/8	1,083.77	7/8	1,213.43	7/8	1,343.08	7/8	1,472.73
2	50.02	2	179.67	2	309.32	2	438.96	2	568.61	2	697.94	2	827.22	2	956.82	2	1,086.47	2	1,216.13	2	1,345.78	2	1,475.43
1/8	52.72	1/8	182.37	1/8	312.02	1/8	441.67	1/8	571.31	1/8	700.63	1/8	829.91	1/8	959.52	1/8	1,089.18	1/8	1,218.83	1/8	1,348.48	1/8	1,478.13
1/4	55.42	1/4	185.07	1/4	314.72	1/4	444.37	1/4	574.01	1/4	703.32	1/4	832.60	1/4	962.22	1/4	1,091.88	1/4	1,221.53	1/4	1,351.18	1/4	1,480.84
3/8	58.12	3/8	187.77	3/8	317.42	3/8	447.07	3/8	576.72	3/8	706.02	3/8	835.30	3/8	964.92	3/8	1,094.58	3/8	1,224.23	3/8	1,353.88	3/8	1,483.54
1/2	60.82	1/2	190.47	1/2	320.12	1/2	449.77	1/2	579.42	1/2	708.71	1/2	837.99	1/2	967.63	1/2	1,097.28	1/2	1,226.93	1/2	1,356.58	1/2	1,486.24
5/8	63.53	5/8	193.17	5/8	322.82	5/8	452.47	5/8	582.12	5/8	711.40	5/8	840.68	5/8	970.33	5/8	1,099.98	5/8	1,229.63	5/8	1,359.29	5/8	1,488.94
3/4	66.23	3/4	195.87	3/4	325.52	3/4	455.17	3/4	584.82	3/4	714.10	3/4	843.38	3/4	973.03	3/4	1,102.68	3/4	1,232.33	3/4	1,361.99	3/4	1,491.64
7/8	68.93	7/8	198.58	7/8	328.22	7/8	457.87	7/8	587.51	7/8	716.79	7/8	846.08	7/8	975.73	7/8	1,105.38	7/8	1,235.03	7/8	1,364.69	7/8	1,494.34
3	71.63	3	201.28	3	330.92	3	460.57	3	590.21	3	719.48	3	848.78	3	978.43	3	1,108.08	3	1,237.74	3	1,367.39	3	1,497.04
1/8	74.33	1/8	203.98	1/8	333.63	1/8	463.27	1/8	592.90	1/8	722.18	1/8	851.48	1/8	981.13	1/8	1,110.78	1/8	1,240.44	1/8	1,370.09	1/8	1,499.74
1/4	77.03	1/4	206.68	1/4	336.33	1/4	465.97	1/4	595.59	1/4	724.87	1/4	854.18	1/4	983.83	1/4	1,113.49	1/4	1,243.14	1/4	1,372.79	1/4	1,502.44
3/8	79.73	3/8	209.38	3/8	339.03	3/8	468.68	3/8	598.29	3/8	727.56	3/8	856.88	3/8	986.53	3/8	1,116.19	3/8	1,245.84	3/8	1,375.49	3/8	1,505.14
1/2	82.43	1/2	212.08	1/2	341.73	1/2	471.38	1/2	600.98	1/2	730.26	1/2	859.58	1/2	989.23	1/2	1,118.89	1/2	1,248.54	1/2	1,378.19	1/2	1,507.85
5/8	85.13	5/8	214.78	5/8	344.43	5/8	474.08	5/8	603.67	5/8	732.95	5/8	862.28	5/8	991.94	5/8	1,121.59	5/8	1,251.24	5/8	1,380.89	5/8	1,510.55
3/4	87.83	3/4	217.48	3/4	347.13	3/4	476.78	3/4	606.37	3/4	735.64	3/4	864.98	3/4	994.64	3/4	1,124.29	3/4	1,253.94	3/4	1,383.60	3/4	1,513.25
7/8	90.54	7/8	220.18	7/8	349.83	7/8	479.48	7/8	609.06	7/8	738.34	7/8	867.69	7/8	997.34	7/8	1,126.99	7/8	1,256.64	7/8	1,386.30	7/8	1,515.95
4	93.24	4	222.88	4	352.53	4	482.18	4	611.75	4	741.03	4	870.39	4	1,000.04	4	1,129.69	4	1,259.34	4	1,389.00	4	1,518.65
1/8	95.94	1/8	225.59	1/8	355.23	1/8	484.88	1/8	614.44	1/8	743.72	1/8	873.09	1/8	1,002.74	1/8	1,132.39	1/8	1,262.05	1/8	1,391.70	1/8	1,521.35
1/4	98.64	1/4	228.29	1/4	357.93	1/4	487.58	1/4	617.14	1/4	746.42	1/4	875.79	1/4	1,005.44	1/4	1,135.09	1/4	1,264.75	1/4	1,394.40	1/4	1,524.05
3/8	101.34	3/8	230.99	3/8	360.64	3/8	490.28	3/8	619.83	3/8	749.11	3/8	878.49	3/8	1,008.14	3/8	1,137.80	3/8	1,267.45	3/8	1,397.10	3/8	1,526.75
1/2	104.04	1/2	233.69	1/2	363.34	1/2	492.98	1/2	622.52	1/2	751.80	1/2	881.19	1/2	1,010.84	1/2	1,140.50	1/2	1,270.15	1/2	1,399.80	1/2	1,529.45
5/8	106.74	5/8	236.39	5/8	366.04	5/8	495.69	5/8	625.22	5/8	754.50	5/8	883.89	5/8	1,013.54	5/8	1,143.20	5/8	1,272.85	5/8	1,402.50	5/8	1,532.16
3/4	109.44	3/4	239.09	3/4	368.74	3/4	498.39	3/4	627.91	3/4	757.19	3/4	886.59	3/4	1,016.25	3/4	1,145.90	3/4	1,275.55	3/4	1,405.20	3/4	1,534.86
7/8	112.14	7/8	241.79	7/8	371.44	7/8	501.09	7/8	630.60	7/8	759.88	7/8	889.29	7/8	1,018.95	7/8	1,148.60	7/8	1,278.25	7/8	1,407.91	7/8	1,537.56
5	114.84	5	244.49	5	374.14	5	503.79	5	633.30	5	762.58	5	892.00	5	1,021.65	5	1,151.30	5	1,280.95	5	1,410.61	5	1,540.26
1/8	117.55	1/8	247.19	1/8	376.84	1/8	506.49	1/8	635.99	1/8	765.27	1/8	894.70	1/8	1,024.35	1/8	1,154.00	1/8	1,283.65	1/8	1,413.31	1/8	1,542.96
1/4	120.25	1/4	249.89	1/4	379.54	1/4	509.19	1/4	638.68	1/4	767.96	1/4	897.40	1/4	1,027.05	1/4	1,156.70	1/4	1,286.36	1/4	1,416.01	1/4	1,545.66
3/8	122.95	3/8	252.60	3/8	382.24	3/8	511.89	3/8	641.38	3/8	770.66	3/8	900.10	3/8	1,029.75	3/8	1,159.40	3/8	1,289.06	3/8	1,418.71	3/8	1,548.36
1/2	125.65	1/2	255.30	1/2	384.94	1/2	514.59	1/2	644.07	1/2	773.35	1/2	902.80	1/2	1,032.45	1/2	1,162.11	1/2	1,291.76	1/2	1,421.41	1/2	1,551.06
5/8	128.35	5/8	258.00	5/8	387.65	5/8	517.29	5/8	646.76	5/8	776.04	5/8	905.50	5/8	1,035.15	5/8	1,164.81	5/8	1,294.46	5/8	1,424.11	5/8	1,553.76
3/4	131.05	3/4	260.70	3/4	390.35	3/4	519.99	3/4	649.46	3/4	778.74	3/4	908.20	3/4	1,037.85	3/4	1,167.51	3/4	1,297.16	3/4	1,426.81	3/4	1,556.47
7/8	133.75	7/8	263.40	7/8	393.05	7/8	522.70	7/8	652.15	7/8	781.43	7/8	910.90	7/8	1,040.56	7/8	1,170.21	7/8	1,299.86	7/8	1,429.51	7/8	1,559.17

CAPACITY IN: 42-GALLON BARRELS
*CAPACITY BELOW STRIKE POINT.

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

2

Table with columns for 6 FEET, 7 FEET, 8 FEET, 9 FEET, 10 FEET, and 11 FEET. Each column contains two sub-columns for 'IN.' and 'IN.' with numerical values ranging from 1,561.87 to 2,988.05.


CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 1/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74 REISSUED: 3/26/93

INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A COMPANY OF  INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IT NO. 3 OF 3
K NUMBER:

2

12 FEET		13 FEET		FEET		FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.	
0	3,117.70	6	3,247.35	0	3,360.13	6		0		6	
1/8	3,120.40	1/8	3,250.06	1/8	3,361.64	1/8		1/8		1/8	
1/4	3,123.10	1/4	3,252.76	1/4	3,363.16	1/4		1/4		1/4	
3/8	3,125.80	3/8	3,255.46	3/8	3,364.68	3/8		3/8		3/8	
1/2	3,128.51	1/2	3,258.16	1/2	3,366.20	1/2		1/2		1/2	
5/8	3,131.21	5/8	3,260.86	5/8	3,367.72	5/8		5/8		5/8	
3/4	3,133.91	3/4	3,263.56	3/4	3,369.24	3/4		3/4		3/4	
7/8	3,136.61	7/8	3,266.26	7/8	3,369.75	7/8		7/8		7/8	
1	3,139.31	7	3,268.96	1	3,370.93	7		1		7	
1/8	3,142.01	1/8	3,271.66	1/8	3,372.11	1/8		1/8		1/8	
1/4	3,144.71	1/4	3,274.37	1/4	3,373.29	1/4		1/4		1/4	
3/8	3,147.41	3/8	3,277.07	3/8	3,374.47	3/8		3/8		3/8	
1/2	3,150.11	1/2	3,279.77	1/2	3,375.66	1/2		1/2		1/2	
5/8	3,152.82	5/8	3,282.47	5/8	3,376.84	5/8		5/8		5/8	
3/4	3,155.52	3/4	3,285.17	3/4	3,377.93	3/4		3/4		3/4	
7/8	3,158.22	7/8	3,287.87	7/8	3,378.93	7/8		7/8		7/8	
2	3,160.92	8	3,290.57	2	3,379.03	8		2		8	
1/8	3,163.62	1/8	3,293.27	1/8	3,379.88	1/8		1/8		1/8	
1/4	3,166.32	1/4	3,295.97	1/4	3,380.72	1/4		1/4		1/4	
3/8	3,169.02	3/8	3,298.68	3/8	3,381.57	3/8		3/8		3/8	
1/2	3,171.72	1/2	3,301.38	1/2	3,382.41	1/2		1/2		1/2	
5/8	3,174.42	5/8	3,303.91	5/8	3,382.92	5/8		5/8		5/8	
3/4	3,177.13	3/4	3,306.44	3/4	3,383.42	3/4		3/4		3/4	
7/8	3,179.83	7/8	3,308.97	7/8	3,383.93	7/8		7/8		7/8	
3	3,182.53	9	3,311.51	3	3,384.44	9		3		9	
1/8	3,185.23	1/8	3,314.04	1/8	3,384.94	1/8		1/8		1/8	
1/4	3,187.93	1/4	3,316.57	1/4	3,385.45	1/4		1/4		1/4	
3/8	3,190.63	3/8	3,319.10	3/8	3,385.95	3/8		3/8		3/8	
1/2	3,193.33	1/2	3,321.63	1/2	3,386.46	1/2		1/2		1/2	
5/8	3,196.03	5/8	3,323.83	5/8	3,386.63	5/8		5/8		5/8	
3/4	3,198.73	3/4	3,326.02	3/4	3,386.80	3/4		3/4		3/4	
7/8	3,201.44	7/8	3,328.22	7/8	3,386.97	7/8		7/8		7/8	
4	3,204.14	10	3,330.41	4	3,387.14	10		4		10	
1/8	3,206.84	1/8	3,332.61	1/8	3,387.31	1/8		1/8		1/8	
1/4	3,209.54	1/4	3,334.80	1/4	3,387.47	1/4		1/4		1/4	
3/8	3,212.24	3/8	3,337.00	3/8	3,387.64	3/8		3/8		3/8	
1/2	3,214.94	1/2	3,339.19	1/2	3,387.81	1/2		1/2		1/2	
5/8	3,217.64	5/8	3,341.05	5/8		5/8		5/8		5/8	
3/4	3,220.34	3/4	3,342.91	3/4		3/4		3/4		3/4	
7/8	3,223.04	7/8	3,344.76	7/8		7/8		7/8		7/8	
5	3,225.75	11	3,346.62	5		11		5		11	
1/8	3,228.45	1/8	3,348.48	1/8		1/8		1/8		1/8	
1/4	3,231.15	1/4	3,350.33	1/4		1/4		1/4		1/4	
3/8	3,233.85	3/8	3,352.19	3/8		3/8		3/8		3/8	
1/2	3,236.55	1/2	3,354.05	1/2		1/2		1/2		1/2	
5/8	3,239.25	5/8	3,355.57	5/8		5/8		5/8		5/8	
3/4	3,241.95	3/4	3,357.09	3/4		3/4		3/4		3/4	
7/8	3,244.65	7/8	3,358.61	7/8		7/8		7/8		7/8	

CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 1/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74
REISSUED: 3/26/93


INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

3

Table with columns for 0 FEET, 1 FEET, 2 FEET, 3 FEET, 4 FEET, and 5 FEET. Each column contains two sub-columns for 'IN.' and 'IN.' with numerical values ranging from 6.62 to 129.18.

CAPACITY IN: 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 3/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74

REISSUED: 3/26/93(SUPERSEDES ALL PREVIOUS DATED TABLES TO REFLECT CLOSED GAUGING SYSTEM.) TANK NOT RESTRAPPED.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:

3

Table with columns for 6 FEET, 7 FEET, 8 FEET, 9 FEET, 10 FEET, and 11 FEET. Each column contains two sub-columns for 'IN.' and 'IN.' with numerical values ranging from 1,508.61 to 2,885.47.

CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 3/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74

REISSUED: 8/26/93

INSPECTORATE AMERICA CORPORATION

Chas. MARTIN

A
COMPANY OF INSPECTORATE

BARGE NUMBER - IB9304

PREVIOUSLY BARGE "OCC 304" OF OCCIDENTAL CHEMICAL COMPANY

SHEET NO. 3 OF 3
TANK NUMBER:

3

INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

12 FEET		13 FEET		FEET		FEET		FEET		FEET					
IN.		IN.		IN.		IN.		IN.		IN.					
0	3,010.64	6	3,135.81	0	3,245.18	6		0		6		0		6	
1/8	3,013.25	1/8	3,138.42	1/8	3,246.68	1/8		1/8		1/8		1/8		1/8	
1/4	3,015.86	1/4	3,141.03	1/4	3,248.18	1/4		1/4		1/4		1/4		1/4	
3/8	3,018.47	3/8	3,143.64	3/8	3,249.68	3/8		3/8		3/8		3/8		3/8	
1/2	3,021.07	1/2	3,146.24	1/2	3,251.18	1/2		1/2		1/2		1/2		1/2	
5/8	3,023.68	5/8	3,148.85	5/8	3,252.37	5/8		5/8		5/8		5/8		5/8	
3/4	3,026.29	3/4	3,151.46	3/4	3,253.55	3/4		3/4		3/4		3/4		3/4	
7/8	3,028.90	7/8	3,154.07	7/8	3,254.74	7/8		7/8		7/8		7/8		7/8	
1	3,031.50	7	3,156.67	1	3,255.93	7		1		7		1		7	
1/8	3,034.11	1/8	3,159.28	1/8	3,257.11	1/8		1/8		1/8		1/8		1/8	
1/4	3,036.72	1/4	3,161.89	1/4	3,258.30	1/4		1/4		1/4		1/4		1/4	
3/8	3,039.33	3/8	3,164.50	3/8	3,259.48	3/8		3/8		3/8		3/8		3/8	
1/2	3,041.94	1/2	3,167.10	1/2	3,260.67	1/2		1/2		1/2		1/2		1/2	
5/8	3,044.54	5/8	3,169.71	5/8	3,261.54	5/8		5/8		5/8		5/8		5/8	
3/4	3,047.15	3/4	3,172.32	3/4	3,262.40	3/4		3/4		3/4		3/4		3/4	
7/8	3,049.76	7/8	3,174.93	7/8	3,263.27	7/8		7/8		7/8		7/8		7/8	
2	3,052.37	8	3,177.54	2	3,264.14	8		2		8		2		8	
1/8	3,054.97	1/8	3,180.14	1/8	3,265.01	1/8		1/8		1/8		1/8		1/8	
1/4	3,057.58	1/4	3,182.75	1/4	3,265.88	1/4		1/4		1/4		1/4		1/4	
3/8	3,060.19	3/8	3,185.36	3/8	3,266.75	3/8		3/8		3/8		3/8		3/8	
1/2	3,062.80	1/2	3,187.97	1/2	3,267.62	1/2		1/2		1/2		1/2		1/2	
5/8	3,065.40	5/8	3,190.42	5/8	3,268.17	5/8		5/8		5/8		5/8		5/8	
3/4	3,068.01	3/4	3,192.87	3/4	3,268.73	3/4		3/4		3/4		3/4		3/4	
7/8	3,070.62	7/8	3,195.32	7/8	3,269.28	7/8		7/8		7/8		7/8		7/8	
3	3,073.23	9	3,197.77	3	3,269.83	9		3		9		3		9	
1/8	3,075.84	1/8	3,200.21	1/8	3,270.39	1/8		1/8		1/8		1/8		1/8	
1/4	3,078.44	1/4	3,202.66	1/4	3,270.94	1/4		1/4		1/4		1/4		1/4	
3/8	3,081.05	3/8	3,205.11	3/8	3,271.49	3/8		3/8		3/8		3/8		3/8	
1/2	3,083.66	1/2	3,207.56	1/2	3,272.04	1/2		1/2		1/2		1/2		1/2	
5/8	3,086.27	5/8	3,209.70	5/8	3,272.28	5/8		5/8		5/8		5/8		5/8	
3/4	3,088.87	3/4	3,211.83	3/4	3,272.52	3/4		3/4		3/4		3/4		3/4	
7/8	3,091.48	7/8	3,213.96	7/8	3,272.76	7/8		7/8		7/8		7/8		7/8	
4	3,094.09	10	3,216.10	4	3,272.99	10		4		10		4		10	
1/8	3,096.70	1/8	3,218.23	1/8	3,273.23	1/8		1/8		1/8		1/8		1/8	
1/4	3,099.30	1/4	3,220.37	1/4	3,273.47	1/4		1/4		1/4		1/4		1/4	
3/8	3,101.91	3/8	3,222.50	3/8	3,273.70	3/8		3/8		3/8		3/8		3/8	
1/2	3,104.52	1/2	3,224.63	1/2	3,273.94	1/2		1/2		1/2		1/2		1/2	
5/8	3,107.13	5/8	3,226.45	5/8	3,273.98	5/8		5/8		5/8		5/8		5/8	
3/4	3,109.74	3/4	3,228.27	3/4	3,274.02	3/4		3/4		3/4		3/4		3/4	
7/8	3,112.34	7/8	3,230.09	7/8		7/8		7/8		7/8		7/8		7/8	
5	3,114.95	11	3,231.90	5		11		5		11		5		11	
1/8	3,117.56	1/8	3,233.72	1/8		1/8		1/8		1/8		1/8		1/8	
1/4	3,120.17	1/4	3,235.54	1/4		1/4		1/4		1/4		1/4		1/4	
3/8	3,122.77	3/8	3,237.36	3/8		3/8		3/8		3/8		3/8		3/8	
1/2	3,125.38	1/2	3,239.17	1/2		1/2		1/2		1/2		1/2		1/2	
5/8	3,127.99	5/8	3,240.67	5/8		5/8		5/8		5/8		5/8		5/8	
3/4	3,130.60	3/4	3,242.18	3/4		3/4		3/4		3/4		3/4		3/4	
7/8	3,133.20	7/8	3,243.68	7/8		7/8		7/8		7/8		7/8		7/8	

CAPACITY IN: 42-GALLON BARRELS

MANUAL REFERENCE GAUGE HEIGHT: 16'-4 3/4" (RIM OF 2" DIAMETER STANDPIPE LOCATED NEAR "HERMETIC" GAUGING PIPE.)

STRAPPED: 1/31/74
REISSUED: 3/26/93

[Signature]

INSPECTORATE AMERICA CORPORATION