

**BARGE NUMBER - IB9305**

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	SUMP: 22	0	7,933	0	19,158	0	30,771	0	42,363	0	53,976	0	65,588	0	77,201	0	CONTINUED ON SHEET NO. 2
1/4	35	1/4	8,156	1/4	19,400	1/4	31,012	1/4	42,605	1/4	54,218	1/4	65,830	1/4	77,443	1/4	
1/2	48	1/2	8,379	1/2	19,642	1/2	31,253	1/2	42,847	1/2	54,460	1/2	66,072	1/2	77,685	1/2	
3/4	62	3/4	8,603	3/4	19,884	3/4	31,494	3/4	43,089	3/4	54,702	3/4	66,314	3/4	77,927	3/4	
1	75	1	8,826	1	20,126	1	31,736	1	43,331	1	54,944	1	66,556	1	78,169	1	
1/4	146	1/4	9,049	1/4	20,368	1/4	31,977	1/4	43,573	1/4	55,185	1/4	66,798	1/4	78,410	1/4	
1/2	217	1/2	9,272	1/2	20,610	1/2	32,218	1/2	43,815	1/2	55,427	1/2	67,040	1/2	78,652	1/2	
3/4	287	3/4	9,495	3/4	20,852	3/4	32,460	3/4	44,057	3/4	55,669	3/4	67,282	3/4	78,894	3/4	
2	358	2	9,718	2	21,093	2	32,701	2	44,299	2	55,911	2	67,524	2	79,136	2	
1/4	487	1/4	9,941	1/4	21,335	1/4	32,942	1/4	44,541	1/4	56,153	1/4	67,766	1/4	79,378	1/4	
1/2	615	1/2	10,164	1/2	21,577	1/2	33,184	1/2	44,783	1/2	56,395	1/2	68,008	1/2	79,620	1/2	
3/4	744	3/4	10,387	3/4	21,819	3/4	33,425	3/4	45,025	3/4	56,637	3/4	68,250	3/4	79,862	3/4	
3	872	3	10,610	3	22,061	3	33,666	3	45,266	3	56,879	3	68,491	3	80,104	3	
1/4	1,045	1/4	10,841	1/4	22,303	1/4	33,908	1/4	45,508	1/4	57,121	1/4	68,733	1/4	80,346	1/4	
1/2	1,225	1/2	11,072	1/2	22,545	1/2	34,149	1/2	45,750	1/2	57,363	1/2	68,975	1/2	80,588	1/2	
3/4	1,404	3/4	11,303	3/4	22,787	3/4	34,390	3/4	45,992	3/4	57,605	3/4	69,217	3/4	80,830	3/4	
4	1,584	4	11,534	4	23,029	4	34,632	4	46,234	4	57,847	4	69,459	4	81,072	4	
1/4	1,764	1/4	11,765	1/4	23,271	1/4	34,873	1/4	46,476	1/4	58,089	1/4	69,701	1/4	81,314	1/4	
1/2	1,943	1/2	11,996	1/2	23,513	1/2	35,114	1/2	46,718	1/2	58,331	1/2	69,943	1/2	81,556	1/2	
3/4	2,123	3/4	12,227	3/4	23,755	3/4	35,355	3/4	46,960	3/4	58,572	3/4	70,185	3/4	81,797	3/4	
5	2,303	5	12,458	5	23,997	5	35,597	5	47,202	5	58,814	5	70,427	5	82,039	5	
1/4	2,483	1/4	12,689	1/4	24,239	1/4	35,838	1/4	47,444	1/4	59,056	1/4	70,669	1/4	82,281	1/4	
1/2	2,662	1/2	12,920	1/2	24,480	1/2	36,079	1/2	47,686	1/2	59,298	1/2	70,911	1/2	82,523	1/2	
3/4	2,842	3/4	13,151	3/4	24,722	3/4	36,321	3/4	47,928	3/4	59,540	3/4	71,153	3/4	82,765	3/4	
6	3,022	6	13,382	6	24,964	6	36,562	6	48,170	6	59,782	6	71,395	6	83,007	6	
1/4	3,209	1/4	13,619	1/4	25,206	1/4	36,803	1/4	48,412	1/4	60,024	1/4	71,637	1/4	83,249	1/4	
1/2	3,397	1/2	13,856	1/2	25,448	1/2	37,045	1/2	48,653	1/2	60,266	1/2	71,878	1/2	83,491	1/2	
3/4	3,585	3/4	14,093	3/4	25,690	3/4	37,286	3/4	48,895	3/4	60,508	3/4	72,120	3/4	83,733	3/4	
7	3,772	7	14,330	7	25,932	7	37,527	7	49,137	7	60,750	7	72,362	7	83,975	7	
1/4	3,960	1/4	14,566	1/4	26,174	1/4	37,769	1/4	49,379	1/4	60,992	1/4	72,604	1/4	84,217	1/4	
1/2	4,147	1/2	14,803	1/2	26,416	1/2	38,010	1/2	49,621	1/2	61,234	1/2	72,846	1/2	84,459	1/2	
3/4	4,335	3/4	15,045	3/4	26,658	3/4	38,251	3/4	49,863	3/4	61,476	3/4	73,088	3/4	84,701	3/4	
8	4,523	8	15,287	8	26,900	8	38,493	8	50,105	8	61,718	8	73,330	8	84,943	8	
1/4	4,730	1/4	15,529	1/4	27,142	1/4	38,734	1/4	50,347	1/4	61,959	1/4	73,572	1/4	85,184	1/4	
1/2	4,937	1/2	15,771	1/2	27,384	1/2	38,976	1/2	50,589	1/2	62,201	1/2	73,814	1/2	85,426	1/2	
3/4	5,144	3/4	16,013	3/4	27,626	3/4	39,218	3/4	50,831	3/4	62,443	3/4	74,056	3/4	85,668	3/4	
9	5,352	9	16,255	9	27,867	9	39,460	9	51,073	9	62,685	9	74,298	9	85,910	9	
1/4	5,567	1/4	16,497	1/4	28,109	1/4	39,702	1/4	51,315	1/4	62,927	1/4	74,540	1/4	86,152	1/4	
1/2	5,782	1/2	16,739	1/2	28,351	1/2	39,944	1/2	51,557	1/2	63,169	1/2	74,782	1/2	86,394	1/2	
3/4	5,997	3/4	16,981	3/4	28,593	3/4	40,186	3/4	51,799	3/4	63,411	3/4	75,024	3/4	86,636	3/4	
10	6,212	10	17,223	10	28,835	10	40,428	10	52,040	10	63,653	10	75,265	10	86,878	10	
1/4	6,427	1/4	17,465	1/4	29,077	1/4	40,670	1/4	52,282	1/4	63,895	1/4	75,507	1/4	87,120	1/4	
1/2	6,642	1/2	17,706	1/2	29,319	1/2	40,912	1/2	52,524	1/2	64,137	1/2	75,749	1/2	87,362	1/2	
3/4	6,858	3/4	17,948	3/4	29,561	3/4	41,154	3/4	52,766	3/4	64,379	3/4	75,991	3/4	87,604	3/4	
11	7,073	11	18,190	11	29,803	11	41,396	11	53,008	11	64,621	11	76,233	11	87,846	11	
1/4	7,288	1/4	18,432	1/4	30,045	1/4	41,638	1/4	53,250	1/4	64,863	1/4	76,475	1/4	88,088	1/4	
1/2	7,503	1/2	18,674	1/2	30,287	1/2	41,880	1/2	53,492	1/2	65,105	1/2	76,717	1/2	88,329	1/2	
3/4	7,718	3/4	18,916	3/4	30,529	3/4	42,121	3/4	53,734	3/4	65,346	3/4	76,959	3/4	88,571	3/4	

CAPACITY IN: U.S. GALLONS

GAUGE HEIGHT: 17'-8 3/4" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

REISSUED: 12/10/92 (SUPERSEDES TABLE DATED 11/18/88 TO REFLECT NEW GAUGE HEIGHT.) TANK NOT RESTRAPPED.

**Chas. MARTIN**

**BARGE NUMBER - IB9305**

A COMPANY OF  INSPECTORATE

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	88,813	0	100,426	0	112,038	0	123,651	0	135,263	0	146,876	0	158,488	0		0	
1/4	89,055	1/4	100,668	1/4	112,280	1/4	123,893	1/4	135,505	1/4	147,118	1/4	158,730	1/4		1/4	
1/2	89,297	1/2	100,910	1/2	112,522	1/2	124,135	1/2	135,747	1/2	147,360	1/2	158,972	1/2		1/2	
3/4	89,539	3/4	101,152	3/4	112,764	3/4	124,377	3/4	135,989	3/4	147,602	3/4	159,214	3/4		3/4	
1	89,781	1	101,394	1	113,006	1	124,619	1	136,231	1	147,844	1	159,456	1		1	
1/4	90,023	1/4	101,635	1/4	113,248	1/4	124,860	1/4	136,473	1/4	148,085	1/4	159,698	1/4		1/4	
1/2	90,265	1/2	101,877	1/2	113,490	1/2	125,102	1/2	136,715	1/2	148,327	1/2	159,940	1/2		1/2	
3/4	90,507	3/4	102,119	3/4	113,732	3/4	125,344	3/4	136,957	3/4	148,569	3/4	160,182	3/4		3/4	
2	90,749	2	102,361	2	113,974	2	125,586	2	137,199	2	148,811	2	160,424	2		2	
1/4	90,991	1/4	102,603	1/4	114,216	1/4	125,828	1/4	137,441	1/4	149,053	1/4	160,666	1/4		1/4	
1/2	91,233	1/2	102,845	1/2	114,458	1/2	126,070	1/2	137,683	1/2	149,295	1/2	160,908	1/2		1/2	
3/4	91,475	3/4	103,087	3/4	114,700	3/4	126,312	3/4	137,925	3/4	149,537	3/4	161,132	3/4		3/4	
3	91,716	3	103,329	3	114,941	3	126,554	3	138,166	3	149,779	3	161,356	3		3	
1/4	91,958	1/4	103,571	1/4	115,183	1/4	126,796	1/4	138,408	1/4	150,021	1/4	161,580	1/4		1/4	
1/2	92,200	1/2	103,813	1/2	115,425	1/2	127,038	1/2	138,650	1/2	150,263	1/2	161,804	1/2		1/2	
3/4	92,442	3/4	104,055	3/4	115,667	3/4	127,280	3/4	138,892	3/4	150,505	3/4	161,992	3/4		3/4	
4	92,684	4	104,297	4	115,909	4	127,522	4	139,134	4	150,747	4	162,180	4		4	
1/4	92,926	1/4	104,539	1/4	116,151	1/4	127,764	1/4	139,376	1/4	150,989	1/4	162,368	1/4		1/4	
1/2	93,168	1/2	104,781	1/2	116,393	1/2	128,006	1/2	139,618	1/2	151,231	1/2	162,556	1/2		1/2	
3/4	93,410	3/4	105,022	3/4	116,635	3/4	128,247	3/4	139,860	3/4	151,472	3/4	162,709	3/4		3/4	
5	93,652	5	105,264	5	116,877	5	128,489	5	140,102	5	151,714	5	162,861	5		5	
1/4	93,894	1/4	105,506	1/4	117,119	1/4	128,731	1/4	140,344	1/4	151,956	1/4	163,013	1/4		1/4	
1/2	94,136	1/2	105,748	1/2	117,361	1/2	128,973	1/2	140,586	1/2	152,198	1/2	163,166	1/2		1/2	
3/4	94,378	3/4	105,990	3/4	117,603	3/4	129,215	3/4	140,828	3/4	152,440	3/4	163,282	3/4		3/4	
6	94,620	6	106,232	6	117,845	6	129,457	6	141,070	6	152,682	6	163,399	6		6	
1/4	94,862	1/4	106,474	1/4	118,087	1/4	129,699	1/4	141,312	1/4	152,924	1/4	163,515	1/4		1/4	
1/2	95,103	1/2	106,716	1/2	118,328	1/2	129,941	1/2	141,553	1/2	153,166	1/2	163,632	1/2		1/2	
3/4	95,345	3/4	106,958	3/4	118,570	3/4	130,183	3/4	141,795	3/4	153,408	3/4	163,712	3/4		3/4	
7	95,587	7	107,200	7	118,812	7	130,425	7	142,037	7	153,650	7	163,793	7		7	
1/4	95,829	1/4	107,442	1/4	119,054	1/4	130,667	1/4	142,279	1/4	153,892	1/4	163,873	1/4		1/4	
1/2	96,071	1/2	107,684	1/2	119,296	1/2	130,909	1/2	142,521	1/2	154,134	1/2	163,954	1/2		1/2	
3/4	96,313	3/4	107,926	3/4	119,538	3/4	131,151	3/4	142,763	3/4	154,376	3/4	163,999	3/4		3/4	
8	96,555	8	108,168	8	119,780	8	131,393	8	143,005	8	154,617	8	164,044	8		8	
1/4	96,797	1/4	108,409	1/4	120,022	1/4	131,634	1/4	143,247	1/4	154,859	1/4	164,088	1/4		1/4	
1/2	97,039	1/2	108,651	1/2	120,264	1/2	131,876	1/2	143,489	1/2	155,101	1/2	164,133	1/2		1/2	
3/4	97,281	3/4	108,893	3/4	120,506	3/4	132,118	3/4	143,731	3/4	155,343	3/4	164,147	3/4		3/4	
9	97,523	9	109,135	9	120,748	9	132,360	9	143,973	9	155,585	9	164,160	9		9	
1/4	97,765	1/4	109,377	1/4	120,990	1/4	132,602	1/4	144,215	1/4	155,827	1/4	164,174	1/4		1/4	
1/2	98,007	1/2	109,619	1/2	121,232	1/2	132,844	1/2	144,457	1/2	156,069	1/2		1/2		1/2	
3/4	98,249	3/4	109,861	3/4	121,473	3/4	133,086	3/4	144,698	3/4	156,311	3/4		3/4		3/4	
10	98,490	10	110,103	10	121,715	10	133,328	10	144,940	10	156,553	10		10		10	
1/4	98,732	1/4	110,345	1/4	121,957	1/4	133,570	1/4	145,182	1/4	156,795	1/4		1/4		1/4	
1/2	98,974	1/2	110,587	1/2	122,199	1/2	133,812	1/2	145,424	1/2	157,037	1/2		1/2		1/2	
3/4	99,216	3/4	110,829	3/4	122,441	3/4	134,054	3/4	145,666	3/4	157,279	3/4		3/4		3/4	
11	99,458	11	111,071	11	122,683	11	134,296	11	145,908	11	157,521	11		11		11	
1/4	99,700	1/4	111,313	1/4	122,925	1/4	134,538	1/4	146,150	1/4	157,763	1/4		1/4		1/4	
1/2	99,942	1/2	111,554	1/2	123,167	1/2	134,779	1/2	146,392	1/2	158,004	1/2		1/2		1/2	
3/4	100,184	3/4	111,796	3/4	123,409	3/4	135,021	3/4	146,634	3/4	158,246	3/4		3/4		3/4	

CAPACITY IN: U.S. GALLONS

GAUGE HEIGHT: 17'-8 3/4" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88 REISSUED: 12/19/92

  
CHAS. MARTIN CORPORATION

**Chas. MARTIN**

A COMPANY OF INSPECTORATE

**BARGE NUMBER - IB9305**

TANK NUMBER

**2**

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SHEET NO. 1 OF 2

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.			
0	SUMP: 22	0	7,800	0	17,401	0	27,003	0	36,584	0	46,185	0	55,787	0	65,388	0	CONTINUED ON SHEET NO. 2
1/4	36	1/4	8,000	1/4	17,601	1/4	27,202	1/4	36,784	1/4	46,385	1/4	55,987	1/4	65,588	1/4	
1/2	51	1/2	8,200	1/2	17,801	1/2	27,401	1/2	36,984	1/2	46,585	1/2	56,187	1/2	65,788	1/2	
3/4	65	3/4	8,400	3/4	18,001	3/4	27,601	3/4	37,184	3/4	46,786	3/4	56,387	3/4	65,988	3/4	
1	80	1	8,600	1	18,202	1	27,800	1	37,384	1	46,986	1	56,587	1	66,188	1	
1/4	156	1/4	8,800	1/4	18,402	1/4	28,000	1/4	37,584	1/4	47,186	1/4	56,787	1/4	66,388	1/4	
1/2	232	1/2	9,000	1/2	18,602	1/2	28,199	1/2	37,784	1/2	47,386	1/2	56,987	1/2	66,588	1/2	
3/4	308	3/4	9,200	3/4	18,802	3/4	28,399	3/4	37,984	3/4	47,586	3/4	57,187	3/4	66,788	3/4	
2	384	2	9,400	2	19,002	2	28,598	2	38,184	2	47,786	2	57,387	2	66,988	2	
1/4	521	1/4	9,600	1/4	19,202	1/4	28,797	1/4	38,384	1/4	47,986	1/4	57,587	1/4	67,188	1/4	
1/2	659	1/2	9,800	1/2	19,402	1/2	28,997	1/2	38,584	1/2	48,186	1/2	57,787	1/2	67,388	1/2	
3/4	796	3/4	10,000	3/4	19,602	3/4	29,196	3/4	38,784	3/4	48,386	3/4	57,987	3/4	67,588	3/4	
3	934	3	10,200	3	19,802	3	29,396	3	38,985	3	48,586	3	58,187	3	67,788	3	
1/4	1,110	1/4	10,401	1/4	20,002	1/4	29,595	1/4	39,185	1/4	48,786	1/4	58,387	1/4	67,988	1/4	
1/2	1,293	1/2	10,601	1/2	20,202	1/2	29,794	1/2	39,385	1/2	48,986	1/2	58,587	1/2	68,188	1/2	
3/4	1,477	3/4	10,801	3/4	20,402	3/4	29,994	3/4	39,585	3/4	49,186	3/4	58,787	3/4	68,388	3/4	
4	1,661	4	11,001	4	20,602	4	30,193	4	39,785	4	49,386	4	58,987	4	68,588	4	
1/4	1,844	1/4	11,201	1/4	20,802	1/4	30,393	1/4	39,985	1/4	49,586	1/4	59,187	1/4	68,788	1/4	
1/2	2,028	1/2	11,401	1/2	21,002	1/2	30,592	1/2	40,185	1/2	49,786	1/2	59,387	1/2	68,988	1/2	
3/4	2,212	3/4	11,601	3/4	21,202	3/4	30,791	3/4	40,385	3/4	49,986	3/4	59,587	3/4	69,188	3/4	
5	2,396	5	11,801	5	21,402	5	30,991	5	40,585	5	50,186	5	59,787	5	69,388	5	
1/4	2,579	1/4	12,001	1/4	21,602	1/4	31,190	1/4	40,785	1/4	50,386	1/4	59,987	1/4	69,588	1/4	
1/2	2,763	1/2	12,201	1/2	21,802	1/2	31,390	1/2	40,985	1/2	50,586	1/2	60,187	1/2	69,789	1/2	
3/4	2,947	3/4	12,401	3/4	22,002	3/4	31,589	3/4	41,185	3/4	50,786	3/4	60,387	3/4	69,989	3/4	
6	3,130	6	12,601	6	22,202	6	31,788	6	41,385	6	50,986	6	60,587	6	70,189	6	
1/4	3,314	1/4	12,801	1/4	22,402	1/4	31,988	1/4	41,585	1/4	51,186	1/4	60,787	1/4	70,389	1/4	
1/2	3,498	1/2	13,001	1/2	22,602	1/2	32,187	1/2	41,785	1/2	51,386	1/2	60,987	1/2	70,589	1/2	
3/4	3,681	3/4	13,201	3/4	22,802	3/4	32,387	3/4	41,985	3/4	51,586	3/4	61,187	3/4	70,789	3/4	
7	3,865	7	13,401	7	23,002	7	32,586	7	42,185	7	51,786	7	61,387	7	70,989	7	
1/4	4,049	1/4	13,601	1/4	23,202	1/4	32,786	1/4	42,385	1/4	51,986	1/4	61,587	1/4	71,189	1/4	
1/2	4,232	1/2	13,801	1/2	23,402	1/2	32,985	1/2	42,585	1/2	52,186	1/2	61,787	1/2	71,389	1/2	
3/4	4,416	3/4	14,001	3/4	23,602	3/4	33,184	3/4	42,785	3/4	52,386	3/4	61,987	3/4	71,589	3/4	
8	4,600	8	14,201	8	23,802	8	33,384	8	42,985	8	52,586	8	62,188	8	71,789	8	
1/4	4,800	1/4	14,401	1/4	24,002	1/4	33,584	1/4	43,185	1/4	52,786	1/4	62,388	1/4	71,989	1/4	
1/2	5,000	1/2	14,601	1/2	24,202	1/2	33,784	1/2	43,385	1/2	52,986	1/2	62,588	1/2	72,189	1/2	
3/4	5,200	3/4	14,801	3/4	24,402	3/4	33,984	3/4	43,585	3/4	53,186	3/4	62,788	3/4	72,389	3/4	
9	5,400	9	15,001	9	24,602	9	34,184	9	43,785	9	53,386	9	62,988	9	72,589	9	
1/4	5,600	1/4	15,201	1/4	24,802	1/4	34,384	1/4	43,985	1/4	53,586	1/4	63,188	1/4	72,789	1/4	
1/2	5,800	1/2	15,401	1/2	25,002	1/2	34,584	1/2	44,185	1/2	53,786	1/2	63,388	1/2	72,989	1/2	
3/4	6,000	3/4	15,601	3/4	25,202	3/4	34,784	3/4	44,385	3/4	53,986	3/4	63,588	3/4	73,189	3/4	
10	6,200	10	15,801	10	25,402	10	34,984	10	44,585	10	54,186	10	63,788	10	73,389	10	
1/4	6,400	1/4	16,001	1/4	25,602	1/4	35,184	1/4	44,785	1/4	54,387	1/4	63,988	1/4	73,589	1/4	
1/2	6,600	1/2	16,201	1/2	25,803	1/2	35,384	1/2	44,985	1/2	54,587	1/2	64,188	1/2	73,789	1/2	
3/4	6,800	3/4	16,401	3/4	26,003	3/4	35,584	3/4	45,185	3/4	54,787	3/4	64,388	3/4	73,989	3/4	
11	7,000	11	16,601	11	26,203	11	35,784	11	45,385	11	54,987	11	64,588	11	74,189	11	
1/4	7,200	1/4	16,801	1/4	26,403	1/4	35,984	1/4	45,585	1/4	55,187	1/4	64,788	1/4	74,389	1/4	
1/2	7,400	1/2	17,001	1/2	26,603	1/2	36,184	1/2	45,785	1/2	55,387	1/2	64,988	1/2	74,589	1/2	
3/4	7,600	3/4	17,201	3/4	26,803	3/4	36,384	3/4	45,985	3/4	55,587	3/4	65,188	3/4	74,789	3/4	

CAPACITY IN: U.S. GALLONS


GAUGE HEIGHT: 17'-9 1/4" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

CHAS. MARTIN CORPORATION  
REISSUED: 12/10/92 (SUPESEDES TABLE DATED 11/18/88 TO REFLECT NEW GAUGE HEIGHT.) TANK NOT RESTRAPPED.

**Chas. MARTIN**

A COMPANY OF 

# BARGE NUMBER - IB9305

TANK NUMBER

**2**

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SHEET NO. 2 OF 2

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET	FEET
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	IN.
0	74,989	0	84,590	0	94,192	0	103,793	0	113,394	0	122,995	0	132,597	0	0
1/4	75,189	1/4	84,790	1/4	94,392	1/4	103,993	1/4	113,594	1/4	123,195	1/4	132,797	1/4	1/4
1/2	75,389	1/2	84,990	1/2	94,592	1/2	104,193	1/2	113,794	1/2	123,395	1/2	132,997	1/2	1/2
3/4	75,589	3/4	85,191	3/4	94,792	3/4	104,393	3/4	113,994	3/4	123,596	3/4	133,197	3/4	3/4
1	75,789	1	85,391	1	94,992	1	104,593	1	114,194	1	123,796	1	133,397	1	1
1/4	75,989	1/4	85,591	1/4	95,192	1/4	104,793	1/4	114,394	1/4	123,996	1/4	133,597	1/4	1/4
1/2	76,189	1/2	85,791	1/2	95,392	1/2	104,993	1/2	114,594	1/2	124,196	1/2	133,797	1/2	1/2
3/4	76,389	3/4	85,991	3/4	95,592	3/4	105,193	3/4	114,794	3/4	124,396	3/4	133,997	3/4	3/4
2	76,589	2	86,191	2	95,792	2	105,393	2	114,994	2	124,596	2	134,197	2	2
1/4	76,789	1/4	86,391	1/4	95,992	1/4	105,593	1/4	115,194	1/4	124,796	1/4	134,397	1/4	1/4
1/2	76,989	1/2	86,591	1/2	96,192	1/2	105,793	1/2	115,394	1/2	124,996	1/2	134,597	1/2	1/2
3/4	77,189	3/4	86,791	3/4	96,392	3/4	105,993	3/4	115,594	3/4	125,196	3/4	134,782	3/4	3/4
3	77,389	3	86,991	3	96,592	3	106,193	3	115,794	3	125,396	3	134,967	3	3
1/4	77,590	1/4	87,191	1/4	96,792	1/4	106,393	1/4	115,995	1/4	125,596	1/4	135,153	1/4	1/4
1/2	77,790	1/2	87,391	1/2	96,992	1/2	106,593	1/2	116,195	1/2	125,796	1/2	135,338	1/2	1/2
3/4	77,990	3/4	87,591	3/4	97,192	3/4	106,793	3/4	116,395	3/4	125,996	3/4	135,493	3/4	3/4
4	78,190	4	87,791	4	97,392	4	106,993	4	116,595	4	126,196	4	135,649	4	4
1/4	78,390	1/4	87,991	1/4	97,592	1/4	107,193	1/4	116,795	1/4	126,396	1/4	135,804	1/4	1/4
1/2	78,590	1/2	88,191	1/2	97,792	1/2	107,393	1/2	116,995	1/2	126,596	1/2	135,960	1/2	1/2
3/4	78,790	3/4	88,391	3/4	97,992	3/4	107,593	3/4	117,195	3/4	126,796	3/4	136,086	3/4	3/4
5	78,990	5	88,591	5	98,192	5	107,793	5	117,395	5	126,996	5	136,212	5	5
1/4	79,190	1/4	88,791	1/4	98,392	1/4	107,993	1/4	117,595	1/4	127,196	1/4	136,338	1/4	1/4
1/2	79,390	1/2	88,991	1/2	98,592	1/2	108,194	1/2	117,795	1/2	127,396	1/2	136,464	1/2	1/2
3/4	79,590	3/4	89,191	3/4	98,792	3/4	108,394	3/4	117,995	3/4	127,596	3/4	136,560	3/4	3/4
6	79,790	6	89,391	6	98,992	6	108,594	6	118,195	6	127,796	6	136,656	6	6
1/4	79,990	1/4	89,591	1/4	99,192	1/4	108,794	1/4	118,395	1/4	127,996	1/4	136,753	1/4	1/4
1/2	80,190	1/2	89,791	1/2	99,392	1/2	108,994	1/2	118,595	1/2	128,196	1/2	136,849	1/2	1/2
3/4	80,390	3/4	89,991	3/4	99,592	3/4	109,194	3/4	118,795	3/4	128,396	3/4	136,916	3/4	3/4
7	80,590	7	90,191	7	99,792	7	109,394	7	118,995	7	128,596	7	136,982	7	7
1/4	80,790	1/4	90,391	1/4	99,992	1/4	109,594	1/4	119,195	1/4	128,796	1/4	137,049	1/4	1/4
1/2	80,990	1/2	90,591	1/2	100,192	1/2	109,794	1/2	119,395	1/2	128,996	1/2	137,116	1/2	1/2
3/4	81,190	3/4	90,791	3/4	100,392	3/4	109,994	3/4	119,595	3/4	129,196	3/4	137,153	3/4	3/4
8	81,390	8	90,991	8	100,593	8	110,194	8	119,795	8	129,396	8	137,190	8	8
1/4	81,590	1/4	91,191	1/4	100,793	1/4	110,394	1/4	119,995	1/4	129,596	1/4	137,227	1/4	1/4
1/2	81,790	1/2	91,391	1/2	100,993	1/2	110,594	1/2	120,195	1/2	129,796	1/2	137,264	1/2	1/2
3/4	81,990	3/4	91,591	3/4	101,193	3/4	110,794	3/4	120,395	3/4	129,996	3/4	137,275	3/4	3/4
9	82,190	9	91,791	9	101,393	9	110,994	9	120,595	9	130,196	9	137,286	9	9
1/4	82,390	1/4	91,991	1/4	101,593	1/4	111,194	1/4	120,795	1/4	130,396	1/4	137,297	1/4	1/4
1/2	82,590	1/2	92,191	1/2	101,793	1/2	111,394	1/2	120,995	1/2	130,596	1/2		1/2	1/2
3/4	82,790	3/4	92,391	3/4	101,993	3/4	111,594	3/4	121,195	3/4	130,796	3/4		3/4	3/4
10	82,990	10	92,591	10	102,193	10	111,794	10	121,395	10	130,996	10		10	10
1/4	83,190	1/4	92,792	1/4	102,393	1/4	111,994	1/4	121,595	1/4	131,196	1/4		1/4	1/4
1/2	83,390	1/2	92,992	1/2	102,593	1/2	112,194	1/2	121,795	1/2	131,397	1/2		1/2	1/2
3/4	83,590	3/4	93,192	3/4	102,793	3/4	112,394	3/4	121,995	3/4	131,597	3/4		3/4	3/4
11	83,790	11	93,392	11	102,993	11	112,594	11	122,195	11	131,797	11		11	11
1/4	83,990	1/4	93,592	1/4	103,193	1/4	112,794	1/4	122,395	1/4	131,997	1/4		1/4	1/4
1/2	84,190	1/2	93,792	1/2	103,393	1/2	112,994	1/2	122,595	1/2	132,197	1/2		1/2	1/2
3/4	84,390	3/4	93,992	3/4	103,593	3/4	113,194	3/4	122,795	3/4	132,397	3/4		3/4	3/4

CAPACITY IN: U.S. GALLONS

GAUGE HEIGHT: 17'-9 1/4" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88 REISSUED: 12/10/92

  
CHAS. MARTIN CORPORATION

**Chas. MARTIN**

A COMPANY OF INSPECTORATE

# BARGE NUMBER - IB9305

TANK NUMBER

**3**

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SHEET NO. 1 OF 2

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.			
0	SUMP: 22	0	8,430	0	18,808	0	29,187	0	39,544	0	49,923	0	60,301	0	70,680	0	CONTINUED ON SHEET NO. 2
1/4	38	1/4	8,646	1/4	19,025	1/4	29,402	1/4	39,760	1/4	50,139	1/4	60,517	1/4	70,896	1/4	
1/2	53	1/2	8,862	1/2	19,241	1/2	29,618	1/2	39,977	1/2	50,355	1/2	60,734	1/2	71,112	1/2	
3/4	69	3/4	9,078	3/4	19,457	3/4	29,834	3/4	40,193	3/4	50,571	3/4	60,950	3/4	71,328	3/4	
1	84	1	9,295	1	19,673	1	30,049	1	40,409	1	50,787	1	61,166	1	71,544	1	
1/4	167	1/4	9,511	1/4	19,889	1/4	30,265	1/4	40,625	1/4	51,004	1/4	61,382	1/4	71,761	1/4	
1/2	249	1/2	9,727	1/2	20,106	1/2	30,480	1/2	40,841	1/2	51,220	1/2	61,598	1/2	71,977	1/2	
3/4	331	3/4	9,943	3/4	20,322	3/4	30,696	3/4	41,058	3/4	51,436	3/4	61,815	3/4	72,193	3/4	
2	413	2	10,160	2	20,538	2	30,911	2	41,274	2	51,652	2	62,031	2	72,409	2	
1/4	562	1/4	10,376	1/4	20,754	1/4	31,127	1/4	41,490	1/4	51,869	1/4	62,247	1/4	72,626	1/4	
1/2	710	1/2	10,592	1/2	20,971	1/2	31,342	1/2	41,706	1/2	52,085	1/2	62,463	1/2	72,842	1/2	
3/4	859	3/4	10,808	3/4	21,187	3/4	31,558	3/4	41,922	3/4	52,301	3/4	62,679	3/4	73,058	3/4	
3	1,008	3	11,024	3	21,403	3	31,774	3	42,139	3	52,517	3	62,896	3	73,274	3	
1/4	1,198	1/4	11,241	1/4	21,619	1/4	31,989	1/4	42,355	1/4	52,733	1/4	63,112	1/4	73,490	1/4	
1/2	1,396	1/2	11,457	1/2	21,835	1/2	32,205	1/2	42,571	1/2	52,950	1/2	63,328	1/2	73,707	1/2	
3/4	1,595	3/4	11,673	3/4	22,052	3/4	32,420	3/4	42,787	3/4	53,166	3/4	63,544	3/4	73,923	3/4	
4	1,793	4	11,889	4	22,268	4	32,636	4	43,004	4	53,382	4	63,761	4	74,139	4	
1/4	1,992	1/4	12,106	1/4	22,484	1/4	32,851	1/4	43,220	1/4	53,598	1/4	63,977	1/4	74,355	1/4	
1/2	2,191	1/2	12,322	1/2	22,700	1/2	33,067	1/2	43,436	1/2	53,815	1/2	64,193	1/2	74,572	1/2	
3/4	2,389	3/4	12,538	3/4	22,917	3/4	33,282	3/4	43,652	3/4	54,031	3/4	64,409	3/4	74,788	3/4	
5	2,588	5	12,754	5	23,133	5	33,498	5	43,868	5	54,247	5	64,625	5	75,004	5	
1/4	2,786	1/4	12,970	1/4	23,349	1/4	33,713	1/4	44,085	1/4	54,463	1/4	64,842	1/4	75,220	1/4	
1/2	2,985	1/2	13,187	1/2	23,565	1/2	33,929	1/2	44,301	1/2	54,679	1/2	65,058	1/2	75,436	1/2	
3/4	3,183	3/4	13,403	3/4	23,781	3/4	34,145	3/4	44,517	3/4	54,896	3/4	65,274	3/4	75,653	3/4	
6	3,382	6	13,619	6	23,998	6	34,360	6	44,733	6	55,112	6	65,490	6	75,869	6	
1/4	3,580	1/4	13,835	1/4	24,214	1/4	34,576	1/4	44,950	1/4	55,328	1/4	65,707	1/4	76,085	1/4	
1/2	3,779	1/2	14,052	1/2	24,430	1/2	34,791	1/2	45,166	1/2	55,544	1/2	65,923	1/2	76,301	1/2	
3/4	3,978	3/4	14,268	3/4	24,646	3/4	35,007	3/4	45,382	3/4	55,760	3/4	66,139	3/4	76,518	3/4	
7	4,176	7	14,484	7	24,862	7	35,222	7	45,598	7	55,977	7	66,355	7	76,734	7	
1/4	4,375	1/4	14,700	1/4	25,079	1/4	35,438	1/4	45,814	1/4	56,193	1/4	66,571	1/4	76,950	1/4	
1/2	4,573	1/2	14,916	1/2	25,295	1/2	35,653	1/2	46,031	1/2	56,409	1/2	66,788	1/2	77,166	1/2	
3/4	4,772	3/4	15,133	3/4	25,511	3/4	35,869	3/4	46,247	3/4	56,625	3/4	67,004	3/4	77,382	3/4	
8	4,970	8	15,349	8	25,727	8	36,085	8	46,463	8	56,842	8	67,220	8	77,599	8	
1/4	5,187	1/4	15,565	1/4	25,944	1/4	36,301	1/4	46,679	1/4	57,058	1/4	67,436	1/4	77,815	1/4	
1/2	5,403	1/2	15,781	1/2	26,160	1/2	36,517	1/2	46,896	1/2	57,274	1/2	67,653	1/2	78,031	1/2	
3/4	5,619	3/4	15,998	3/4	26,376	3/4	36,733	3/4	47,112	3/4	57,490	3/4	67,869	3/4	78,247	3/4	
9	5,835	9	16,214	9	26,592	9	36,949	9	47,328	9	57,706	9	68,085	9	78,463	9	
1/4	6,051	1/4	16,430	1/4	26,808	1/4	37,166	1/4	47,544	1/4	57,923	1/4	68,301	1/4	78,680	1/4	
1/2	6,268	1/2	16,646	1/2	27,025	1/2	37,382	1/2	47,760	1/2	58,139	1/2	68,517	1/2	78,896	1/2	
3/4	6,484	3/4	16,862	3/4	27,241	3/4	37,598	3/4	47,977	3/4	58,355	3/4	68,734	3/4	79,112	3/4	
10	6,700	10	17,079	10	27,457	10	37,814	10	48,193	10	58,571	10	68,950	10	79,328	10	
1/4	6,916	1/4	17,295	1/4	27,673	1/4	38,031	1/4	48,409	1/4	58,788	1/4	69,166	1/4	79,545	1/4	
1/2	7,133	1/2	17,511	1/2	27,890	1/2	38,247	1/2	48,625	1/2	59,004	1/2	69,382	1/2	79,761	1/2	
3/4	7,349	3/4	17,727	3/4	28,106	3/4	38,463	3/4	48,841	3/4	59,220	3/4	69,599	3/4	79,977	3/4	
11	7,565	11	17,943	11	28,322	11	38,679	11	49,058	11	59,436	11	69,815	11	80,193	11	
1/4	7,781	1/4	18,160	1/4	28,538	1/4	38,895	1/4	49,274	1/4	59,652	1/4	70,031	1/4	80,409	1/4	
1/2	7,997	1/2	18,376	1/2	28,754	1/2	39,112	1/2	49,490	1/2	59,869	1/2	70,247	1/2	80,626	1/2	
3/4	8,214	3/4	18,592	3/4	28,971	3/4	39,328	3/4	49,706	3/4	60,085	3/4	70,463	3/4	80,842	3/4	

CAPACITY IN: U.S. GALLONS

GAUGE HEIGHT: 17'-9 1/2" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

CHAS. MARTIN CORPORATION

REISSUED: 12/10/92 (SUPERSEDES TABLE DATED 11/18/88 TO REFLECT NEW GAUGE HEIGHT.) TANK NOT RESTRAPPED.

**Chas. MARTIN**

A COMPANY OF INSPECTORATE

**BARGE NUMBER - IB9305**

TANK NUMBER

**3**

PREVIOUSLY "E X PATRICIA L" THEN PREVIOUSLY BARGE "OCC-305" OF OXY CHEM CORPORATION  
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SHEET NO. 2 OF 2

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	81,058	0	91,437	0	101,815	0	112,194	0	122,572	0	132,951	0	143,329	0		0	
1/4	81,274	1/4	91,653	1/4	102,031	1/4	112,410	1/4	122,788	1/4	133,167	1/4	143,545	1/4		1/4	
1/2	81,491	1/2	91,869	1/2	102,248	1/2	112,626	1/2	123,005	1/2	133,383	1/2	143,762	1/2		1/2	
3/4	81,707	3/4	92,085	3/4	102,464	3/4	112,842	3/4	123,221	3/4	133,599	3/4	143,978	3/4		3/4	
1	81,923	1	92,302	1	102,680	1	113,059	1	123,437	1	133,816	1	144,194	1		1	
1/4	82,139	1/4	92,518	1/4	102,896	1/4	113,275	1/4	123,653	1/4	134,032	1/4	144,410	1/4		1/4	
1/2	82,355	1/2	92,734	1/2	103,112	1/2	113,491	1/2	123,869	1/2	134,248	1/2	144,626	1/2		1/2	
3/4	82,572	3/4	92,950	3/4	103,329	3/4	113,707	3/4	124,086	3/4	134,464	3/4	144,843	3/4		3/4	
2	82,788	2	93,166	2	103,545	2	113,923	2	124,302	2	134,680	2	145,059	2		2	
1/4	83,004	1/4	93,383	1/4	103,761	1/4	114,140	1/4	124,518	1/4	134,897	1/4	145,275	1/4		1/4	
1/2	83,220	1/2	93,599	1/2	103,977	1/2	114,356	1/2	124,734	1/2	135,113	1/2	145,491	1/2		1/2	
3/4	83,437	3/4	93,815	3/4	104,194	3/4	114,572	3/4	124,951	3/4	135,329	3/4	145,692	3/4		3/4	
3	83,653	3	94,031	3	104,410	3	114,788	3	125,167	3	135,545	3	145,892	3		3	
1/4	83,869	1/4	94,247	1/4	104,626	1/4	115,004	1/4	125,383	1/4	135,762	1/4	146,092	1/4		1/4	
1/2	84,085	1/2	94,464	1/2	104,842	1/2	115,221	1/2	125,599	1/2	135,978	1/2	146,292	1/2		1/2	
3/4	84,301	3/4	94,680	3/4	105,058	3/4	115,437	3/4	125,815	3/4	136,194	3/4	146,460	3/4		3/4	
4	84,518	4	94,896	4	105,275	4	115,653	4	126,032	4	136,410	4	146,629	4		4	
1/4	84,734	1/4	95,112	1/4	105,491	1/4	115,869	1/4	126,248	1/4	136,626	1/4	146,797	1/4		1/4	
1/2	84,950	1/2	95,329	1/2	105,707	1/2	116,086	1/2	126,464	1/2	136,843	1/2	146,965	1/2		1/2	
3/4	85,166	3/4	95,545	3/4	105,923	3/4	116,302	3/4	126,680	3/4	137,059	3/4	147,101	3/4		3/4	
5	85,382	5	95,761	5	106,140	5	116,518	5	126,897	5	137,275	5	147,237	5		5	
1/4	85,599	1/4	95,977	1/4	106,356	1/4	116,734	1/4	127,113	1/4	137,491	1/4	147,373	1/4		1/4	
1/2	85,815	1/2	96,193	1/2	106,572	1/2	116,950	1/2	127,329	1/2	137,707	1/2	147,509	1/2		1/2	
3/4	86,031	3/4	96,410	3/4	106,788	3/4	117,167	3/4	127,545	3/4	137,924	3/4	147,614	3/4		3/4	
6	86,247	6	96,626	6	107,004	6	117,383	6	127,761	6	138,140	6	147,718	6		6	
1/4	86,464	1/4	96,842	1/4	107,221	1/4	117,599	1/4	127,978	1/4	138,356	1/4	147,822	1/4		1/4	
1/2	86,680	1/2	97,058	1/2	107,437	1/2	117,815	1/2	128,194	1/2	138,572	1/2	147,926	1/2		1/2	
3/4	86,896	3/4	97,275	3/4	107,653	3/4	118,032	3/4	128,410	3/4	138,789	3/4	147,998	3/4		3/4	
7	87,112	7	97,491	7	107,869	7	118,248	7	128,626	7	139,005	7	148,070	7		7	
1/4	87,328	1/4	97,707	1/4	108,085	1/4	118,464	1/4	128,843	1/4	139,221	1/4	148,142	1/4		1/4	
1/2	87,545	1/2	97,923	1/2	108,302	1/2	118,680	1/2	129,059	1/2	139,437	1/2	148,214	1/2		1/2	
3/4	87,761	3/4	98,139	3/4	108,518	3/4	118,896	3/4	129,275	3/4	139,653	3/4	148,254	3/4		3/4	
8	87,977	8	98,356	8	108,734	8	119,113	8	129,491	8	139,870	8	148,294	8		8	
1/4	88,193	1/4	98,572	1/4	108,950	1/4	119,329	1/4	129,707	1/4	140,086	1/4	148,334	1/4		1/4	
1/2	88,410	1/2	98,788	1/2	109,167	1/2	119,545	1/2	129,924	1/2	140,302	1/2	148,374	1/2		1/2	
3/4	88,626	3/4	99,004	3/4	109,383	3/4	119,761	3/4	130,140	3/4	140,518	3/4	148,386	3/4		3/4	
9	88,842	9	99,221	9	109,599	9	119,978	9	130,356	9	140,735	9	148,398	9		9	
1/4	89,058	1/4	99,437	1/4	109,815	1/4	120,194	1/4	130,572	1/4	140,951	1/4	148,410	1/4		1/4	
1/2	89,274	1/2	99,653	1/2	110,031	1/2	120,410	1/2	130,788	1/2	141,167	1/2		1/2		1/2	
3/4	89,491	3/4	99,869	3/4	110,248	3/4	120,626	3/4	131,005	3/4	141,383	3/4		3/4		3/4	
10	89,707	10	100,085	10	110,464	10	120,842	10	131,221	10	141,599	10		10		10	
1/4	89,923	1/4	100,302	1/4	110,680	1/4	121,059	1/4	131,437	1/4	141,816	1/4		1/4		1/4	
1/2	90,139	1/2	100,518	1/2	110,896	1/2	121,275	1/2	131,653	1/2	142,032	1/2		1/2		1/2	
3/4	90,356	3/4	100,734	3/4	111,113	3/4	121,491	3/4	131,870	3/4	142,248	3/4		3/4		3/4	
11	90,572	11	100,950	11	111,329	11	121,707	11	132,086	11	142,464	11		11		11	
1/4	90,788	1/4	101,166	1/4	111,545	1/4	121,924	1/4	132,302	1/4	142,681	1/4		1/4		1/4	
1/2	91,004	1/2	101,383	1/2	111,761	1/2	122,140	1/2	132,518	1/2	142,897	1/2		1/2		1/2	
3/4	91,220	3/4	101,599	3/4	111,977	3/4	122,356	3/4	132,734	3/4	143,113	3/4		3/4		3/4	

CAPACITY IN: U.S. GALLONS

GAUGE HEIGHT: 17' - 9 1/2" (TO RIM OF 3" DIAMETER STANDPIPE LOCATED IN GEOMETRICAL CENTER OF TANK.)

STRAPPED: 11/18/88 REISSUED: 12/10/92

*Chas. Martin*  
CHAS. MARTIN CORPORATION