

Chas. MARTIN
Inspectors
of Petroleum, Inc.

BARGE IB933

SHEET NO. 1 OF 2
TANK NUMBER:

I-PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51	117.36	266.70	417.54	563.50	717.37	870.23	1,021.10	1,171.96	1,322.02	1,471.88	1,621.74	1,771.60	1,921.46	2,071.32	2,221.18	2,371.04	2,520.90	2,670.76	2,820.62
92	120.12	269.32	420.78	571.65	722.91	873.38	1,024.24	1,175.10	1,325.97	1,476.83	1,627.69	1,778.55	1,929.41	2,080.27	2,231.13	2,381.99	2,532.85	2,683.71	2,834.57
1.32	123.18	273.06	423.93	574.79	725.65	876.52	1,027.38	1,178.25	1,329.11	1,480.00	1,630.86	1,781.72	1,932.58	2,083.44	2,234.30	2,385.16	2,536.02	2,686.88	2,837.74
1.73	126.53	276.21	427.07	577.93	728.80	879.66	1,030.53	1,181.39	1,332.25	1,483.11	1,633.97	1,784.83	1,935.69	2,086.55	2,237.41	2,388.27	2,539.13	2,689.99	2,840.85
2.95	129.57	279.35	430.21	581.08	731.94	882.80	1,033.67	1,184.53	1,335.40	1,486.26	1,637.12	1,787.98	1,938.84	2,089.70	2,240.56	2,391.42	2,542.28	2,693.14	2,844.00
4.17	132.62	282.49	433.36	584.22	735.09	885.95	1,036.81	1,187.68	1,338.54	1,489.40	1,640.26	1,791.12	1,941.98	2,092.84	2,243.70	2,394.56	2,545.42	2,696.28	2,847.14
5.39	135.66	285.63	436.50	587.36	738.23	889.09	1,039.95	1,190.82	1,341.68	1,492.54	1,643.40	1,794.12	1,945.98	2,096.84	2,246.84	2,397.70	2,548.56	2,699.42	2,850.28
6.61	138.70	288.78	439.64	590.51	741.37	892.23	1,043.10	1,193.96	1,344.83	1,495.69	1,646.54	1,797.26	1,949.12	2,100.00	2,249.98	2,400.86	2,551.70	2,702.56	2,853.42
8.65	141.74	291.92	442.78	593.65	744.51	895.38	1,046.24	1,197.10	1,347.97	1,498.83	1,649.68	1,800.34	1,952.26	2,103.14	2,253.12	2,404.00	2,554.84	2,705.70	2,856.56
10.69	144.78	295.06	445.93	596.79	747.66	898.52	1,049.38	1,200.25	1,351.11	1,501.97	1,652.82	1,803.48	1,955.40	2,106.28	2,256.26	2,407.14	2,557.98	2,708.84	2,859.70
12.73	147.81	298.21	449.07	599.91	750.80	901.66	1,052.53	1,203.39	1,354.25	1,505.11	1,655.96	1,806.62	1,958.54	2,109.42	2,259.40	2,410.30	2,561.12	2,711.98	2,862.84
14.77	150.85	301.35	452.21	603.08	753.94	904.81	1,055.67	1,206.53	1,357.40	1,508.26	1,659.10	1,809.76	1,961.68	2,112.56	2,262.54	2,413.44	2,564.26	2,715.12	2,866.00
17.25	153.96	304.49	455.36	606.22	757.08	907.95	1,058.81	1,209.68	1,360.54	1,511.40	1,662.24	1,812.90	1,964.82	2,115.70	2,265.68	2,416.58	2,567.40	2,718.26	2,869.14
19.73	157.07	307.64	458.50	609.36	760.23	911.09	1,061.96	1,212.82	1,363.69	1,514.54	1,665.38	1,816.04	1,967.96	2,118.84	2,268.82	2,419.72	2,570.54	2,721.40	2,872.28
22.20	160.18	310.78	461.64	612.51	763.37	914.23	1,065.10	1,215.96	1,366.83	1,517.68	1,668.52	1,819.18	1,971.10	2,121.98	2,271.96	2,422.86	2,573.68	2,724.54	2,875.42
24.68	163.29	313.92	464.79	615.65	766.51	917.39	1,068.24	1,219.11	1,369.97	1,520.82	1,671.66	1,822.32	1,974.24	2,125.12	2,275.10	2,426.00	2,576.82	2,727.68	2,878.56
27.15	166.40	317.06	467.93	618.79	769.66	920.52	1,071.38	1,222.25	1,373.11	1,523.96	1,674.80	1,825.46	1,977.38	2,128.26	2,278.24	2,429.14	2,579.96	2,730.82	2,881.70
29.63	169.51	320.21	471.07	621.94	772.80	923.66	1,074.53	1,225.39	1,376.26	1,527.10	1,677.94	1,828.60	1,980.52	2,131.40	2,281.38	2,432.28	2,583.10	2,733.96	2,884.84
32.10	172.62	323.35	474.21	625.08	775.94	926.81	1,077.67	1,228.53	1,379.40	1,530.24	1,681.08	1,831.74	1,983.66	2,134.54	2,284.52	2,435.42	2,586.24	2,737.10	2,887.98
34.58	175.73	326.49	477.36	628.22	779.09	929.95	1,080.81	1,231.68	1,382.54	1,533.38	1,684.22	1,834.88	1,986.80	2,137.68	2,287.66	2,438.56	2,589.38	2,740.24	2,891.12
37.05	178.84	329.63	480.50	631.36	782.23	933.09	1,083.96	1,234.82	1,385.68	1,536.52	1,687.36	1,838.02	1,989.94	2,140.82	2,290.80	2,441.70	2,592.52	2,743.38	2,894.26
39.53	181.95	332.78	483.64	634.51	785.37	936.24	1,087.10	1,237.96	1,388.83	1,539.66	1,690.50	1,841.16	1,993.08	2,143.96	2,293.94	2,444.84	2,595.66	2,746.52	2,897.40
42.01	185.06	335.92	486.79	637.65	788.51	939.38	1,090.24	1,241.11	1,391.97	1,542.80	1,693.64	1,844.30	1,996.22	2,147.10	2,297.08	2,447.98	2,598.80	2,749.66	2,900.54
44.48	188.20	339.07	489.93	640.79	791.66	942.52	1,093.39	1,244.25	1,395.11	1,545.94	1,696.78	1,847.44	1,999.36	2,150.24	2,300.22	2,451.12	2,601.94	2,752.78	2,903.68
47.33	191.34	342.21	493.07	643.94	794.80	945.66	1,096.53	1,247.39	1,398.26	1,549.08	1,699.92	1,850.58	2,002.50	2,153.38	2,303.36	2,454.26	2,605.08	2,755.92	2,906.82
50.18	194.49	345.35	496.22	647.08	797.94	948.81	1,099.67	1,250.54	1,401.40	1,552.22	1,703.06	1,853.72	2,005.64	2,156.52	2,306.50	2,457.40	2,608.22	2,759.06	2,909.96
53.03	197.63	348.49	499.36	650.22	801.09	951.95	1,102.81	1,253.68	1,404.54	1,555.36	1,706.20	1,856.86	2,008.78	2,159.66	2,309.64	2,460.54	2,611.36	2,762.20	2,913.10
55.88	200.77	351.64	502.50	653.37	804.23	955.09	1,105.96	1,256.82	1,407.69	1,558.50	1,709.34	1,860.00	2,011.92	2,162.80	2,312.78	2,463.68	2,614.50	2,765.34	2,916.24
58.73	203.92	354.78	505.64	656.51	807.37	958.24	1,109.10	1,259.96	1,410.83	1,561.64	1,712.48	1,863.14	2,015.06	2,165.94	2,315.92	2,466.82	2,617.64	2,768.48	2,919.38
61.59	207.06	357.92	508.79	659.65	810.52	961.38	1,112.24	1,263.11	1,413.97	1,564.78	1,715.62	1,866.28	2,018.20	2,169.08	2,319.06	2,470.00	2,620.78	2,771.62	2,922.52
64.44	210.20	361.07	511.93	662.79	813.66	964.52	1,115.39	1,266.25	1,417.11	1,567.92	1,718.76	1,869.42	2,021.34	2,172.22	2,322.20	2,473.14	2,623.92	2,774.76	2,925.66
67.29	213.35	364.21	515.07	665.94	816.80	967.67	1,118.53	1,269.39	1,420.26	1,571.06	1,721.90	1,872.56	2,024.48	2,175.36	2,325.34	2,476.28	2,627.06	2,777.90	2,928.80
70.14	216.49	367.35	518.22	669.08	819.94	970.81	1,121.67	1,272.54	1,423.40	1,574.20	1,725.04	1,875.70	2,027.62	2,178.50	2,328.48	2,479.42	2,630.20	2,781.04	2,931.94
72.99	219.63	370.50	521.36	672.22	823.09	973.95	1,124.82	1,275.68	1,426.54	1,577.34	1,728.18	1,878.84	2,030.76	2,181.64	2,331.62	2,482.56	2,633.34	2,784.18	2,935.08
75.84	222.77	373.64	524.50	675.37	826.23	977.09	1,127.96	1,278.82	1,429.69	1,580.48	1,731.32	1,881.98	2,033.90	2,184.78	2,334.76	2,485.70	2,636.48	2,787.32	2,938.22
78.69	225.92	376.79	527.65	678.51	829.37	980.24	1,131.10	1,281.97	1,432.83	1,583.62	1,734.46	1,885.12	2,037.04	2,187.92	2,337.90	2,488.84	2,639.62	2,790.46	2,941.36
81.61	229.06	379.92	530.79	681.65	832.52	983.38	1,134.24	1,285.11	1,435.97	1,586.76	1,737.60	1,888.26	2,040.18	2,191.06	2,341.04	2,491.98	2,642.76	2,793.60	2,944.50
84.63	232.20	383.07	533.93	684.80	835.66	986.52	1,137.39	1,288.25	1,439.11	1,589.90	1,740.74	1,891.40	2,043.32	2,194.20	2,344.18	2,495.12	2,645.90	2,796.74	2,947.64
87.59	235.35	386.21	537.07	687.94	838.80	989.67	1,140.53	1,291.39	1,442.26	1,593.04	1,743.88	1,894.54	2,046.46	2,197.34	2,347.32	2,498.26	2,649.04	2,799.88	2,950.78
90.56	238.49	389.35	540.22	691.08	841.95	992.81	1,143.67	1,294.53	1,445.40	1,596.18	1,747.02	1,897.68	2,049.60	2,200.48	2,350.46	2,501.40	2,652.18	2,803.02	2,953.92
93.53	241.63	392.50	543.36	694.22	845.09	995.95	1,146.82	1,297.68	1,448.54	1,599.32	1,750.16	1,900.82	2,052.74	2,203.62	2,353.60	2,504.54	2,655.32	2,806.16	2,957.06
96.50	244.78	395.64	546.50	697.37	848.23	999.10	1,149.96	1,300.82	1,451.69	1,602.46	1,753.30	1,903.96	2,055.88	2,206.76	2,356.74	2,507.68	2,658.46	2,809.30	2,960.20
99.47	247.92	398.78	549.65	700.51	851.37	1,002.24	1,153.10	1,303.96	1,454.83	1,605.60	1,756.44	1,907.10	2,059.02	2,209.90	2,359.88	2,510.82	2,661.60	2,812.44	2,963.34

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	1,473.69	0	1,624.55	0	1,775.42	0	1,926.28	0		0		0		0		0	
1/4	1,476.93	1/4	1,627.70	1/4	1,778.56	1/4	1,929.42	1/4		1/4		1/4		1/4		1/4	
1/2	1,479.97	1/2	1,630.84	1/2	1,781.70	1/2	1,932.57	1/2		1/2		1/2		1/2		1/2	
3/4	1,483.12	3/4	1,633.98	3/4	1,784.85	3/4	1,935.71	3/4		3/4		3/4		3/4		3/4	
1	1,486.26	1	1,637.12	1	1,787.99	1	1,938.85	1		1		1		1		1	
1 1/4	1,489.40	1 1/4	1,640.27	1 1/4	1,791.13	1 1/4	1,942.00	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,492.55	1 1/2	1,643.41	1 1/2	1,794.27	1 1/2	1,945.14	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	1,495.69	1 3/4	1,646.55	1 3/4	1,797.42	1 3/4	1,948.28	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
2	1,493.83	2	1,649.70	2	1,800.56	2	1,951.42	2		2		2		2		2	
2 1/4	1,501.98	2 1/4	1,652.84	2 1/4	1,803.70	2 1/4	1,954.57	2 1/4		2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	1,505.12	2 1/2	1,655.98	2 1/2	1,806.85	2 1/2	1,957.71	2 1/2		2 1/2		2 1/2		2 1/2		2 1/2	
2 3/4	1,508.26	2 3/4	1,659.13	2 3/4	1,809.99	2 3/4	1,960.85	2 3/4		2 3/4		2 3/4		2 3/4		2 3/4	
3	1,511.40	3	1,662.27	3	1,813.13	3	1,963.99	3		3		3		3		3	
3 1/4	1,514.55	3 1/4	1,665.41	3 1/4	1,816.28	3 1/4	1,966.13	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	1,517.69	3 1/2	1,668.55	3 1/2	1,819.42	3 1/2	1,969.28	3 1/2		3 1/2		3 1/2		3 1/2		3 1/2	
3 3/4	1,520.83	3 3/4	1,671.70	3 3/4	1,822.56	3 3/4	1,971.42	3 3/4		3 3/4		3 3/4		3 3/4		3 3/4	
4	1,523.98	4	1,674.84	4	1,825.70	4	1,973.56	4		4		4		4		4	
4 1/4	1,527.12	4 1/4	1,677.98	4 1/4	1,828.85	4 1/4	1,976.71	4 1/4		4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	1,530.26	4 1/2	1,681.13	4 1/2	1,831.99	4 1/2	1,978.85	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
4 3/4	1,533.41	4 3/4	1,684.27	4 3/4	1,835.13	4 3/4	1,980.99	4 3/4		4 3/4		4 3/4		4 3/4		4 3/4	
5	1,536.55	5	1,687.41	5	1,838.28	5	1,982.13	5		5		5		5		5	
5 1/4	1,539.69	5 1/4	1,690.56	5 1/4	1,841.42	5 1/4	1,984.28	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	1,542.83	5 1/2	1,693.70	5 1/2	1,844.56	5 1/2	1,986.42	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
5 3/4	1,545.98	5 3/4	1,696.84	5 3/4	1,847.71	5 3/4	1,987.56	5 3/4		5 3/4		5 3/4		5 3/4		5 3/4	
6	1,549.12	6	1,699.98	6	1,850.85	6	1,988.70	6		6		6		6		6	
6 1/4	1,552.26	6 1/4	1,703.13	6 1/4	1,853.99	6 1/4	1,989.85	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	1,555.41	6 1/2	1,706.27	6 1/2	1,857.13	6 1/2	1,991.00	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
6 3/4	1,558.55	6 3/4	1,709.41	6 3/4	1,860.28	6 3/4	1,992.14	6 3/4		6 3/4		6 3/4		6 3/4		6 3/4	
7	1,561.69	7	1,712.56	7	1,863.42	7	1,992.28	7		7		7		7		7	
7 1/4	1,564.84	7 1/4	1,715.70	7 1/4	1,866.56	7 1/4	1,993.42	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	1,567.98	7 1/2	1,718.84	7 1/2	1,869.71	7 1/2	1,994.56	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
7 3/4	1,571.12	7 3/4	1,721.99	7 3/4	1,872.85	7 3/4	1,994.70	7 3/4		7 3/4		7 3/4		7 3/4		7 3/4	
8	1,574.26	8	1,725.13	8	1,875.99	8	1,994.84	8		8		8		8		8	
8 1/4	1,577.41	8 1/4	1,728.27	8 1/4	1,879.14	8 1/4	1,995.00	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	1,580.55	8 1/2	1,731.41	8 1/2	1,882.28	8 1/2	1,995.14	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
8 3/4	1,583.69	8 3/4	1,734.56	8 3/4	1,885.42	8 3/4	1,995.28	8 3/4		8 3/4		8 3/4		8 3/4		8 3/4	
9	1,586.84	9	1,737.70	9	1,888.56	9	1,995.42	9		9		9		9		9	
9 1/4	1,589.98	9 1/4	1,740.84	9 1/4	1,891.71	9 1/4	1,995.56	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	1,593.12	9 1/2	1,743.99	9 1/2	1,894.85	9 1/2	1,995.70	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
9 3/4	1,596.27	9 3/4	1,747.13	9 3/4	1,897.99	9 3/4	1,995.84	9 3/4		9 3/4		9 3/4		9 3/4		9 3/4	
10	1,599.41	10	1,750.27	10	1,901.14	10	1,995.98	10		10		10		10		10	
10 1/4	1,602.55	10 1/4	1,753.42	10 1/4	1,904.28	10 1/4	1,996.12	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	1,605.69	10 1/2	1,756.56	10 1/2	1,907.42	10 1/2	1,996.26	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
10 3/4	1,608.84	10 3/4	1,759.70	10 3/4	1,910.57	10 3/4	1,996.40	10 3/4		10 3/4		10 3/4		10 3/4		10 3/4	
11	1,611.98	11	1,762.84	11	1,913.71	11	1,996.54	11		11		11		11		11	
11 1/4	1,615.12	11 1/4	1,765.99	11 1/4	1,916.85	11 1/4	1,996.68	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	1,618.27	11 1/2	1,769.13	11 1/2	1,919.99	11 1/2	1,996.82	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
11 3/4	1,621.41	11 3/4	1,772.27	11 3/4	1,923.14	11 3/4	1,996.96	11 3/4		11 3/4		11 3/4		11 3/4		11 3/4	

CAPACITY IN 42-GALLON BARRELS

STRAPPED OCTOBER 10, 1968

I-PORT GAUGE HEIGHT: 15'-3 1/2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

I-STAR GAUGE HEIGHT: 15'-2 1/2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

W. E. Martin
DEPUTY INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK FRACTION EXCHANGE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	.69	0	127.01	0	265.56	0	403.91	0	542.35	0	680.80	0	819.25	0	957.69	0	1,096.14	0	1,234.58
1/8	1.26	1/8	129.90	1/8	260.34	1/8	406.79	1/8	545.24	1/8	683.68	1/8	822.13	1/8	960.58	1/8	1,099.02	1/8	1,237.47
1/4	1.83	1/4	132.78	1/4	271.23	1/4	409.67	1/4	548.12	1/4	686.57	1/4	825.01	1/4	963.46	1/4	1,101.91	1/4	1,240.35
3/8	2.41	3/8	135.67	3/8	274.11	3/8	412.56	3/8	551.01	3/8	689.45	3/8	827.90	3/8	966.34	3/8	1,104.79	3/8	1,243.24
1/2	4.14	1/2	138.55	1/2	277.00	1/2	415.44	1/2	553.89	1/2	692.34	1/2	830.78	1/2	969.23	1/2	1,107.68	1/2	1,246.12
5/8	5.87	5/8	141.43	5/8	279.88	5/8	418.33	5/8	556.77	5/8	695.22	5/8	833.67	5/8	972.11	5/8	1,110.56	5/8	1,249.01
3/4	7.60	3/4	144.32	3/4	282.77	3/4	421.21	3/4	559.66	3/4	698.10	3/4	836.55	3/4	975.00	3/4	1,113.44	3/4	1,251.89
7/8	9.33	7/8	147.20	7/8	285.65	7/8	424.10	7/8	562.54	7/8	700.99	7/8	839.44	7/8	977.88	7/8	1,116.33	7/8	1,254.77
1	11.93	1	150.09	1	288.53	1	426.98	1	565.43	1	703.87	1	842.32	1	980.77	1	1,119.21	1	1,257.66
1 1/8	14.53	1 1/8	152.97	1 1/8	291.42	1 1/8	429.86	1 1/8	568.31	1 1/8	706.76	1 1/8	845.20	1 1/8	983.65	1 1/8	1,122.10	1 1/8	1,260.54
1 1/4	17.11	1 1/4	155.86	1 1/4	294.30	1 1/4	432.75	1 1/4	571.20	1 1/4	709.64	1 1/4	848.09	1 1/4	986.53	1 1/4	1,124.98	1 1/4	1,263.43
1 3/8	20.29	1 3/8	158.74	1 3/8	297.19	1 3/8	435.63	1 3/8	574.08	1 3/8	712.53	1 3/8	850.97	1 3/8	989.42	1 3/8	1,127.87	1 3/8	1,266.31
1 1/2	23.18	1 1/2	161.62	1 1/2	300.07	1 1/2	438.52	1 1/2	576.96	1 1/2	715.41	1 1/2	853.86	1 1/2	992.30	1 1/2	1,130.75	1 1/2	1,269.20
1 5/8	26.06	1 5/8	164.51	1 5/8	302.96	1 5/8	441.40	1 5/8	579.85	1 5/8	718.29	1 5/8	856.74	1 5/8	995.19	1 5/8	1,133.63	1 5/8	1,272.08
1 3/4	28.95	1 3/4	167.39	1 3/4	305.84	1 3/4	444.29	1 3/4	582.73	1 3/4	721.18	1 3/4	859.63	1 3/4	998.07	1 3/4	1,136.52	1 3/4	1,274.96
1 7/8	31.83	1 7/8	170.28	1 7/8	308.72	1 7/8	447.17	1 7/8	585.62	1 7/8	724.06	1 7/8	862.51	1 7/8	1,000.96	1 7/8	1,139.40	1 7/8	1,277.85
2	34.72	2	173.16	2	311.61	2	450.05	2	588.50	2	726.95	2	865.39	2	1,003.84	2	1,142.29	2	1,280.73
2 1/8	37.60	2 1/8	176.05	2 1/8	314.49	2 1/8	452.94	2 1/8	591.39	2 1/8	729.83	2 1/8	868.28	2 1/8	1,006.72	2 1/8	1,145.17	2 1/8	1,283.62
2 1/4	40.48	2 1/4	178.93	2 1/4	317.38	2 1/4	455.82	2 1/4	594.27	2 1/4	732.72	2 1/4	871.16	2 1/4	1,009.61	2 1/4	1,148.06	2 1/4	1,286.50
2 3/8	43.37	2 3/8	181.81	2 3/8	320.26	2 3/8	458.71	2 3/8	597.15	2 3/8	735.60	2 3/8	874.05	2 3/8	1,012.49	2 3/8	1,150.94	2 3/8	1,289.39
2 1/2	46.25	2 1/2	184.70	2 1/2	323.15	2 1/2	461.59	2 1/2	600.04	2 1/2	738.48	2 1/2	876.93	2 1/2	1,015.38	2 1/2	1,153.82	2 1/2	1,292.27
2 5/8	49.14	2 5/8	187.58	2 5/8	326.03	2 5/8	464.48	2 5/8	602.92	2 5/8	741.37	2 5/8	879.82	2 5/8	1,018.26	2 5/8	1,156.71	2 5/8	1,295.15
2 3/4	52.02	2 3/4	190.47	2 3/4	328.91	2 3/4	467.36	2 3/4	605.81	2 3/4	744.25	2 3/4	882.70	2 3/4	1,021.15	2 3/4	1,159.59	2 3/4	1,298.04
2 7/8	54.91	2 7/8	193.35	2 7/8	331.80	2 7/8	470.24	2 7/8	608.69	2 7/8	747.14	2 7/8	885.58	2 7/8	1,024.03	2 7/8	1,162.48	2 7/8	1,300.92
3	57.79	3	196.24	3	334.68	3	473.13	3	611.58	3	750.02	3	888.47	3	1,026.91	3	1,165.36	3	1,303.81
3 1/8	60.67	3 1/8	199.12	3 1/8	337.57	3 1/8	476.01	3 1/8	614.46	3 1/8	752.91	3 1/8	891.35	3 1/8	1,029.80	3 1/8	1,168.25	3 1/8	1,306.69
3 1/4	63.56	3 1/4	202.00	3 1/4	340.45	3 1/4	478.90	3 1/4	617.34	3 1/4	755.79	3 1/4	894.24	3 1/4	1,032.68	3 1/4	1,171.13	3 1/4	1,309.58
3 3/8	66.44	3 3/8	204.89	3 3/8	343.34	3 3/8	481.78	3 3/8	620.23	3 3/8	758.67	3 3/8	897.12	3 3/8	1,035.57	3 3/8	1,174.01	3 3/8	1,312.46
3 1/2	69.33	3 1/2	207.77	3 1/2	346.22	3 1/2	484.67	3 1/2	623.11	3 1/2	761.56	3 1/2	900.01	3 1/2	1,038.45	3 1/2	1,176.90	3 1/2	1,315.34
3 5/8	72.21	3 5/8	210.66	3 5/8	349.10	3 5/8	487.55	3 5/8	626.00	3 5/8	764.44	3 5/8	902.89	3 5/8	1,041.34	3 5/8	1,179.78	3 5/8	1,318.23
3 3/4	75.10	3 3/4	213.54	3 3/4	351.99	3 3/4	490.43	3 3/4	628.88	3 3/4	767.33	3 3/4	905.77	3 3/4	1,044.22	3 3/4	1,182.67	3 3/4	1,321.11
3 7/8	77.98	3 7/8	216.41	3 7/8	354.87	3 7/8	493.32	3 7/8	631.77	3 7/8	770.21	3 7/8	908.66	3 7/8	1,047.10	3 7/8	1,185.55	3 7/8	1,324.00
4	80.86	4	219.31	4	357.76	4	496.20	4	634.65	4	773.10	4	911.54	4	1,049.99	4	1,188.44	4	1,326.88
4 1/8	83.75	4 1/8	222.19	4 1/8	360.64	4 1/8	499.09	4 1/8	637.53	4 1/8	775.98	4 1/8	914.43	4 1/8	1,052.87	4 1/8	1,191.32	4 1/8	1,329.77
4 1/4	86.63	4 1/4	225.08	4 1/4	363.53	4 1/4	501.97	4 1/4	640.42	4 1/4	778.86	4 1/4	917.31	4 1/4	1,055.76	4 1/4	1,194.20	4 1/4	1,332.65
4 3/8	89.52	4 3/8	227.96	4 3/8	366.41	4 3/8	504.86	4 3/8	643.30	4 3/8	781.75	4 3/8	920.20	4 3/8	1,058.64	4 3/8	1,197.09	4 3/8	1,335.53
4 1/2	92.40	4 1/2	230.85	4 1/2	369.29	4 1/2	507.74	4 1/2	646.19	4 1/2	784.63	4 1/2	923.08	4 1/2	1,061.53	4 1/2	1,199.97	4 1/2	1,338.42
4 5/8	95.29	4 5/8	233.73	4 5/8	372.18	4 5/8	510.62	4 5/8	649.07	4 5/8	787.52	4 5/8	925.96	4 5/8	1,064.41	4 5/8	1,202.86	4 5/8	1,341.30
4 3/4	98.17	4 3/4	236.62	4 3/4	375.06	4 3/4	513.51	4 3/4	651.96	4 3/4	790.40	4 3/4	928.85	4 3/4	1,067.29	4 3/4	1,205.74	4 3/4	1,344.19
4 7/8	101.05	4 7/8	239.50	4 7/8	377.95	4 7/8	516.39	4 7/8	654.84	4 7/8	793.29	4 7/8	931.73	4 7/8	1,070.18	4 7/8	1,208.63	4 7/8	1,347.07
5	103.94	5	242.39	5	380.83	5	519.28	5	657.72	5	796.17	5	934.62	5	1,073.06	5	1,211.51	5	1,349.96
5 1/8	106.82	5 1/8	245.27	5 1/8	383.72	5 1/8	522.16	5 1/8	660.61	5 1/8	799.05	5 1/8	937.50	5 1/8	1,075.95	5 1/8	1,214.39	5 1/8	1,352.84
5 1/4	109.71	5 1/4	248.15	5 1/4	386.60	5 1/4	525.05	5 1/4	663.49	5 1/4	801.94	5 1/4	940.39	5 1/4	1,078.83	5 1/4	1,217.28	5 1/4	1,355.72
5 3/8	112.59	5 3/8	251.04	5 3/8	389.48	5 3/8	527.93	5 3/8	666.38	5 3/8	804.82	5 3/8	943.27	5 3/8	1,081.72	5 3/8	1,220.16	5 3/8	1,358.61
5 1/2	115.48	5 1/2	253.92	5 1/2	392.37	5 1/2	530.82	5 1/2	669.26	5 1/2	807.71	5 1/2	946.15	5 1/2	1,084.60	5 1/2	1,223.05	5 1/2	1,361.49
5 5/8	118.36	5 5/8	256.81	5 5/8	395.25	5 5/8	533.70	5 5/8	672.15	5 5/8	810.59	5 5/8	949.04	5 5/8	1,087.48	5 5/8	1,225.93	5 5/8	1,364.38
5 3/4	121.24	5 3/4	259.69	5 3/4	398.14	5 3/4	536.58	5 3/4	675.03	5 3/4	813.48	5 3/4	951.92	5 3/4	1,090.37	5 3/4	1,228.82	5 3/4	1,367.26
5 7/8	124.13	5 7/8	262.58	5 7/8	401.02	5 7/8	539.47	5 7/8	677.91	5 7/8	816.36	5 7/8	954.81	5 7/8	1,093.25	5 7/8	1,231.70	5 7/8	1,370.15

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

2-PORT GAUGE HEIGHT = 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

2-STAR GAUGE HEIGHT = 15'-3 3/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 10, 1968

BY *J. E. Kinton*
DEPUTY INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE

2-PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		17 FEET		18 FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	1,375.03	0	1,511.40	0	1,647.92	0	1,780.37	0		0		0		0		0	
1/4	1,375.91	1/4	1,514.36	1/4	1,652.01	1/4	1,791.25	1/4		1/4		1/4		1/4		1/4	
1/2	1,378.80	1/2	1,517.25	1/2	1,655.69	1/2	1,794.14	1/2		1/2		1/2		1/2		1/2	
3/4	1,381.68	3/4	1,520.13	3/4	1,658.58	3/4	1,797.02	3/4		3/4		3/4		3/4		3/4	
1	1,384.57	1	1,523.01	1	1,661.46	1	1,799.91	1		1		1		1		1	
1 1/4	1,387.45	1 1/4	1,525.90	1 1/4	1,664.34	1 1/4	1,802.79	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,390.34	1 1/2	1,528.78	1 1/2	1,667.23	1 1/2	1,805.68	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	1,393.22	1 3/4	1,531.67	1 3/4	1,670.11	1 3/4	1,808.56	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
2	1,396.11	2	1,534.55	2	1,673.00	2	1,811.44	2		2		2		2		2	
2 1/4	1,398.99	2 1/4	1,537.44	2 1/4	1,675.88	2 1/4	1,814.33	2 1/4		2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	1,401.87	2 1/2	1,540.32	2 1/2	1,678.77	2 1/2	1,816.98	2 1/2		2 1/2		2 1/2		2 1/2		2 1/2	
2 3/4	1,404.76	2 3/4	1,543.20	2 3/4	1,681.65	2 3/4	1,819.63	2 3/4		2 3/4		2 3/4		2 3/4		2 3/4	
3	1,407.64	3	1,546.09	3	1,684.54	3	1,822.28	3		3		3		3		3	
3 1/4	1,410.53	3 1/4	1,548.97	3 1/4	1,687.42	3 1/4	1,824.93	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	1,413.41	3 1/2	1,551.86	3 1/2	1,690.30	3 1/2	1,827.11	3 1/2		3 1/2		3 1/2		3 1/2		3 1/2	
3 3/4	1,416.30	3 3/4	1,554.74	3 3/4	1,693.19	3 3/4	1,829.29	3 3/4		3 3/4		3 3/4		3 3/4		3 3/4	
4	1,419.18	4	1,557.63	4	1,696.07	4	1,831.47	4		4		4		4		4	
4 1/4	1,422.06	4 1/4	1,560.51	4 1/4	1,698.96	4 1/4	1,833.65	4 1/4		4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	1,424.95	4 1/2	1,563.39	4 1/2	1,701.84	4 1/2	1,835.36	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
4 3/4	1,427.83	4 3/4	1,566.28	4 3/4	1,704.73	4 3/4	1,837.07	4 3/4		4 3/4		4 3/4		4 3/4		4 3/4	
5	1,430.72	5	1,569.16	5	1,707.61	5	1,838.78	5		5		5		5		5	
5 1/4	1,433.60	5 1/4	1,572.05	5 1/4	1,710.49	5 1/4	1,840.49	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	1,436.49	5 1/2	1,574.93	5 1/2	1,713.38	5 1/2	1,841.73	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
5 3/4	1,439.37	5 3/4	1,577.82	5 3/4	1,716.26	5 3/4	1,842.97	5 3/4		5 3/4		5 3/4		5 3/4		5 3/4	
6	1,442.25	6	1,580.70	6	1,719.15	6	1,844.21	6		6		6		6		6	
6 1/4	1,445.14	6 1/4	1,583.58	6 1/4	1,722.03	6 1/4	1,845.45	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	1,448.02	6 1/2	1,586.47	6 1/2	1,724.92	6 1/2	1,846.22	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
6 3/4	1,450.91	6 3/4	1,589.35	6 3/4	1,727.80	6 3/4	1,846.99	6 3/4		6 3/4		6 3/4		6 3/4		6 3/4	
7	1,453.79	7	1,592.24	7	1,730.68	7	1,847.76	7		7		7		7		7	
7 1/4	1,456.68	7 1/4	1,595.12	7 1/4	1,733.57	7 1/4	1,848.53	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	1,459.56	7 1/2	1,598.01	7 1/2	1,736.45	7 1/2	1,848.83	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
7 3/4	1,462.44	7 3/4	1,600.89	7 3/4	1,739.34	7 3/4	1,849.14	7 3/4		7 3/4		7 3/4		7 3/4		7 3/4	
8	1,465.33	8	1,603.77	8	1,742.22	8	1,849.44	8		8		8		8		8	
8 1/4	1,468.21	8 1/4	1,606.66	8 1/4	1,745.11	8 1/4	1,849.74	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	1,471.10	8 1/2	1,609.54	8 1/2	1,747.99	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
8 3/4	1,473.99	8 3/4	1,612.43	8 3/4	1,750.87	8 3/4		8 3/4		8 3/4		8 3/4		8 3/4		8 3/4	
9	1,476.87	9	1,615.31	9	1,753.76	9		9		9		9		9		9	
9 1/4	1,479.75	9 1/4	1,618.23	9 1/4	1,756.64	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	1,482.63	9 1/2	1,621.08	9 1/2	1,759.53	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
9 3/4	1,485.52	9 3/4	1,623.95	9 3/4	1,762.41	9 3/4		9 3/4		9 3/4		9 3/4		9 3/4		9 3/4	
10	1,488.40	10	1,626.85	10	1,765.30	10		10		10		10		10		10	
10 1/4	1,491.29	10 1/4	1,629.73	10 1/4	1,768.18	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	1,494.17	10 1/2	1,632.62	10 1/2	1,771.06	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
10 3/4	1,497.06	10 3/4	1,635.50	10 3/4	1,773.95	10 3/4		10 3/4		10 3/4		10 3/4		10 3/4		10 3/4	
11	1,499.94	11	1,638.39	11	1,776.85	11		11		11		11		11		11	
11 1/4	1,502.82	11 1/4	1,641.27	11 1/4	1,779.75	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	1,505.71	11 1/2	1,644.15	11 1/2	1,782.60	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
11 3/4	1,508.59	11 3/4	1,647.04	11 3/4	1,785.49	11 3/4		11 3/4		11 3/4		11 3/4		11 3/4		11 3/4	

CAPACITY IN 42-GALLON BARRELS

STRAPPED OCTOBER 10, 1969

2-PORT GAUGE HEIGHT = 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

2-STAR GAUGE HEIGHT = 15'-3 3/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

[Signature]
QUALITY INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCT EXCHANGE

Chas MARTIN Inspectors of Petroleum, Inc.

BARGE IB933

SHEET NO. 1 OF 2 TANK NUMBER:

3-PORT OR STAR.

PHILADELPHIA, PENNSYLVANIA APPROVED AND LABELED BY NEW YORK PRODUCE EXCHANGE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for 0 FEET to 9 FEET and rows for 0 to 12 inches. Each cell contains a numerical value representing capacity or measurement.

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

3-PORT GAUGE HEIGHT = 15'-2 1/2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

3-STAR GAUGE HEIGHT = 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 10, 1964

Signature of inspector and text: APPROVED BY NEW YORK PRODUCE EXCHANGE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	1,379.98	0	1,519.31	0	1,658.75	0	1,798.18	0		0		0		0		0	
1/4	1,382.79	1/4	1,522.22	1/4	1,661.55	1/4	1,801.08	1/4		1/4		1/4		1/4		1/4	
1/2	1,385.69	1/2	1,525.12	1/2	1,664.55	1/2	1,803.99	1/2		1/2		1/2		1/2		1/2	
3/4	1,388.60	3/4	1,528.03	3/4	1,667.46	3/4	1,806.89	3/4		3/4		3/4		3/4		3/4	
1	1,391.50	1	1,530.93	1	1,670.36	1	1,809.79	1		1		1		1		1	
1 1/4	1,394.41	1 1/4	1,533.84	1 1/4	1,673.27	1 1/4	1,812.70	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,397.31	1 1/2	1,536.74	1 1/2	1,676.17	1 1/2	1,815.60	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	1,400.22	1 3/4	1,539.65	1 3/4	1,679.08	1 3/4	1,818.51	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
2	1,403.12	2	1,542.55	2	1,681.98	2	1,821.41	2		2		2		2		2	
2 1/4	1,406.03	2 1/4	1,545.46	2 1/4	1,684.89	2 1/4	1,824.32	2 1/4		2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	1,408.93	2 1/2	1,548.36	2 1/2	1,687.79	2 1/2	1,826.99	2 1/2		2 1/2		2 1/2		2 1/2		2 1/2	
2 3/4	1,411.84	2 3/4	1,551.27	2 3/4	1,690.70	2 3/4	1,829.86	2 3/4		2 3/4		2 3/4		2 3/4		2 3/4	
3	1,414.74	3	1,554.17	3	1,693.60	3	1,832.32	3		3		3		3		3	
3 1/4	1,417.65	3 1/4	1,557.08	3 1/4	1,696.51	3 1/4	1,834.99	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	1,420.55	3 1/2	1,559.98	3 1/2	1,699.41	3 1/2	1,837.19	3 1/2		3 1/2		3 1/2		3 1/2		3 1/2	
3 3/4	1,423.46	3 3/4	1,562.89	3 3/4	1,702.32	3 3/4	1,839.38	3 3/4		3 3/4		3 3/4		3 3/4		3 3/4	
4	1,426.36	4	1,565.79	4	1,705.22	4	1,841.58	4		4		4		4		4	
4 1/4	1,429.27	4 1/4	1,568.70	4 1/4	1,708.13	4 1/4	1,843.77	4 1/4		4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	1,432.17	4 1/2	1,571.60	4 1/2	1,711.03	4 1/2	1,845.50	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
4 3/4	1,435.08	4 3/4	1,574.51	4 3/4	1,713.94	4 3/4	1,847.22	4 3/4		4 3/4		4 3/4		4 3/4		4 3/4	
5	1,437.98	5	1,577.41	5	1,716.84	5	1,848.94	5		5		5		5		5	
5 1/4	1,440.89	5 1/4	1,580.32	5 1/4	1,719.75	5 1/4	1,850.66	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	1,443.79	5 1/2	1,583.22	5 1/2	1,722.65	5 1/2	1,851.91	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
5 3/4	1,446.69	5 3/4	1,586.13	5 3/4	1,725.56	5 3/4	1,853.16	5 3/4		5 3/4		5 3/4		5 3/4		5 3/4	
6	1,449.60	6	1,589.03	6	1,728.46	6	1,854.41	6		6		6		6		6	
6 1/4	1,452.50	6 1/4	1,591.93	6 1/4	1,731.37	6 1/4	1,855.66	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	1,455.41	6 1/2	1,594.84	6 1/2	1,734.27	6 1/2	1,856.44	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
6 3/4	1,458.31	6 3/4	1,597.74	6 3/4	1,737.17	6 3/4	1,857.21	6 3/4		6 3/4		6 3/4		6 3/4		6 3/4	
7	1,461.22	7	1,600.65	7	1,740.08	7	1,857.99	7		7		7		7		7	
7 1/4	1,464.12	7 1/4	1,603.55	7 1/4	1,742.98	7 1/4	1,858.77	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	1,467.03	7 1/2	1,606.46	7 1/2	1,745.89	7 1/2	1,859.07	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
7 3/4	1,469.93	7 3/4	1,609.36	7 3/4	1,748.79	7 3/4	1,859.37	7 3/4		7 3/4		7 3/4		7 3/4		7 3/4	
8	1,472.84	8	1,612.27	8	1,751.70	8	1,859.68	8		8		8		8		8	
8 1/4	1,475.74	8 1/4	1,615.17	8 1/4	1,754.60	8 1/4	1,859.98	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	1,478.65	8 1/2	1,618.08	8 1/2	1,757.51	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
8 3/4	1,481.55	8 3/4	1,620.98	8 3/4	1,760.41	8 3/4		8 3/4		8 3/4		8 3/4		8 3/4		8 3/4	
9	1,484.46	9	1,623.89	9	1,763.32	9		9		9		9		9		9	
9 1/4	1,487.36	9 1/4	1,626.79	9 1/4	1,766.22	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	1,490.27	9 1/2	1,629.70	9 1/2	1,769.13	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
9 3/4	1,493.17	9 3/4	1,632.60	9 3/4	1,772.03	9 3/4		9 3/4		9 3/4		9 3/4		9 3/4		9 3/4	
10	1,496.08	10	1,635.51	10	1,774.94	10		10		10		10		10		10	
10 1/4	1,498.98	10 1/4	1,638.41	10 1/4	1,777.84	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	1,501.89	10 1/2	1,641.32	10 1/2	1,780.75	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
10 3/4	1,504.79	10 3/4	1,644.22	10 3/4	1,783.65	10 3/4		10 3/4		10 3/4		10 3/4		10 3/4		10 3/4	
11	1,507.70	11	1,647.13	11	1,786.56	11		11		11		11		11		11	
11 1/4	1,510.60	11 1/4	1,650.03	11 1/4	1,789.46	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	1,513.51	11 1/2	1,652.94	11 1/2	1,792.37	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
11 3/4	1,516.41	11 3/4	1,655.84	11 3/4	1,795.27	11 3/4		11 3/4		11 3/4		11 3/4		11 3/4		11 3/4	

CAPACITY IN 42-GALLON BARRELS

STRAPPED OCTOBER 10, 1968

3-PORT GAUGE HEIGHT = 15'-2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)
 3-STAR GAUGE HEIGHT = 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

A. L. Pinton
 AGENT INSPECTOR OF PETROLEUM
 APPROVED BY NEW YORK PRODUCE EXCHANGE