

IB 934

FORM-N-1
Char. MARTIN
 Inspector
 of Petroleum, Inc.
MANUFACTURED BY WALTER - APPROVED AND LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"

FEDERAL BARGE LINES

SHEET NO. 1 OF 2
 TANK NUMBER:

I-PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°
X	.51	X	116.51	X	244.85	X	414.63	X	564.40	X	714.17	X	863.95	X	1,013.72	X	1,163.50	X	1,313.27
X	.91	X	119.55	X	267.97	X	417.75	X	567.52	X	717.29	X	867.07	X	1,016.84	X	1,166.62	X	1,316.39
X	1.31	X	122.59	X	271.09	X	420.87	X	570.64	X	720.41	X	870.19	X	1,019.96	X	1,169.74	X	1,319.51
X	1.72	X	125.61	X	274.21	X	423.99	X	573.76	X	723.54	X	873.31	X	1,023.08	X	1,172.86	X	1,322.63
X	2.93	X	128.64	X	277.33	X	427.11	X	576.88	X	726.66	X	876.43	X	1,026.20	X	1,175.98	X	1,325.75
X	4.14	X	131.66	X	280.45	X	430.23	X	580.00	X	729.79	X	879.55	X	1,029.32	X	1,179.10	X	1,328.87
X	5.35	X	134.68	X	283.57	X	433.35	X	583.12	X	732.90	X	882.67	X	1,032.44	X	1,182.22	X	1,331.99
X	6.56	X	137.70	X	286.69	X	436.47	X	586.24	X	736.02	X	885.79	X	1,035.57	X	1,185.34	X	1,335.11
X	8.59	X	140.71	X	289.81	X	439.59	X	589.36	X	739.14	X	888.91	X	1,038.69	X	1,188.46	X	1,338.23
X	10.62	X	143.73	X	292.93	X	442.71	X	592.48	X	742.26	X	892.03	X	1,041.81	X	1,191.58	X	1,341.35
X	12.64	X	146.75	X	296.05	X	445.83	X	595.60	X	745.38	X	895.15	X	1,044.93	X	1,194.70	X	1,344.47
X	14.67	X	149.76	X	299.17	X	448.95	X	598.72	X	748.50	X	898.27	X	1,048.05	X	1,197.82	X	1,347.60
X	17.13	X	152.85	X	302.29	X	452.07	X	601.84	X	751.62	X	901.39	X	1,051.17	X	1,200.94	X	1,350.72
X	19.58	X	155.94	X	305.41	X	455.19	X	604.96	X	754.74	X	904.51	X	1,054.29	X	1,204.06	X	1,353.84
X	22.04	X	159.02	X	308.54	X	458.31	X	608.08	X	757.86	X	907.63	X	1,057.41	X	1,207.18	X	1,356.96
X	24.50	X	162.11	X	311.66	X	461.43	X	611.20	X	760.98	X	910.75	X	1,060.53	X	1,210.30	X	1,360.08
X	26.96	X	165.20	X	314.78	X	464.55	X	614.32	X	764.10	X	913.87	X	1,063.65	X	1,213.42	X	1,363.20
X	29.41	X	168.29	X	317.90	X	467.67	X	617.44	X	767.22	X	916.99	X	1,066.77	X	1,216.54	X	1,366.32
X	31.87	X	171.37	X	321.02	X	470.79	X	620.57	X	770.34	X	920.11	X	1,069.89	X	1,219.66	X	1,369.44
X	34.33	X	174.46	X	324.14	X	473.91	X	623.69	X	773.46	X	923.23	X	1,073.01	X	1,222.78	X	1,372.56
X	36.79	X	177.55	X	327.26	X	477.03	X	626.81	X	776.58	X	926.35	X	1,076.13	X	1,225.90	X	1,375.68
X	39.25	X	180.64	X	330.38	X	480.15	X	629.93	X	779.70	X	929.47	X	1,079.25	X	1,229.02	X	1,378.80
X	41.70	X	183.72	X	333.50	X	483.27	X	633.05	X	782.82	X	932.60	X	1,082.37	X	1,232.14	X	1,381.92
X	44.16	X	186.84	X	336.62	X	486.39	X	636.17	X	785.94	X	935.72	X	1,085.49	X	1,235.26	X	1,385.04
X	46.59	X	189.96	X	339.74	X	489.51	X	639.29	X	789.06	X	938.84	X	1,088.61	X	1,238.38	X	1,388.16
X	49.02	X	193.08	X	342.86	X	492.63	X	642.41	X	792.18	X	941.96	X	1,091.73	X	1,241.50	X	1,391.28
X	52.65	X	196.20	X	345.98	X	495.75	X	645.53	X	795.30	X	945.08	X	1,094.85	X	1,244.62	X	1,394.40
X	55.48	X	199.32	X	349.10	X	498.87	X	648.65	X	798.42	X	948.20	X	1,097.97	X	1,247.74	X	1,397.52
X	58.31	X	202.44	X	352.22	X	501.99	X	651.77	X	801.54	X	951.32	X	1,101.09	X	1,250.86	X	1,400.64
X	61.14	X	205.57	X	355.34	X	505.11	X	654.89	X	804.66	X	954.44	X	1,104.21	X	1,253.98	X	1,403.76
X	63.97	X	208.69	X	358.46	X	508.23	X	658.01	X	807.78	X	957.56	X	1,107.33	X	1,257.10	X	1,406.88
X	66.80	X	211.81	X	361.58	X	511.35	X	661.13	X	810.90	X	960.68	X	1,110.45	X	1,260.22	X	1,410.00
X	69.63	X	214.93	X	364.70	X	514.47	X	664.25	X	814.02	X	963.80	X	1,113.57	X	1,263.34	X	1,413.12
X	72.46	X	218.05	X	367.82	X	517.60	X	667.37	X	817.14	X	966.92	X	1,116.69	X	1,266.46	X	1,416.24
X	75.29	X	221.17	X	370.94	X	520.72	X	670.49	X	820.26	X	970.04	X	1,119.81	X	1,269.58	X	1,419.36
X	78.12	X	224.29	X	374.06	X	523.84	X	673.61	X	823.38	X	973.16	X	1,122.93	X	1,272.70	X	1,422.48
X	81.07	X	227.41	X	377.18	X	526.96	X	676.73	X	826.50	X	976.28	X	1,126.05	X	1,275.82	X	1,425.60
X	84.02	X	230.53	X	380.30	X	530.08	X	679.85	X	829.63	X	979.40	X	1,129.17	X	1,278.94	X	1,428.72
X	86.96	X	233.65	X	383.42	X	533.20	X	682.97	X	832.75	X	982.52	X	1,132.29	X	1,282.06	X	1,431.84
X	89.91	X	236.77	X	386.54	X	536.32	X	686.09	X	835.87	X	985.64	X	1,135.41	X	1,285.18	X	1,434.96
X	92.86	X	239.89	X	389.66	X	539.44	X	689.21	X	838.99	X	988.76	X	1,138.53	X	1,288.30	X	1,438.08
X	95.80	X	243.01	X	392.78	X	542.56	X	692.33	X	842.11	X	991.88	X	1,141.65	X	1,291.42	X	1,441.20
X	98.75	X	246.13	X	395.90	X	545.68	X	695.45	X	845.23	X	995.00	X	1,144.77	X	1,294.54	X	1,444.32
X	101.70	X	249.25	X	399.02	X	548.80	X	698.57	X	848.35	X	998.12	X	1,147.89	X	1,297.66	X	1,447.44
X	104.64	X	252.37	X	402.14	X	551.92	X	701.69	X	851.47	X	1,001.24	X	1,151.02	X	1,300.78	X	1,450.56
X	107.59	X	255.49	X	405.26	X	555.04	X	704.81	X	854.59	X	1,004.36	X	1,154.14	X	1,303.90	X	1,453.68
X	110.54	X	258.61	X	408.38	X	558.16	X	707.93	X	857.71	X	1,007.48	X	1,157.26	X	1,307.02	X	1,456.80
X	113.47	X	261.73	X	411.51	X	561.28	X	711.05	X	860.83	X	1,010.60	X	1,160.38	X	1,310.14	X	1,459.92

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

I-PORT GAUGE HEIGHT: 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

I-STAR GAUGE HEIGHT: 15'-3 3/8" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

R. Winton
 APPROVED BY NEW YORK PRODUCE EXCHANGE

FORM 10-4 1967

Chas. MARTIN
Inspectors
of Petroleum, Inc.

RANDOLPH W. BLATTER - APPROVED AND
LICENSED BY NEW YORK PRODUCE BOARD

BARGE "ME-2"
FEDERAL BARGE LINES

SHEET NO. 2 OF 2
TANK NUMBER:

I-PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET		FEET	
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0
X	1,463.05	X	1,612.82	X	1,762.59	X	1,912.37	X		X		X		X		X	
X	1,466.17	X	1,615.94	X	1,765.72	X	1,915.49	X		X		X		X		X	
X	1,469.29	X	1,619.06	X	1,768.84	X	1,918.61	X		X		X		X		X	
X	1,472.41	X	1,622.18	X	1,771.96	X	1,921.73	X		X		X		X		X	
X	1,475.53	X	1,625.30	X	1,775.08	X	1,924.85	X		X		X		X		X	
X	1,478.65	X	1,628.42	X	1,778.20	X	1,927.97	X		X		X		X		X	
X	1,481.77	X	1,631.54	X	1,781.32	X	1,931.09	X		X		X		X		X	
X	1,484.89	X	1,634.66	X	1,784.44	X	1,934.21	X		X		X		X		X	
X	1,488.01	X	1,637.78	X	1,787.56	X	1,937.33	X		X		X		X		X	
X	1,491.13	X	1,640.90	X	1,790.68	X	1,940.45	X		X		X		X		X	
X	1,494.25	X	1,644.02	X	1,793.80	X	1,943.57	X		X		X		X		X	
X	1,497.37	X	1,647.14	X	1,796.92	X	1,946.69	X		X		X		X		X	
X	1,500.49	X	1,650.26	X	1,800.04	X	1,949.81	X		X		X		X		X	
X	1,503.61	X	1,653.38	X	1,803.16	X	1,952.93	X		X		X		X		X	
X	1,506.73	X	1,656.50	X	1,806.28	X	1,956.05	X		X		X		X		X	
X	1,509.85	X	1,659.63	X	1,809.40	X	1,959.17	X		X		X		X		X	
X	1,512.97	X	1,662.75	X	1,812.52	X	1,962.29	X		X		X		X		X	
X	1,516.09	X	1,665.87	X	1,815.64	X	1,965.41	X		X		X		X		X	
X	1,519.21	X	1,668.99	X	1,818.76	X	1,968.53	X		X		X		X		X	
X	1,522.33	X	1,672.11	X	1,821.88	X	1,971.65	X		X		X		X		X	
X	1,525.45	X	1,675.23	X	1,825.00	X	1,974.77	X		X		X		X		X	
X	1,528.57	X	1,678.35	X	1,828.12	X	1,977.89	X		X		X		X		X	
X	1,531.69	X	1,681.47	X	1,831.24	X	1,981.01	X		X		X		X		X	
X	1,534.81	X	1,684.59	X	1,834.36	X	1,984.13	X		X		X		X		X	
X	1,537.93	X	1,687.71	X	1,837.48	X	1,987.25	X		X		X		X		X	
X	1,541.05	X	1,690.83	X	1,840.60	X	1,990.37	X		X		X		X		X	
X	1,544.17	X	1,693.95	X	1,843.72	X	1,993.49	X		X		X		X		X	
X	1,547.29	X	1,697.07	X	1,846.84	X	1,996.61	X		X		X		X		X	
X	1,550.41	X	1,700.19	X	1,849.96	X	1,999.73	X		X		X		X		X	
X	1,553.53	X	1,703.31	X	1,853.08	X	2,002.85	X		X		X		X		X	
X	1,556.65	X	1,706.43	X	1,856.20	X	2,005.97	X		X		X		X		X	
X	1,559.77	X	1,709.55	X	1,859.32	X	2,009.09	X		X		X		X		X	
X	1,562.89	X	1,712.67	X	1,862.44	X	2,012.21	X		X		X		X		X	
X	1,566.01	X	1,715.79	X	1,865.56	X	2,015.33	X		X		X		X		X	
X	1,569.13	X	1,718.91	X	1,868.68	X	2,018.45	X		X		X		X		X	
X	1,572.25	X	1,722.03	X	1,871.80	X	2,021.57	X		X		X		X		X	
X	1,575.37	X	1,725.15	X	1,874.92	X	2,024.69	X		X		X		X		X	
X	1,578.49	X	1,728.27	X	1,878.04	X	2,027.81	X		X		X		X		X	
X	1,581.61	X	1,731.39	X	1,881.16	X	2,030.93	X		X		X		X		X	
X	1,584.73	X	1,734.51	X	1,884.28	X	2,034.05	X		X		X		X		X	
X	1,587.85	X	1,737.63	X	1,887.40	X	2,037.17	X		X		X		X		X	
X	1,590.97	X	1,740.75	X	1,890.52	X	2,040.29	X		X		X		X		X	
X	1,594.09	X	1,743.87	X	1,893.64	X	2,043.41	X		X		X		X		X	
X	1,597.21	X	1,746.99	X	1,896.76	X	2,046.53	X		X		X		X		X	
X	1,600.33	X	1,750.11	X	1,899.88	X	2,049.65	X		X		X		X		X	
X	1,603.45	X	1,753.23	X	1,903.00	X	2,052.77	X		X		X		X		X	
X	1,606.57	X	1,756.35	X	1,906.12	X	2,055.89	X		X		X		X		X	
X	1,609.69	X	1,759.47	X	1,909.24	X	2,059.01	X		X		X		X		X	

CAPACITY IN 42-GALLON BARRELS

I-PORT GAUGE HEIGHT: 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)
I-STAR GAUGE HEIGHT: 15'-3 3/8" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

Chas. Martin
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE BOARD

FORM-N-4 LIST

Chas. MARTIN
Inspector
of Petroleum, Inc.

MANUFACTURED BY SLATER - APPROVED AND
LICENSED BY NEW YORK FIREMARSHAL SERVICE

BARGE "ME-2"

FEDERAL BARGE LINES

SHEET NO. 1 OF 2
TANK NUMBER:

2-PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°	IN.	°
X	0.53	X	125.94	X	264.80	X	403.66	X	542.52	X	681.38	X	820.24	X	959.10	X	1,097.96	X	1,236.82
X	1.16	X	128.84	X	267.70	X	406.56	X	545.42	X	684.27	X	823.13	X	961.99	X	1,100.85	X	1,239.71
X	1.48	X	131.73	X	270.59	X	409.45	X	548.31	X	687.17	X	826.03	X	964.89	X	1,103.75	X	1,242.60
X	2.21	X	134.62	X	273.48	X	412.34	X	551.20	X	690.06	X	828.92	X	967.78	X	1,106.64	X	1,245.50
X	3.79	X	137.52	X	276.38	X	415.23	X	554.09	X	692.95	X	831.81	X	970.67	X	1,109.53	X	1,248.39
X	5.36	X	140.41	X	279.27	X	418.13	X	556.99	X	695.85	X	834.71	X	973.56	X	1,112.42	X	1,251.28
X	6.94	X	143.30	X	282.16	X	421.02	X	559.88	X	698.74	X	837.60	X	976.46	X	1,115.32	X	1,254.18
X	8.52	X	146.20	X	285.05	X	423.91	X	562.77	X	701.63	X	840.49	X	979.35	X	1,118.21	X	1,257.07
X	11.02	X	149.09	X	287.95	X	426.81	X	565.67	X	704.52	X	843.38	X	982.24	X	1,121.10	X	1,259.96
X	13.52	X	151.98	X	290.84	X	429.70	X	568.56	X	707.42	X	846.28	X	985.14	X	1,124.00	X	1,262.85
X	16.01	X	154.87	X	293.73	X	432.59	X	571.45	X	710.31	X	849.17	X	988.03	X	1,126.89	X	1,265.75
X	18.21	X	157.77	X	296.63	X	435.49	X	574.34	X	713.20	X	852.06	X	990.92	X	1,129.78	X	1,268.64
X	21.00	X	160.66	X	299.52	X	438.38	X	577.24	X	716.10	X	854.96	X	993.81	X	1,132.67	X	1,271.53
X	24.69	X	163.55	X	302.41	X	441.27	X	580.13	X	718.99	X	857.85	X	996.71	X	1,135.57	X	1,274.43
X	27.59	X	166.45	X	305.30	X	444.16	X	583.02	X	721.88	X	860.74	X	999.60	X	1,138.46	X	1,277.32
X	30.48	X	169.34	X	308.20	X	447.06	X	585.92	X	724.78	X	863.63	X	1,002.49	X	1,141.35	X	1,280.21
X	33.37	X	172.23	X	311.09	X	449.95	X	588.81	X	727.67	X	866.53	X	1,005.39	X	1,144.25	X	1,283.10
X	36.27	X	175.12	X	313.98	X	452.84	X	591.70	X	730.56	X	869.42	X	1,008.28	X	1,147.14	X	1,286.00
X	39.16	X	178.02	X	316.88	X	455.74	X	594.59	X	733.45	X	872.31	X	1,011.17	X	1,150.03	X	1,288.89
X	42.05	X	180.91	X	319.77	X	458.63	X	597.49	X	736.35	X	875.21	X	1,014.07	X	1,152.92	X	1,291.78
X	44.94	X	183.80	X	322.66	X	461.52	X	600.38	X	739.24	X	878.10	X	1,016.96	X	1,155.82	X	1,294.68
X	47.84	X	186.70	X	325.56	X	464.41	X	603.27	X	742.13	X	880.99	X	1,019.85	X	1,158.71	X	1,297.57
X	50.73	X	189.59	X	328.45	X	467.31	X	606.17	X	745.03	X	883.88	X	1,022.74	X	1,161.60	X	1,300.46
X	53.62	X	192.48	X	331.34	X	470.20	X	609.06	X	747.92	X	886.78	X	1,025.64	X	1,164.50	X	1,303.35
X	56.52	X	195.37	X	334.23	X	473.09	X	611.95	X	750.81	X	889.67	X	1,028.53	X	1,167.39	X	1,306.25
X	59.41	X	198.27	X	337.13	X	475.99	X	614.85	X	753.70	X	892.56	X	1,031.42	X	1,170.28	X	1,309.14
X	62.30	X	201.16	X	340.02	X	478.88	X	617.74	X	756.60	X	895.46	X	1,034.32	X	1,173.17	X	1,312.03
X	65.19	X	204.05	X	342.91	X	481.77	X	620.63	X	759.49	X	898.35	X	1,037.21	X	1,176.07	X	1,314.93
X	68.09	X	206.95	X	345.81	X	484.66	X	623.52	X	762.38	X	901.24	X	1,040.10	X	1,178.96	X	1,317.82
X	70.98	X	209.84	X	348.70	X	487.56	X	626.42	X	765.28	X	904.14	X	1,042.99	X	1,181.85	X	1,320.71
X	73.87	X	212.73	X	351.59	X	490.45	X	629.31	X	768.17	X	907.03	X	1,045.89	X	1,184.75	X	1,323.61
X	76.77	X	215.62	X	354.48	X	493.34	X	632.20	X	771.06	X	909.92	X	1,048.78	X	1,187.64	X	1,326.50
X	79.66	X	218.52	X	357.38	X	496.24	X	635.10	X	773.95	X	912.81	X	1,051.67	X	1,190.53	X	1,329.39
X	82.55	X	221.41	X	360.27	X	499.13	X	637.99	X	776.85	X	915.71	X	1,054.57	X	1,193.43	X	1,332.28
X	85.44	X	224.30	X	363.16	X	502.02	X	640.88	X	779.74	X	918.60	X	1,057.46	X	1,196.32	X	1,335.18
X	88.34	X	227.20	X	366.06	X	504.91	X	643.77	X	782.63	X	921.49	X	1,060.35	X	1,199.21	X	1,338.07
X	91.23	X	230.09	X	368.95	X	507.81	X	646.67	X	785.53	X	924.39	X	1,063.24	X	1,202.10	X	1,340.96
X	94.12	X	232.98	X	371.84	X	510.70	X	649.56	X	788.42	X	927.28	X	1,066.14	X	1,205.00	X	1,343.86
X	97.02	X	235.88	X	374.73	X	513.59	X	652.45	X	791.31	X	930.17	X	1,069.03	X	1,207.89	X	1,346.75
X	99.91	X	238.77	X	377.63	X	516.49	X	655.35	X	794.20	X	933.06	X	1,071.92	X	1,210.78	X	1,349.64
X	102.80	X	241.66	X	380.52	X	519.38	X	658.24	X	797.10	X	935.96	X	1,074.82	X	1,213.68	X	1,352.53
X	105.69	X	244.55	X	383.41	X	522.27	X	661.13	X	799.99	X	938.85	X	1,077.71	X	1,216.57	X	1,355.43
X	108.59	X	247.45	X	386.31	X	525.17	X	664.02	X	802.88	X	941.74	X	1,080.60	X	1,219.46	X	1,358.32
X	111.48	X	250.34	X	389.20	X	528.06	X	666.92	X	805.78	X	944.64	X	1,083.49	X	1,222.35	X	1,361.21
X	114.37	X	253.23	X	392.09	X	530.95	X	669.81	X	808.67	X	947.53	X	1,086.39	X	1,225.25	X	1,364.11
X	117.27	X	256.13	X	394.98	X	533.84	X	672.70	X	811.56	X	950.42	X	1,089.28	X	1,228.14	X	1,367.00
X	120.16	X	259.02	X	397.88	X	536.74	X	675.60	X	814.46	X	953.31	X	1,092.17	X	1,231.03	X	1,369.89
X	123.05	X	261.91	X	400.77	X	539.63	X	678.49	X	817.35	X	956.21	X	1,095.07	X	1,233.93	X	1,372.78

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

1-PORT GAUGE HEIGHT: 15'-3 1/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

J. K. Martin
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK FIREMARSHAL SERVICE

FORM-N-1 LIST

Chas. MARTIN
Inspectors
of Petroleum, Inc.

MANUFACTURED BY PLASTER - APPROVED AND
LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"
FEDERAL BARGE LINES

SHEET NO. 2 OF 2
TANK NUMBER:

2-PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET		FEET	
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.	
0	1,375.68	0	1,514.54	0	1,653.40	0	1,792.26	0		0		0		0		0	
X	1,376.57	X	1,517.43	X	1,656.29	X	1,795.15	X		X		X		X		X	
X	1,381.46	X	1,520.32	X	1,659.18	X	1,798.04	X		X		X		X		X	
X	1,384.36	X	1,523.22	X	1,662.07	X	1,800.93	X		X		X		X		X	
1	1,387.25	1	1,526.11	1	1,664.97	1	1,803.83	1		1		1		1		1	
X	1,390.14	X	1,529.00	X	1,667.86	X	1,806.72	X		X		X		X		X	
X	1,393.04	X	1,531.89	X	1,670.75	X	1,809.61	X		X		X		X		X	
X	1,395.93	X	1,534.79	X	1,673.65	X	1,812.51	X		X		X		X		X	
2	1,398.82	2	1,537.68	2	1,676.54	2	1,815.40	2		2		2		2		2	
X	1,401.71	X	1,540.57	X	1,679.43	X	1,818.29	X		X		X		X		X	
X	1,404.61	X	1,543.47	X	1,682.33	X	1,821.18	X		X		X		X		X	
X	1,407.50	X	1,546.36	X	1,685.22	X	1,823.84	X		X		X		X		X	
3	1,410.39	3	1,549.25	3	1,688.11	3	1,826.50	3		3		3		3		3	
X	1,413.29	X	1,552.14	X	1,691.00	X	1,829.16	X		X		X		X		X	
X	1,416.18	X	1,555.04	X	1,693.90	X	1,831.81	X		X		X		X		X	
X	1,419.07	X	1,557.93	X	1,696.79	X	1,834.00	X		X		X		X		X	
4	1,421.96	4	1,560.82	4	1,699.68	4	1,836.19	4		4		4		4		4	
X	1,424.86	X	1,563.72	X	1,702.58	X	1,838.37	X		X		X		X		X	
X	1,427.75	X	1,566.61	X	1,705.47	X	1,840.56	X		X		X		X		X	
X	1,430.64	X	1,569.50	X	1,708.36	X	1,842.27	X		X		X		X		X	
5	1,433.54	5	1,572.39	5	1,711.25	5	1,843.99	5		5		5		5		5	
X	1,436.43	X	1,575.29	X	1,714.15	X	1,845.70	X		X		X		X		X	
X	1,439.32	X	1,578.18	X	1,717.04	X	1,847.42	X		X		X		X		X	
X	1,442.21	X	1,581.07	X	1,719.93	X	1,848.66	X		X		X		X		X	
6	1,445.11	6	1,583.97	6	1,722.83	6	1,849.91	6		6		6		6		6	
X	1,448.00	X	1,586.86	X	1,725.72	X	1,851.15	X		X		X		X		X	
X	1,450.89	X	1,589.75	X	1,728.61	X	1,852.40	X		X		X		X		X	
X	1,453.79	X	1,592.65	X	1,731.50	X	1,853.17	X		X		X		X		X	
7	1,456.68	7	1,595.54	7	1,734.40	7	1,853.94	7		7		7		7		7	
X	1,459.57	X	1,598.43	X	1,737.29	X	1,854.72	X		X		X		X		X	
X	1,462.46	X	1,601.32	X	1,740.18	X	1,855.49	X		X		X		X		X	
X	1,465.36	X	1,604.22	X	1,743.08	X	1,855.29	X		X		X		X		X	
8	1,468.25	8	1,607.11	8	1,745.97	8	1,856.09	8		8		8		8		8	
X	1,471.14	X	1,610.00	X	1,748.86	X	1,856.40	X		X		X		X		X	
X	1,474.04	X	1,612.90	X	1,751.75	X	1,856.70	X		X		X		X		X	
X	1,476.93	X	1,615.79	X	1,754.65	X		X		X		X		X		X	
9	1,479.82	9	1,618.68	9	1,757.54	9		9		9		9		9		9	
X	1,482.72	X	1,621.57	X	1,760.43	X		X		X		X		X		X	
X	1,485.61	X	1,624.47	X	1,763.33	X		X		X		X		X		X	
X	1,488.50	X	1,627.36	X	1,766.22	X		X		X		X		X		X	
10	1,491.39	10	1,630.25	10	1,769.11	10		10		10		10		10		10	
X	1,494.29	X	1,633.15	X	1,772.01	X		X		X		X		X		X	
X	1,497.18	X	1,636.04	X	1,774.90	X		X		X		X		X		X	
X	1,500.07	X	1,638.93	X	1,777.79	X		X		X		X		X		X	
11	1,502.97	11	1,641.82	11	1,780.68	11		11		11		11		11		11	
X	1,505.86	X	1,644.72	X	1,783.58	X		X		X		X		X		X	
X	1,508.75	X	1,647.61	X	1,786.47	X		X		X		X		X		X	
12	1,511.64	12	1,650.50	12	1,789.36	12		12		12		12		12		12	

CAPACITY IN 42-GALLON BARRELS

1-PORT GAUGE HEIGHT: 15'-3 1/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

R. Kinton
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE

Chas. MARTIN Inspectors
of Petroleum, Inc.

RANDOLPH W. BLITZER - APPROVED AND
LICENSED BY NEW YORK PRODUCE DEPARTMENT

BARGE "ME-2"

FEDERAL BARGE LINES

SHEET NO. 1 OF 2
TANK NUMBER:

2-STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0
	.68		126.80		265.01		405.22		541.43		679.64		817.85		956.06		1,094.28		1,232.49
X	1.26	X	129.68	X	267.89	X	406.10	X	544.31	X	682.52	X	820.73	X	958.94	X	1,097.16	X	1,235.37
X	1.83	X	132.56	X	270.77	X	408.98	X	547.19	X	685.40	X	823.61	X	961.82	X	1,100.03	X	1,238.25
X	2.41	X	135.44	X	273.65	X	411.86	X	550.07	X	688.28	X	826.49	X	964.70	X	1,102.91	X	1,241.13
X	4.14	X	138.32	X	276.53	X	414.74	X	552.95	X	691.16	X	829.37	X	967.56	X	1,105.79	X	1,244.00
X	5.86	X	141.19	X	279.41	X	417.62	X	555.83	X	694.04	X	832.25	X	970.46	X	1,108.67	X	1,246.88
X	7.59	X	144.07	X	282.29	X	420.50	X	558.71	X	696.92	X	835.13	X	973.34	X	1,111.55	X	1,249.76
X	9.32	X	146.95	X	285.16	X	423.38	X	561.59	X	699.80	X	838.01	X	976.22	X	1,114.43	X	1,252.64
X	11.91	X	149.83	X	288.04	X	426.26	X	564.47	X	702.68	X	840.89	X	979.10	X	1,117.31	X	1,255.52
X	14.50	X	152.71	X	290.92	X	429.13	X	567.35	X	705.56	X	843.77	X	981.98	X	1,120.19	X	1,258.40
X	17.38	X	155.59	X	293.80	X	432.01	X	570.23	X	708.44	X	846.65	X	984.86	X	1,123.07	X	1,261.28
X	20.26	X	158.47	X	296.68	X	434.89	X	573.10	X	711.32	X	849.53	X	987.74	X	1,125.95	X	1,264.16
X	23.14	X	161.35	X	299.56	X	437.77	X	575.98	X	714.20	X	852.41	X	990.62	X	1,128.83	X	1,267.04
X	26.02	X	164.23	X	302.44	X	440.65	X	578.86	X	717.07	X	855.29	X	993.50	X	1,131.71	X	1,269.92
X	28.90	X	167.11	X	305.32	X	443.53	X	581.74	X	719.95	X	858.17	X	996.38	X	1,134.59	X	1,272.80
X	31.78	X	169.99	X	308.20	X	446.41	X	584.62	X	722.83	X	861.04	X	999.26	X	1,137.47	X	1,275.68
X	34.66	X	172.87	X	311.08	X	449.29	X	587.50	X	725.71	X	863.92	X	1,002.14	X	1,140.35	X	1,278.56
X	37.54	X	175.75	X	313.96	X	452.17	X	590.38	X	728.59	X	866.80	X	1,005.01	X	1,143.23	X	1,281.44
X	40.42	X	178.63	X	316.84	X	455.05	X	593.26	X	731.47	X	869.68	X	1,007.89	X	1,146.11	X	1,284.32
X	43.29	X	181.51	X	319.72	X	457.93	X	596.14	X	734.35	X	872.56	X	1,010.77	X	1,148.98	X	1,287.20
X	46.17	X	184.39	X	322.60	X	460.81	X	599.02	X	737.23	X	875.44	X	1,013.65	X	1,151.86	X	1,290.08
X	49.05	X	187.26	X	325.48	X	463.69	X	601.90	X	740.11	X	878.32	X	1,016.53	X	1,154.74	X	1,292.96
X	51.93	X	190.14	X	328.36	X	466.57	X	604.78	X	742.99	X	881.20	X	1,019.41	X	1,157.62	X	1,295.84
X	54.81	X	193.02	X	331.23	X	469.45	X	607.66	X	745.87	X	884.08	X	1,022.29	X	1,160.50	X	1,298.72
X	57.69	X	195.90	X	334.11	X	472.33	X	610.54	X	748.75	X	886.96	X	1,025.17	X	1,163.38	X	1,301.59
X	60.57	X	198.78	X	336.99	X	475.20	X	613.42	X	751.63	X	889.84	X	1,028.05	X	1,166.26	X	1,304.47
X	63.45	X	201.66	X	339.87	X	478.08	X	616.30	X	754.51	X	892.72	X	1,030.93	X	1,169.14	X	1,307.35
X	66.33	X	204.54	X	342.75	X	480.96	X	619.17	X	757.39	X	895.60	X	1,033.81	X	1,172.02	X	1,310.23
X	69.21	X	207.42	X	345.63	X	483.84	X	622.05	X	760.27	X	898.48	X	1,036.69	X	1,174.90	X	1,313.11
X	72.09	X	210.30	X	348.51	X	486.72	X	624.93	X	763.14	X	901.36	X	1,039.57	X	1,177.78	X	1,315.99
X	74.97	X	213.18	X	351.39	X	489.60	X	627.81	X	766.02	X	904.24	X	1,042.45	X	1,180.66	X	1,318.87
X	77.85	X	216.06	X	354.27	X	492.48	X	630.69	X	768.90	X	907.11	X	1,045.33	X	1,183.54	X	1,321.75
X	80.73	X	218.94	X	357.15	X	495.36	X	633.57	X	771.78	X	909.99	X	1,048.21	X	1,186.42	X	1,324.63
X	83.61	X	221.82	X	360.03	X	498.24	X	636.45	X	774.66	X	912.87	X	1,051.09	X	1,189.30	X	1,327.51
X	86.49	X	224.70	X	362.91	X	501.12	X	639.33	X	777.54	X	915.75	X	1,053.96	X	1,192.18	X	1,330.39
X	89.37	X	227.58	X	365.79	X	504.00	X	642.21	X	780.42	X	918.63	X	1,056.84	X	1,195.06	X	1,333.27
X	92.24	X	230.46	X	368.67	X	506.88	X	645.09	X	783.30	X	921.51	X	1,059.72	X	1,197.93	X	1,336.15
X	95.12	X	233.34	X	371.55	X	509.76	X	647.97	X	786.18	X	924.39	X	1,062.60	X	1,200.81	X	1,339.03
X	98.00	X	236.22	X	374.43	X	512.64	X	650.85	X	789.06	X	927.27	X	1,065.48	X	1,203.69	X	1,341.90
X	100.88	X	239.09	X	377.31	X	515.52	X	653.73	X	791.94	X	930.15	X	1,068.36	X	1,206.57	X	1,344.78
X	103.76	X	241.97	X	380.18	X	518.40	X	656.61	X	794.82	X	933.03	X	1,071.24	X	1,209.45	X	1,347.66
X	106.64	X	244.85	X	383.06	X	521.28	X	659.49	X	797.70	X	935.91	X	1,074.12	X	1,212.33	X	1,350.54
X	109.52	X	247.73	X	385.94	X	524.15	X	662.37	X	800.58	X	938.79	X	1,077.00	X	1,215.21	X	1,353.42
X	112.40	X	250.61	X	388.82	X	527.03	X	665.25	X	803.46	X	941.67	X	1,079.88	X	1,218.09	X	1,356.30
X	115.28	X	253.49	X	391.70	X	529.91	X	668.12	X	806.34	X	944.55	X	1,082.76	X	1,220.97	X	1,359.18
X	118.16	X	256.37	X	394.58	X	532.79	X	671.00	X	809.22	X	947.43	X	1,085.64	X	1,223.85	X	1,362.06
X	121.04	X	259.25	X	397.46	X	535.67	X	673.88	X	812.09	X	950.31	X	1,088.52	X	1,226.73	X	1,364.94
X	123.92	X	262.13	X	400.34	X	538.55	X	676.76	X	814.97	X	953.19	X	1,091.40	X	1,229.61	X	1,367.82

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

2-STAR GAUGE HEIGHT: 15'-3 1/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

Chas. Martin
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE DEPARTMENT

FORM-N-6 1967

Chas. MARTIN Inspectors
of Petroleum, Inc.
MEMBER OF QUOTE & APPROVE AND
LEADER OF NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"
FEDERAL BARGE LINES

SHEET NO. 2 OF 2
TANK NUMBER:

2-STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET	
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0
X	1,370.70	X	1,508.91	X	1,647.12	X	1,785.33	X		X		X		X	
X	1,373.58	X	1,511.79	X	1,650.00	X	1,788.21	X		X		X		X	
X	1,376.46	X	1,514.67	X	1,652.88	X	1,791.09	X		X		X		X	
X	1,379.34	X	1,517.55	X	1,655.76	X	1,793.97	X		X		X		X	
X	1,382.22	X	1,520.43	X	1,658.64	X	1,796.85	X		X		X		X	
X	1,385.10	X	1,523.31	X	1,661.52	X	1,799.73	X		X		X		X	
X	1,387.97	X	1,526.19	X	1,664.40	X	1,802.61	X		X		X		X	
X	1,390.85	X	1,529.07	X	1,667.28	X	1,805.49	X		X		X		X	
X	1,393.73	X	1,531.94	X	1,670.16	X	1,808.37	X		X		X		X	
X	1,396.61	X	1,534.82	X	1,673.04	X	1,811.25	X		X		X		X	
X	1,399.49	X	1,537.70	X	1,675.91	X	1,813.89	X		X		X		X	
X	1,402.37	X	1,540.58	X	1,678.79	X	1,816.54	X		X		X		X	
X	1,405.25	X	1,543.46	X	1,681.67	X	1,819.18	X		X		X		X	
X	1,408.13	X	1,546.34	X	1,684.55	X	1,821.83	X		X		X		X	
X	1,411.01	X	1,549.22	X	1,687.43	X	1,824.00	X		X		X		X	
X	1,413.89	X	1,552.10	X	1,690.31	X	1,826.18	X		X		X		X	
X	1,416.77	X	1,554.98	X	1,693.19	X	1,828.36	X		X		X		X	
X	1,419.65	X	1,557.86	X	1,696.07	X	1,830.53	X		X		X		X	
X	1,422.53	X	1,560.74	X	1,698.95	X	1,832.71	X		X		X		X	
X	1,425.41	X	1,563.62	X	1,701.83	X	1,834.95	X		X		X		X	
X	1,428.29	X	1,566.50	X	1,704.71	X	1,837.15	X		X		X		X	
X	1,431.17	X	1,569.38	X	1,707.59	X	1,839.36	X		X		X		X	
X	1,434.05	X	1,572.26	X	1,710.47	X	1,841.60	X		X		X		X	
X	1,436.92	X	1,575.14	X	1,713.35	X	1,843.84	X		X		X		X	
X	1,439.80	X	1,578.02	X	1,716.23	X	1,846.08	X		X		X		X	
X	1,442.68	X	1,580.89	X	1,719.11	X	1,848.31	X		X		X		X	
X	1,445.56	X	1,583.77	X	1,721.99	X	1,850.58	X		X		X		X	
X	1,448.44	X	1,586.65	X	1,724.86	X	1,852.85	X		X		X		X	
X	1,451.32	X	1,589.53	X	1,727.74	X	1,855.12	X		X		X		X	
X	1,454.20	X	1,592.41	X	1,730.62	X	1,857.39	X		X		X		X	
X	1,457.08	X	1,595.29	X	1,733.50	X	1,859.69	X		X		X		X	
X	1,459.96	X	1,598.17	X	1,736.38	X	1,861.96	X		X		X		X	
X	1,462.84	X	1,601.05	X	1,739.26	X	1,864.30	X		X		X		X	
X	1,465.72	X	1,603.93	X	1,742.14	X	1,866.60	X		X		X		X	
X	1,468.60	X	1,606.81	X	1,745.02	X		X		X		X		X	
X	1,471.48	X	1,609.69	X	1,747.90	X		X		X		X		X	
X	1,474.36	X	1,612.57	X	1,750.78	X		X		X		X		X	
X	1,477.24	X	1,615.45	X	1,753.66	X		X		X		X		X	
X	1,480.12	X	1,618.33	X	1,756.54	X		X		X		X		X	
X	1,482.99	X	1,621.21	X	1,759.42	X		X		X		X		X	
X	1,485.87	X	1,624.09	X	1,762.30	X		X		X		X		X	
X	1,488.75	X	1,626.96	X	1,765.18	X		X		X		X		X	
X	1,491.63	X	1,629.84	X	1,768.06	X		X		X		X		X	
X	1,494.51	X	1,632.72	X	1,770.93	X		X		X		X		X	
X	1,497.39	X	1,635.60	X	1,773.81	X		X		X		X		X	
X	1,500.27	X	1,638.48	X	1,776.69	X		X		X		X		X	
X	1,503.15	X	1,641.36	X	1,779.57	X		X		X		X		X	
X	1,506.03	X	1,644.24	X	1,782.45	X		X		X		X		X	

CAPACITY IN 42-GALLON BARRELS

2-STAR GAUGE HEIGHT: 15'-3 1/4" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

H. Cantor
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE

FORM NO. 8
 Chas. MARTIN Inspectors
 of Petroleum, Inc.
 HARRISON N. BLUMER - APPROVED AND
 LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"
 FEDERAL BARGE LINES

SHEET NO. 1 OF 2
 TANK NUMBER:

3-PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.	IN.	GA.
0		0		0		0		0		0		0		0		0		0	
1	.69	128.13		267.79		407.45		547.11		686.77		826.43		966.09		1,105.75		1,245.41	
2	1.27	131.04	X	270.70	X	410.36	X	550.02	X	689.68	X	829.34	X	969.00	X	1,108.66	X	1,248.32	X
3	1.85	133.95	X	273.61	X	413.27	X	552.93	X	692.59	X	832.25	X	971.91	X	1,111.57	X	1,251.23	X
4	2.43	136.85	X	276.52	X	416.18	X	555.84	X	695.50	X	835.16	X	974.82	X	1,114.48	X	1,254.14	X
5	3.01	139.76	X	279.43	X	419.09	X	558.75	X	698.41	X	838.07	X	977.73	X	1,117.39	X	1,257.05	X
6	3.59	142.67	X	282.33	X	422.00	X	561.66	X	701.32	X	840.98	X	980.64	X	1,120.30	X	1,259.96	X
7	4.17	145.58	X	285.24	X	424.91	X	564.57	X	704.23	X	843.89	X	983.55	X	1,123.21	X	1,262.87	X
8	4.75	148.49	X	288.15	X	427.82	X	567.48	X	707.14	X	846.80	X	986.46	X	1,126.12	X	1,265.78	X
9	5.33	151.40	X	291.06	X	430.72	X	570.39	X	710.05	X	849.71	X	989.37	X	1,129.03	X	1,268.69	X
10	5.91	154.31	X	293.97	X	433.63	X	573.29	X	712.96	X	852.62	X	992.28	X	1,131.94	X	1,271.60	X
11	6.49	157.22	X	296.88	X	436.54	X	576.20	X	715.87	X	855.53	X	995.19	X	1,134.85	X	1,274.51	X
12	7.07	160.13	X	299.79	X	439.45	X	579.11	X	718.77	X	858.44	X	998.10	X	1,137.76	X	1,277.42	X
13	7.65	163.04	X	302.70	X	442.36	X	582.02	X	721.68	X	861.35	X	1,001.01	X	1,140.67	X	1,280.33	X
14	8.23	165.95	X	305.61	X	445.27	X	584.93	X	724.59	X	864.25	X	1,003.92	X	1,143.58	X	1,283.24	X
15	8.81	168.86	X	308.52	X	448.18	X	587.84	X	727.50	X	867.16	X	1,006.83	X	1,146.49	X	1,286.15	X
16	9.39	171.77	X	311.43	X	451.09	X	590.75	X	730.41	X	870.07	X	1,009.73	X	1,149.40	X	1,289.06	X
17	9.97	174.68	X	314.34	X	454.00	X	593.66	X	733.32	X	872.98	X	1,012.64	X	1,152.31	X	1,291.97	X
18	10.55	177.59	X	317.25	X	456.91	X	596.57	X	736.23	X	875.89	X	1,015.55	X	1,155.22	X	1,294.88	X
19	11.13	180.50	X	320.16	X	459.82	X	599.48	X	739.14	X	878.80	X	1,018.46	X	1,158.12	X	1,297.79	X
20	11.71	183.41	X	323.07	X	462.73	X	602.39	X	742.05	X	881.71	X	1,021.37	X	1,161.03	X	1,300.69	X
21	12.29	186.32	X	325.98	X	465.64	X	605.30	X	744.96	X	884.62	X	1,024.28	X	1,163.94	X	1,303.60	X
22	12.87	189.23	X	328.89	X	468.55	X	608.21	X	747.87	X	887.53	X	1,027.19	X	1,166.85	X	1,306.51	X
23	13.45	192.14	X	331.80	X	471.46	X	611.12	X	750.78	X	890.44	X	1,030.10	X	1,169.76	X	1,309.42	X
24	14.03	195.05	X	334.71	X	474.37	X	614.03	X	753.69	X	893.35	X	1,033.01	X	1,172.67	X	1,312.33	X
25	14.61	197.96	X	337.62	X	477.28	X	616.94	X	756.60	X	896.26	X	1,035.92	X	1,175.58	X	1,315.24	X
26	15.19	200.87	X	340.53	X	480.19	X	619.85	X	759.51	X	899.17	X	1,038.83	X	1,178.49	X	1,318.15	X
27	15.77	203.78	X	343.44	X	483.10	X	622.76	X	762.42	X	902.08	X	1,041.74	X	1,181.40	X	1,321.06	X
28	16.35	206.69	X	346.35	X	486.01	X	625.67	X	765.33	X	904.99	X	1,044.65	X	1,184.31	X	1,323.97	X
29	16.93	209.60	X	349.26	X	488.92	X	628.58	X	768.24	X	907.90	X	1,047.56	X	1,187.22	X	1,326.88	X
30	17.51	212.51	X	352.17	X	491.83	X	631.49	X	771.15	X	910.81	X	1,050.47	X	1,190.13	X	1,329.79	X
31	18.09	215.42	X	355.07	X	494.74	X	634.40	X	774.06	X	913.72	X	1,053.38	X	1,193.04	X	1,332.70	X
32	18.67	218.33	X	357.98	X	497.65	X	637.31	X	776.97	X	916.63	X	1,056.29	X	1,195.95	X	1,335.61	X
33	19.25	221.24	X	360.89	X	500.55	X	640.22	X	779.88	X	919.54	X	1,059.20	X	1,198.86	X	1,338.52	X
34	19.83	224.15	X	363.80	X	503.46	X	643.13	X	782.79	X	922.45	X	1,062.11	X	1,201.77	X	1,341.43	X
35	20.41	227.06	X	366.71	X	506.37	X	646.03	X	785.70	X	925.36	X	1,065.02	X	1,204.68	X	1,344.34	X
36	20.99	229.97	X	369.62	X	509.28	X	648.94	X	788.61	X	928.27	X	1,067.93	X	1,207.59	X	1,347.25	X
37	21.57	232.88	X	372.53	X	512.19	X	651.85	X	791.52	X	931.18	X	1,070.84	X	1,210.50	X	1,350.16	X
38	22.15	235.79	X	375.44	X	515.10	X	654.76	X	794.43	X	934.09	X	1,073.75	X	1,213.41	X	1,353.07	X
39	22.73	238.70	X	378.35	X	518.01	X	657.67	X	797.33	X	936.99	X	1,076.66	X	1,216.32	X	1,355.98	X
40	23.31	241.61	X	381.26	X	520.92	X	660.58	X	800.24	X	939.90	X	1,079.57	X	1,219.23	X	1,358.89	X
41	23.89	244.52	X	384.17	X	523.83	X	663.49	X	803.15	X	942.81	X	1,082.47	X	1,222.14	X	1,361.80	X
42	24.47	247.43	X	387.08	X	526.74	X	666.40	X	806.06	X	945.72	X	1,085.38	X	1,225.05	X	1,364.71	X
43	25.05	250.34	X	389.99	X	529.65	X	669.31	X	808.97	X	948.63	X	1,088.29	X	1,227.96	X	1,367.62	X
44	25.63	253.25	X	392.90	X	532.56	X	672.22	X	811.88	X	951.54	X	1,091.20	X	1,230.87	X	1,370.53	X
45	26.21	256.16	X	395.81	X	535.47	X	675.13	X	814.79	X	954.45	X	1,094.11	X	1,233.78	X	1,373.44	X
46	26.79	259.07	X	398.72	X	538.38	X	678.04	X	817.70	X	957.36	X	1,097.02	X	1,236.69	X	1,376.35	X
47	27.37	261.98	X	401.63	X	541.29	X	680.95	X	820.61	X	960.27	X	1,099.93	X	1,239.60	X	1,379.26	X
48	27.95	264.89	X	404.54	X	544.20	X	683.86	X	823.52	X	963.18	X	1,102.84	X	1,242.51	X	1,382.17	X

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

3-PORT GAUGE HEIGHT: 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

U. S. Santos
 APPROVED BY NEW YORK PRODUCE EXCHANGE

FORM-11-3 (REV. 11-57)

Chas. MARTIN
Inspectors
of Petroleum, Inc.

RANDOLPH W. BLUTER - APPROVED AND
LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"

FEDERAL BARGE LINES

SHEET NO. 2 OF 2
TANK NUMBER:

3-PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		15 FEET		16 FEET		17 FEET		18 FEET		19 FEET		20 FEET	
IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET	IN.	FEET
0	1,385.07	0	1,524.73	0	1,664.39	0	1,804.06	0		0		0		0		0		0		0	
1	1,387.98	1	1,527.64	1	1,667.30	1	1,806.97	1		1		1		1		1		1		1	
2	1,390.89	2	1,530.55	2	1,670.21	2	1,809.87	2		2		2		2		2		2		2	
3	1,393.80	3	1,533.46	3	1,673.12	3	1,812.78	3		3		3		3		3		3		3	
4	1,396.71	4	1,536.37	4	1,676.03	4	1,815.69	4		4		4		4		4		4		4	
5	1,399.62	5	1,539.28	5	1,678.94	5	1,818.60	5		5		5		5		5		5		5	
6	1,402.53	6	1,542.19	6	1,681.85	6	1,821.51	6		6		6		6		6		6		6	
7	1,405.44	7	1,545.10	7	1,684.76	7	1,824.42	7		7		7		7		7		7		7	
8	1,408.35	8	1,548.01	8	1,687.67	8	1,827.33	8		8		8		8		8		8		8	
9	1,411.26	9	1,550.92	9	1,690.58	9	1,830.24	9		9		9		9		9		9		9	
10	1,414.17	10	1,553.83	10	1,693.49	10	1,833.15	10		10		10		10		10		10		10	
11	1,417.08	11	1,556.74	11	1,696.40	11	1,836.06	11		11		11		11		11		11		11	
12	1,419.99	12	1,559.65	12	1,699.31	12	1,838.97	12		12		12		12		12		12		12	
13	1,422.90	13	1,562.56	13	1,702.22	13	1,841.88	13		13		13		13		13		13		13	
14	1,425.81	14	1,565.47	14	1,705.13	14	1,844.79	14		14		14		14		14		14		14	
15	1,428.72	15	1,568.38	15	1,708.04	15	1,847.70	15		15		15		15		15		15		15	
16	1,431.63	16	1,571.29	16	1,710.95	16	1,850.61	16		16		16		16		16		16		16	
17	1,434.54	17	1,574.20	17	1,713.86	17	1,853.52	17		17		17		17		17		17		17	
18	1,437.45	18	1,577.11	18	1,716.77	18	1,856.43	18		18		18		18		18		18		18	
19	1,440.36	19	1,580.02	19	1,719.68	19	1,859.34	19		19		19		19		19		19		19	
20	1,443.27	20	1,582.93	20	1,722.59	20	1,862.25	20		20		20		20		20		20		20	
21	1,446.17	21	1,585.84	21	1,725.50	21	1,865.16	21		21		21		21		21		21		21	
22	1,449.08	22	1,588.75	22	1,728.41	22	1,868.07	22		22		22		22		22		22		22	
23	1,451.99	23	1,591.65	23	1,731.32	23	1,870.98	23		23		23		23		23		23		23	
24	1,454.90	24	1,594.56	24	1,734.23	24	1,873.89	24		24		24		24		24		24		24	
25	1,457.81	25	1,597.47	25	1,737.13	25	1,876.80	25		25		25		25		25		25		25	
26	1,460.72	26	1,600.38	26	1,740.04	26	1,879.71	26		26		26		26		26		26		26	
27	1,463.63	27	1,603.29	27	1,742.95	27	1,882.62	27		27		27		27		27		27		27	
28	1,466.54	28	1,606.20	28	1,745.86	28	1,885.53	28		28		28		28		28		28		28	
29	1,469.45	29	1,609.11	29	1,748.77	29	1,888.44	29		29		29		29		29		29		29	
30	1,472.36	30	1,612.02	30	1,751.68	30	1,891.35	30		30		30		30		30		30		30	
31	1,475.27	31	1,614.93	31	1,754.59	31	1,894.26	31		31		31		31		31		31		31	
32	1,478.18	32	1,617.84	32	1,757.50	32	1,897.17	32		32		32		32		32		32		32	
33	1,481.09	33	1,620.75	33	1,760.41	33	1,900.08	33		33		33		33		33		33		33	
34	1,484.00	34	1,623.66	34	1,763.32	34	1,902.99	34		34		34		34		34		34		34	
35	1,486.91	35	1,626.57	35	1,766.23	35	1,905.90	35		35		35		35		35		35		35	
36	1,489.82	36	1,629.48	36	1,769.14	36	1,908.81	36		36		36		36		36		36		36	
37	1,492.73	37	1,632.39	37	1,772.05	37	1,911.72	37		37		37		37		37		37		37	
38	1,495.64	38	1,635.30	38	1,774.96	38	1,914.63	38		38		38		38		38		38		38	
39	1,498.55	39	1,638.21	39	1,777.87	39	1,917.54	39		39		39		39		39		39		39	
40	1,501.46	40	1,641.12	40	1,780.78	40	1,920.45	40		40		40		40		40		40		40	
41	1,504.37	41	1,644.03	41	1,783.69	41	1,923.36	41		41		41		41		41		41		41	
42	1,507.28	42	1,646.94	42	1,786.60	42	1,926.27	42		42		42		42		42		42		42	
43	1,510.19	43	1,649.85	43	1,789.51	43	1,929.18	43		43		43		43		43		43		43	
44	1,513.10	44	1,652.76	44	1,792.42	44	1,932.09	44		44		44		44		44		44		44	
45	1,516.01	45	1,655.67	45	1,795.33	45	1,935.00	45		45		45		45		45		45		45	
46	1,518.91	46	1,658.58	46	1,798.24	46	1,937.91	46		46		46		46		46		46		46	
47	1,521.82	47	1,661.49	47	1,801.15	47	1,940.82	47		47		47		47		47		47		47	

CAPACITY IN 42-GALLON BARRELS

3-PORT GAUGE HEIGHT: 15'-3" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

R. Kauter
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE

FORM M-6 11-57

Chas. MARTIN
Inspectors
of Petroleum, Inc.

RANDOLPH W. BLUMER - APPROVED AND
LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"

FEDERAL BARGE LINES

SHEET NO. 1 OF 2
TANK NUMBER:

3-STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FEET	1 FEET	2 FEET	3 FEET	4 FEET	5 FEET	6 FEET	7 FEET	8 FEET	9 FEET
IN. 0	IN. 0	IN. 0	IN. 0	IN. 0	IN. 0	IN. 0	IN. 0	IN. 0	IN. 0
0.58	127.62	266.73	405.84	544.95	684.06	823.16	962.27	1,101.38	1,240.49
1.26	130.52	269.63	408.74	547.84	686.95	826.06	965.17	1,104.28	1,243.39
1.84	133.42	272.53	411.63	550.74	689.85	828.96	968.07	1,107.18	1,246.29
2.42	136.31	275.42	414.53	553.64	692.75	831.86	970.97	1,110.08	1,249.18
3.00	139.21	278.32	417.43	556.54	695.65	834.76	973.87	1,112.97	1,252.08
3.58	142.11	281.22	420.33	559.44	698.55	837.65	976.76	1,115.87	1,254.98
4.16	145.01	284.12	423.23	562.34	701.44	840.55	979.66	1,118.77	1,257.88
4.74	147.91	287.02	426.12	565.23	704.34	843.45	982.56	1,121.67	1,260.78
5.32	150.80	289.91	429.02	568.13	707.24	846.35	985.46	1,124.57	1,263.68
5.90	153.70	292.81	431.92	571.03	710.14	849.25	988.36	1,127.46	1,266.57
6.48	156.60	295.71	434.82	573.93	713.04	852.15	991.25	1,130.36	1,269.47
7.06	159.50	298.61	437.72	576.83	715.93	855.04	994.15	1,133.26	1,272.37
7.64	162.40	301.51	440.61	579.72	718.83	857.94	997.05	1,136.16	1,275.27
8.22	165.30	304.40	443.51	582.62	721.73	860.84	999.95	1,139.06	1,278.17
8.80	168.19	307.30	446.41	585.52	724.63	863.74	1,002.85	1,141.96	1,281.06
9.38	171.09	310.20	449.31	588.42	727.53	866.64	1,005.74	1,144.85	1,283.96
9.96	173.99	313.10	452.21	591.32	730.42	869.53	1,008.64	1,147.75	1,286.86
10.54	176.89	316.00	455.11	594.21	733.32	872.43	1,011.54	1,150.65	1,289.76
11.12	179.79	318.89	458.00	597.11	736.22	875.33	1,014.44	1,153.55	1,292.66
11.70	182.68	321.79	460.90	600.01	739.12	878.23	1,017.34	1,156.45	1,295.55
12.28	185.58	324.69	463.80	602.91	742.02	881.13	1,020.23	1,159.34	1,298.45
12.86	188.48	327.59	466.70	605.81	744.92	884.02	1,023.13	1,162.24	1,301.35
13.44	191.38	330.49	469.60	608.71	747.81	886.92	1,026.03	1,165.14	1,304.25
14.02	194.28	333.39	472.49	611.60	750.71	889.82	1,028.93	1,168.04	1,307.15
14.60	197.17	336.29	475.39	614.50	753.61	892.72	1,031.83	1,170.94	1,310.04
15.18	200.07	339.18	478.29	617.40	756.51	895.62	1,034.73	1,173.83	1,312.94
15.76	202.97	342.08	481.19	620.30	759.41	898.51	1,037.62	1,176.73	1,315.84
16.34	205.87	344.98	484.09	623.20	762.30	901.41	1,040.52	1,179.63	1,318.74
16.92	208.77	347.88	486.99	626.09	765.20	904.31	1,043.42	1,182.53	1,321.64
17.50	211.66	350.77	489.88	628.99	768.10	907.21	1,046.32	1,185.43	1,324.54
18.08	214.56	353.67	492.78	631.89	771.00	910.11	1,049.22	1,188.33	1,327.43
18.66	217.46	356.57	495.68	634.79	773.90	913.01	1,052.11	1,191.22	1,330.33
19.24	220.36	359.47	498.58	637.69	776.79	915.90	1,055.01	1,194.12	1,333.23
19.82	223.26	362.37	501.47	640.59	779.69	918.80	1,057.91	1,197.02	1,336.13
20.40	226.16	365.26	504.37	643.48	782.59	921.70	1,060.81	1,199.92	1,339.03
20.98	229.05	368.16	507.27	646.38	785.49	924.60	1,063.71	1,202.82	1,341.92
21.56	231.95	371.06	510.17	649.28	788.39	927.50	1,066.60	1,205.71	1,344.82
22.14	234.85	373.96	513.07	652.19	791.28	930.39	1,069.50	1,208.61	1,347.72
22.72	237.75	376.86	515.97	655.09	794.18	933.29	1,072.40	1,211.51	1,350.62
23.30	240.65	379.75	518.86	657.99	797.08	936.19	1,075.30	1,214.41	1,353.52
23.88	243.54	382.65	521.76	660.89	799.98	939.09	1,078.20	1,217.31	1,356.41
24.46	246.44	385.55	524.66	663.79	802.88	941.99	1,081.09	1,220.20	1,359.31
25.04	249.34	388.45	527.56	666.69	805.78	944.89	1,083.99	1,223.10	1,362.21
25.62	252.24	391.35	530.46	669.59	808.68	947.79	1,086.89	1,226.00	1,365.11
26.20	255.14	394.25	533.35	672.49	811.57	950.68	1,089.79	1,228.90	1,368.01
26.78	258.03	397.14	536.25	675.39	814.47	953.58	1,092.69	1,231.80	1,370.90
27.36	260.93	400.04	539.15	678.29	817.37	956.48	1,095.59	1,234.70	1,373.80
27.94	263.83	402.94	542.05	681.19	820.27	959.37	1,098.48	1,237.59	1,376.70

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

3-STAR GAUGE HEIGHT: 15'-2 1/2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

R. Kintor
QUALITY INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE

FORM NO. 1127

Chas. MARTIN
Inspectors
of Petroleum, Inc.

RANDOLPH W. BLATER - APPROVED AND
LICENSED BY NEW YORK PRODUCE EXCHANGE

BARGE "ME-2"
FEDERAL BARGE LINES

SHEET NO. 1 OF 2
TANK NUMBER:

3-STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

10 FEET		11 FEET		12 FEET		13 FEET		FEET		FEET		FEET		FEET		FEET	
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0
X	1,379.60	X	1,518.71	X	1,657.82	X	1,796.93	X		X		X		X		X	
X	1,382.50	X	1,521.61	X	1,660.71	X	1,799.82	X		X		X		X		X	
X	1,385.40	X	1,524.50	X	1,663.61	X	1,802.72	X		X		X		X		X	
X	1,388.22	X	1,527.40	X	1,666.51	X	1,805.62	X		X		X		X		X	
X	1,391.19	X	1,530.30	X	1,669.41	X	1,808.52	X		X		X		X		X	
X	1,394.09	X	1,533.20	X	1,672.31	X	1,811.42	X		X		X		X		X	
X	1,396.99	X	1,536.10	X	1,675.21	X	1,814.31	X		X		X		X		X	
X	1,399.89	X	1,538.99	X	1,678.10	X	1,817.21	X		X		X		X		X	
X	1,402.78	X	1,541.89	X	1,681.00	X	1,820.11	X		X		X		X		X	
X	1,405.68	X	1,544.79	X	1,683.90	X	1,823.01	X		X		X		X		X	
X	1,408.58	X	1,547.69	X	1,686.80	X	1,825.91	X		X		X		X		X	
X	1,411.48	X	1,550.59	X	1,689.70	X	1,828.81	X		X		X		X		X	
X	1,414.38	X	1,553.49	X	1,692.59	X	1,831.70	X		X		X		X		X	
X	1,417.27	X	1,556.38	X	1,695.49	X	1,834.60	X		X		X		X		X	
X	1,420.17	X	1,559.28	X	1,698.39	X	1,837.50	X		X		X		X		X	
X	1,423.07	X	1,562.18	X	1,701.29	X	1,840.40	X		X		X		X		X	
X	1,425.97	X	1,565.08	X	1,704.19	X	1,843.30	X		X		X		X		X	
X	1,428.87	X	1,567.98	X	1,707.09	X	1,846.20	X		X		X		X		X	
X	1,431.77	X	1,570.87	X	1,709.99	X	1,849.10	X		X		X		X		X	
X	1,434.66	X	1,573.77	X	1,712.89	X	1,852.00	X		X		X		X		X	
X	1,437.56	X	1,576.67	X	1,715.78	X	1,854.90	X		X		X		X		X	
X	1,440.46	X	1,579.57	X	1,718.68	X	1,857.80	X		X		X		X		X	
X	1,443.36	X	1,582.47	X	1,721.58	X	1,860.70	X		X		X		X		X	
X	1,446.26	X	1,585.36	X	1,724.47	X	1,863.60	X		X		X		X		X	
X	1,449.15	X	1,588.26	X	1,727.37	X	1,866.50	X		X		X		X		X	
X	1,452.05	X	1,591.16	X	1,730.27	X	1,869.40	X		X		X		X		X	
X	1,454.95	X	1,594.06	X	1,733.17	X	1,872.30	X		X		X		X		X	
X	1,457.85	X	1,596.96	X	1,736.07	X	1,875.20	X		X		X		X		X	
X	1,460.75	X	1,599.85	X	1,738.96	X	1,878.10	X		X		X		X		X	
X	1,463.64	X	1,602.75	X	1,741.86	X	1,881.00	X		X		X		X		X	
X	1,466.54	X	1,605.65	X	1,744.76	X	1,883.90	X		X		X		X		X	
X	1,469.44	X	1,608.55	X	1,747.66	X	1,886.80	X		X		X		X		X	
X	1,472.34	X	1,611.45	X	1,750.56	X	1,889.70	X		X		X		X		X	
X	1,475.24	X	1,614.35	X	1,753.45	X	1,892.60	X		X		X		X		X	
X	1,478.13	X	1,617.24	X	1,756.35	X	1,895.50	X		X		X		X		X	
X	1,481.03	X	1,620.14	X	1,759.25	X	1,898.40	X		X		X		X		X	
X	1,483.93	X	1,623.04	X	1,762.15	X	1,901.30	X		X		X		X		X	
X	1,486.83	X	1,625.94	X	1,765.05	X	1,904.20	X		X		X		X		X	
X	1,489.73	X	1,628.84	X	1,767.94	X	1,907.10	X		X		X		X		X	
X	1,492.63	X	1,631.73	X	1,770.84	X	1,910.00	X		X		X		X		X	
X	1,495.52	X	1,634.63	X	1,773.74	X	1,912.90	X		X		X		X		X	
X	1,498.42	X	1,637.53	X	1,776.64	X	1,915.80	X		X		X		X		X	
X	1,501.32	X	1,640.43	X	1,779.54	X	1,918.70	X		X		X		X		X	
X	1,504.22	X	1,643.33	X	1,782.44	X	1,921.60	X		X		X		X		X	
X	1,507.12	X	1,646.22	X	1,785.33	X	1,924.50	X		X		X		X		X	
X	1,510.01	X	1,649.12	X	1,788.23	X	1,927.40	X		X		X		X		X	
X	1,512.91	X	1,652.02	X	1,791.13	X	1,930.30	X		X		X		X		X	
X	1,515.81	X	1,654.92	X	1,794.03	X	1,933.20	X		X		X		X		X	

CAPACITY IN 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

BARRELS PER INCH OF EXPANSION TRUNK = .07

3-STAR GAUGE HEIGHT: 1'-2 1/2" (TOP OF EXPANSION TRUNK OPPOSITE HINGE)

STRAPPED OCTOBER 28, 1968

J. L. Martin
INSPECTOR OF PETROLEUM
APPROVED BY NEW YORK PRODUCE EXCHANGE