

BARGE NUMBER IB940
 PREVIOUSLY NARGE NUMBER "CHOTIN 1216"

TANK GAUGE TABLE
FWD. COMPT.
 GAUGE HEIGHT 15'-4 1/4"

IN	0 FT	IN	1 FT	IN	2 FT	IN	3 FT	IN	4 FT	IN	5 FT	IN	6 FT	IN	7 FT	IN	8 FT	IN	9 FT	IN	10 FT	IN	11 FT	IN
0	0	0	32.354	0	62.605	0	1.06857	0	1.44108	0	1.81359	0	2.18611	0	2.55862	0	2.93114	0	3.30365	0	3.67616	0	4.04868	0
1/4	61	1/4	33.130	1/4	70.381	1/4	1.07633	1/4	1.44884	1/4	1.82136	1/4	2.19387	1/4	2.56638	1/4	2.93890	1/4	3.31141	1/4	3.68392	1/4	4.05644	1/4
1/2	122	1/2	33.906	1/2	71.158	1/2	1.08409	1/2	1.45660	1/2	1.82912	1/2	2.20163	1/2	2.57414	1/2	2.94666	1/2	3.31917	1/2	3.69168	1/2	4.06420	1/2
3/4	183	3/4	34.682	3/4	71.934	3/4	1.09185	3/4	1.46436	3/4	1.83688	3/4	2.20939	3/4	2.58190	3/4	2.95442	3/4	3.32693	3/4	3.69944	3/4	4.07196	3/4
1	244	1	35.458	1	72.710	1	1.09961	1	1.47212	1	1.84464	1	2.21713	1	2.58966	1	2.96218	1	3.33469	1	3.70721	1	4.07972	1
1/4	297	1/4	36.234	1/4	73.486	1/4	1.10737	1/4	1.47988	1/4	1.85240	1/4	2.22491	1/4	2.59743	1/4	2.96994	1/4	3.34245	1/4	3.71497	1/4	4.08748	1/4
1/2	350	1/2	37.010	1/2	74.262	1/2	1.11513	1/2	1.48769	1/2	1.86016	1/2	2.23267	1/2	2.60519	1/2	2.97770	1/2	3.35021	1/2	3.72273	1/2	4.09524	1/2
3/4	403	3/4	37.787	3/4	75.038	3/4	1.12289	3/4	1.49541	3/4	1.86792	3/4	2.24043	3/4	2.61295	3/4	2.98546	3/4	3.35797	3/4	3.73049	3/4	4.10300	3/4
1	456	1	38.563	1	75.814	1	1.13065	1	1.50317	1	1.87568	1	2.24819	1	2.62071	1	2.99322	1	3.36573	1	3.73825	1	4.11076	1
1/4	509	1/4	39.339	1/4	76.590	1/4	1.13841	1/4	1.51093	1/4	1.88344	1/4	2.25595	1/4	2.62847	1/4	3.00098	1/4	3.37350	1/4	3.74601	1/4	4.11852	1/4
1/2	562	1/2	40.115	1/2	77.366	1/2	1.14617	1/2	1.51869	1/2	1.89120	1/2	2.26372	1/2	2.63623	1/2	3.00874	1/2	3.38126	1/2	3.75377	1/2	4.12628	1/2
3/4	615	3/4	40.891	3/4	78.142	3/4	1.15394	3/4	1.52645	3/4	1.89896	3/4	2.27148	3/4	2.64399	3/4	3.01650	3/4	3.38902	3/4	3.76153	3/4	4.13404	3/4
1	668	1	41.667	1	78.918	1	1.16170	1	1.53421	1	1.90672	1	2.27924	1	2.65175	1	3.02426	1	3.39678	1	3.76929	1	4.14180	1
1/4	721	1/4	42.443	1/4	79.694	1/4	1.16946	1/4	1.54197	1/4	1.91448	1/4	2.28700	1/4	2.65951	1/4	3.03202	1/4	3.40454	1/4	3.77705	1/4	4.14957	1/4
1/2	774	1/2	43.219	1/2	80.470	1/2	1.17722	1/2	1.54973	1/2	1.92224	1/2	2.29476	1/2	2.66727	1/2	3.03979	1/2	3.41230	1/2	3.78481	1/2	4.15733	1/2
3/4	827	3/4	43.995	3/4	81.246	3/4	1.18498	3/4	1.55749	3/4	1.93001	3/4	2.30252	3/4	2.67503	3/4	3.04755	3/4	3.42006	3/4	3.79257	3/4	4.16509	3/4
1	880	1	44.771	1	82.023	1	1.19274	1	1.56525	1	1.93777	1	2.31028	1	2.68279	1	3.05531	1	3.42782	1	3.80033	1	4.17285	1
1/4	933	1/4	45.547	1/4	82.799	1/4	1.20050	1/4	1.57301	1/4	1.94553	1/4	2.31804	1/4	2.69055	1/4	3.06307	1/4	3.43558	1/4	3.80809	1/4	4.18061	1/4
1/2	986	1/2	46.323	1/2	83.575	1/2	1.20826	1/2	1.58077	1/2	1.95329	1/2	2.32580	1/2	2.69831	1/2	3.07083	1/2	3.44334	1/2	3.81586	1/2	4.18837	1/2
3/4	1039	3/4	47.099	3/4	84.351	3/4	1.21602	3/4	1.58853	3/4	1.96105	3/4	2.33356	3/4	2.70608	3/4	3.07859	3/4	3.45110	3/4	3.82362	3/4	4.19613	3/4
1	1092	1	47.875	1	85.127	1	1.22378	1	1.59630	1	1.96881	1	2.34132	1	2.71384	1	3.08635	1	3.45886	1	3.83138	1	4.20389	1
1/4	1145	1/4	48.651	1/4	85.903	1/4	1.23154	1/4	1.60406	1/4	1.97657	1/4	2.34908	1/4	2.72160	1/4	3.09411	1/4	3.46662	1/4	3.83914	1/4	4.21165	1/4
1/2	1198	1/2	49.428	1/2	86.679	1/2	1.23930	1/2	1.61182	1/2	1.98433	1/2	2.35684	1/2	2.72936	1/2	3.10187	1/2	3.47438	1/2	3.84690	1/2	4.21941	1/2
3/4	1251	3/4	50.204	3/4	87.455	3/4	1.24706	3/4	1.61958	3/4	1.99209	3/4	2.36460	3/4	2.73712	3/4	3.10963	3/4	3.48215	3/4	3.85466	3/4	4.22717	3/4
1	1304	1	50.980	1	88.231	1	1.25482	1	1.62734	1	1.99985	1	2.37237	1	2.74488	1	3.11739	1	3.48991	1	3.86242	1	4.23493	1
1/4	1357	1/4	51.756	1/4	89.007	1/4	1.26258	1/4	1.63510	1/4	2.00761	1/4	2.38013	1/4	2.75264	1/4	3.12515	1/4	3.49767	1/4	3.87018	1/4	4.24269	1/4
1/2	1410	1/2	52.532	1/2	89.783	1/2	1.27035	1/2	1.64286	1/2	2.01537	1/2	2.38789	1/2	2.76040	1/2	3.13291	1/2	3.50543	1/2	3.87794	1/2	4.25045	1/2
3/4	1463	3/4	53.308	3/4	90.559	3/4	1.27811	3/4	1.65062	3/4	2.02313	3/4	2.39565	3/4	2.76816	3/4	3.14067	3/4	3.51319	3/4	3.88570	3/4	4.25822	3/4
1	1516	1	54.084	1	91.335	1	1.28587	1	1.65838	1	2.03089	1	2.40341	1	2.77592	1	3.14844	1	3.52095	1	3.89346	1	4.26598	1
1/4	1569	1/4	54.860	1/4	92.111	1/4	1.29363	1/4	1.66614	1/4	2.03865	1/4	2.41117	1/4	2.78368	1/4	3.15620	1/4	3.52871	1/4	3.90122	1/4	4.27374	1/4
1/2	1622	1/2	55.636	1/2	92.887	1/2	1.30139	1/2	1.67390	1/2	2.04642	1/2	2.41893	1/2	2.79144	1/2	3.16396	1/2	3.53647	1/2	3.90898	1/2	4.28150	1/2
3/4	1675	3/4	56.412	3/4	93.664	3/4	1.30915	3/4	1.68166	3/4	2.05418	3/4	2.42669	3/4	2.79920	3/4	3.17172	3/4	3.54423	3/4	3.91674	3/4	4.28926	3/4
1	1728	1	57.188	1	94.440	1	1.31691	1	1.68942	1	2.06194	1	2.43445	1	2.80696	1	3.17948	1	3.55199	1	3.92451	1	4.29702	1
1/4	1781	1/4	57.964	1/4	95.216	1/4	1.32467	1/4	1.69718	1/4	2.06970	1/4	2.44221	1/4	2.81472	1/4	3.18724	1/4	3.55975	1/4	3.93227	1/4	4.30478	1/4
1/2	1834	1/2	58.740	1/2	95.992	1/2	1.33243	1/2	1.70494	1/2	2.07746	1/2	2.44997	1/2	2.82249	1/2	3.19500	1/2	3.56751	1/2	3.94003	1/2	4.31254	1/2
3/4	1887	3/4	59.516	3/4	96.768	3/4	1.34019	3/4	1.71271	3/4	2.08522	3/4	2.45773	3/4	2.83025	3/4	3.20276	3/4	3.57527	3/4	3.94779	3/4	4.32030	3/4
1	1940	1	60.293	1	97.544	1	1.34795	1	1.72047	1	2.09298	1	2.46549	1	2.83801	1	3.21052	1	3.58303	1	3.95555	1	4.32806	1
1/4	1993	1/4	61.069	1/4	98.320	1/4	1.35571	1/4	1.72823	1/4	2.10074	1/4	2.47325	1/4	2.84577	1/4	3.21828	1/4	3.59079	1/4	3.96331	1/4	4.33582	1/4
1/2	2046	1/2	61.845	1/2	99.096	1/2	1.36347	1/2	1.73599	1/2	2.10850	1/2	2.48101	1/2	2.85353	1/2	3.22604	1/2	3.59856	1/2	3.97107	1/2	4.34358	1/2
3/4	2099	3/4	62.621	3/4	99.872	3/4	1.37123	3/4	1.74375	3/4	2.11626	3/4	2.48878	3/4	2.86129	3/4	3.23380	3/4	3.60632	3/4	3.97883	3/4	4.35134	3/4
1	2152	1	63.397	1	100.648	1	1.37900	1	1.75151	1	2.12402	1	2.49654	1	2.86905	1	3.24156	1	3.61408	1	3.98659	1	4.35910	1
1/4	2205	1/4	64.173	1/4	1.01424	1/4	1.38676	1/4	1.75927	1/4	2.13178	1/4	2.50430	1/4	2.87681	1/4	3.24932	1/4	3.62184	1/4	3.99435	1/4	4.36686	1/4
1/2	2258	1/2	64.949	1/2	1.02200	1/2	1.39452	1/2	1.76703	1/2	2.13954	1/2	2.51206	1/2	2.88457	1/2	3.25708	1/2	3.62960	1/2	4.00211	1/2	4.37463	1/2
3/4	2311	3/4	65.725	3/4	1.02976	3/4	1.40228	3/4	1.77479	3/4	2.14730	3/4	2.51982	3/4	2.89233	3/4	3.26485	3/4	3.63736	3/4	4.00987	3/4	4.38239	3/4
1	2364	1	66.501	1	1.03752	1	1.41004	1	1.78255	1	2.15507	1	2.52758	1	2.90009	1	3.27261	1	3.64512	1	4.01763	1	4.39015	1
1/4	2417	1/4	67.277	1/4	1.04529	1/4	1.41780	1/4	1.79031	1/4	2.16283	1/4	2.53534	1/4	2.90785	1/4	3.28037	1/4	3.65288	1/4	4.02539	1/4	4.39791	1/4
1/2	2470	1/2	68.053	1/2	1.05305	1/2	1.42556	1/2	1.79807	1/2	2.17059	1/2	2.54310	1/2	2.91561	1/2	3.28813	1/2	3.66064	1/2	4.03315	1/2	4.40567	1/2
3/4	2523	3/4	68.829	3/4	1.06081	3/4	1.43332	3/4	1.80583	3/4	2.17835	3/4	2.55086	3/4	2.92337	3/4	3.29589	3/4	3.66840	3/4	4.04092	3/4	4.41343	3/4

TABLE STOPS AT JUNCTION OF CENTERLINE AND DECK.

EXPANSION TRUNK CAPACITY = 14 BALS./1"

TABLES APPLY ONLY WHEN BARGE IS ON EVEN KEEL.

BARGE NUMBER IB940

PREVIOUSLY NARGE NUMBER "CHOTIN 1216"

TANK GAUGE TABLE

FWD. COMPT.

GAUGE HEIGHT 15'-4 1/4"

IN	12 FT	IN	13 FT	IN	14 FT	IN	15 FT	IN	16 FT	IN	17 FT	IN	18 FT	IN	19 FT	IN	20 FT	IN	21 FT	IN	22 FT	IN	23 FT	IN
0	4.421.19	0	4.793.70	0	5.166.22	0		0		0		0		0		0		0		0		0		0
1/4	4.428.95	1/4	4.801.46	1/4	5.173.98	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.436.71	1/2	4.809.22	1/2	5.181.74	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.444.47	3/4	4.816.99	3/4	5.189.50	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.452.23	1	4.824.75	1	5.197.26	1		1		1		1		1		1		1		1		1		1
1/4	4.459.99	1/4	4.832.51	1/4	5.205.02	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.467.75	1/2	4.840.27	1/2	5.212.78	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.475.51	3/4	4.848.03	3/4	5.220.54	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
2	4.483.28	2	4.855.79	2	5.227.63	2		2		2		2		2		2		2		2		2		2
1/4	4.491.04	1/4	4.863.55	1/4	5.234.76	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.498.80	1/2	4.871.31	1/2	5.240.58	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.506.56	3/4	4.879.07	3/4	5.246.40	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
3	4.514.32	3	4.886.83	3	5.250.93	3		3		3		3		3		3		3		3		3		3
1/4	4.522.08	1/4	4.894.59	1/4	5.255.46	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.529.84	1/2	4.902.35	1/2	5.258.69	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.537.60	3/4	4.910.11	3/4	5.261.92	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
4	4.545.36	4	4.917.87	4	5.263.86	4		4		4		4		4		4		4		4		4		4
1/4	4.553.12	1/4	4.925.64	1/4	5.265.80	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.560.88	1/2	4.933.40	1/2	5.266.45	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.568.64	3/4	4.941.16	3/4	5.267.10	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
5	4.576.40	5	4.948.92	5		5		5		5		5		5		5		5		5		5		5
1/4	4.584.16	1/4	4.956.68	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.591.93	1/2	4.964.44	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.599.69	3/4	4.972.20	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
6	4.607.45	6	4.979.96	6		6		6		6		6		6		6		6		6		6		6
1/4	4.615.21	1/4	4.987.72	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.622.97	1/2	4.995.48	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.630.73	3/4	5.003.24	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7	4.638.49	7	5.011.00	7		7		7		7		7		7		7		7		7		7		7
1/4	4.646.25	1/4	5.018.76	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.654.01	1/2	5.026.52	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.661.77	3/4	5.034.29	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
8	4.669.53	8	5.042.05	8		8		8		8		8		8		8		8		8		8		8
1/4	4.677.29	1/4	5.049.81	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.685.05	1/2	5.057.57	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.692.81	3/4	5.065.33	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
9	4.700.58	9	5.073.09	9		9		9		9		9		9		9		9		9		9		9
1/4	4.708.34	1/4	5.080.85	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.716.10	1/2	5.088.61	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.723.86	3/4	5.096.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
10	4.731.62	10	5.104.13	10		10		10		10		10		10		10		10		10		10		10
1/4	4.739.38	1/4	5.111.89	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.747.14	1/2	5.119.65	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.754.90	3/4	5.127.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
11	4.762.66	11	5.135.17	11		11		11		11		11		11		11		11		11		11		11
1/4	4.770.42	1/4	5.142.93	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.778.18	1/2	5.150.70	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.785.94	3/4	5.158.46	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4

CAPACITIES GIVEN IN. BARRELS OF 42 U.S. GALLONS

SHEET 2 OF 4 SHEETS

FORM 73



E. W. SAYBOLT & CO., INC.

BY *J.S. Leonard*

DEPUTY INSPECTOR OF PETROLEUM
 APPROVED BY NEW YORK PRODUCE EXCHANGE

BARGE NUMBER IB940
 PREVIOUSLY NARGE NUMBER "CHOTIN 1216"

TANK GAUGE TABLE
A FT. COMPT.

GAUGE HEIGHT 15'-4 5/8"

IN	0 FT	IN	1 FT	IN	2 FT	IN	3 FT	IN	4 FT	IN	5 FT	IN	6 FT	IN	7 FT	IN	8 FT	IN	9 FT	IN	10 FT	IN	11 FT	IN	
0	0	32.626	0	69.912	0	1,071.98	0	1,444.84	0	1,817.70	0	2,190.56	0	2,563.41	0	2,936.27	0	3,309.13	0	3,681.99	0	4,054.85	0		
1/4	6.5	33.403	1/4	70.689	1/4	1,079.75	1/4	1,452.60	1/4	1,825.46	1/4	2,198.32	1/4	2,571.18	1/4	2,944.04	1/4	3,316.90	1/4	3,689.76	1/4	4,062.62	1/4		
1/2	13.0	34.180	1/2	71.475	1/2	1,087.51	1/2	1,460.37	1/2	1,833.23	1/2	2,206.09	1/2	2,578.95	1/2	2,951.81	1/2	3,324.67	1/2	3,697.53	1/2	4,070.39	1/2		
3/4	19.5	34.956	3/4	72.270	3/4	1,095.28	3/4	1,468.14	3/4	1,841.00	3/4	2,213.86	3/4	2,586.72	3/4	2,959.58	3/4	3,332.44	3/4	3,705.30	3/4	4,078.16	3/4		
1	26.0	35.733	1	73.065	1	1,103.05	1	1,475.91	1	1,848.77	1	2,221.63	1	2,594.49	1	2,967.35	1	3,340.20	1	3,713.06	1	4,085.92	1		
1 1/4	32.5	36.510	1 1/4	73.857	1 1/4	1,110.82	1 1/4	1,483.68	1 1/4	1,856.54	1 1/4	2,229.39	1 1/4	2,602.25	1 1/4	2,975.11	1 1/4	3,347.97	1 1/4	3,720.83	1 1/4	4,093.69	1 1/4		
1 1/2	39.0	37.287	1 1/2	74.649	1 1/2	1,118.59	1 1/2	1,491.44	1 1/2	1,864.30	1 1/2	2,237.16	1 1/2	2,610.02	1 1/2	2,982.88	1 1/2	3,355.74	1 1/2	3,728.60	1 1/2	4,101.46	1 1/2		
1 3/4	45.5	38.063	1 3/4	75.441	1 3/4	1,126.35	1 3/4	1,499.21	1 3/4	1,872.07	1 3/4	2,244.93	1 3/4	2,617.79	1 3/4	2,990.65	1 3/4	3,363.51	1 3/4	3,736.37	1 3/4	4,109.23	1 3/4		
2	52.0	38.840	2	76.233	2	1,134.12	2	1,506.98	2	1,879.84	2	2,252.70	2	2,625.56	2	2,998.42	2	3,371.28	2	3,744.14	2	4,116.99	2		
2 1/4	58.5	39.617	2 1/4	77.025	2 1/4	1,141.89	2 1/4	1,514.75	2 1/4	1,887.61	2 1/4	2,260.47	2 1/4	2,633.33	2 1/4	3,006.18	2 1/4	3,379.04	2 1/4	3,751.90	2 1/4	4,124.76	2 1/4		
2 1/2	65.0	40.394	2 1/2	77.817	2 1/2	1,149.66	2 1/2	1,522.52	2 1/2	1,895.38	2 1/2	2,268.23	2 1/2	2,641.09	2 1/2	3,013.95	2 1/2	3,386.81	2 1/2	3,759.67	2 1/2	4,132.53	2 1/2		
2 3/4	71.5	41.171	2 3/4	78.609	2 3/4	1,157.42	2 3/4	1,530.28	2 3/4	1,903.14	2 3/4	2,276.00	2 3/4	2,648.86	2 3/4	3,021.72	2 3/4	3,394.58	2 3/4	3,767.44	2 3/4	4,140.30	2 3/4		
3	78.0	41.947	3	79.401	3	1,165.19	3	1,538.05	3	1,910.91	3	2,283.77	3	2,656.63	3	3,029.49	3	3,402.35	3	3,775.21	3	4,148.07	3		
3 1/4	84.5	42.724	3 1/4	80.193	3 1/4	1,172.96	3 1/4	1,545.82	3 1/4	1,918.68	3 1/4	2,291.54	3 1/4	2,664.40	3 1/4	3,037.26	3 1/4	3,410.12	3 1/4	3,782.97	3 1/4	4,155.83	3 1/4		
3 1/2	91.0	43.501	3 1/2	80.985	3 1/2	1,180.73	3 1/2	1,553.59	3 1/2	1,926.45	3 1/2	2,299.31	3 1/2	2,672.17	3 1/2	3,045.02	3 1/2	3,417.88	3 1/2	3,790.74	3 1/2	4,163.60	3 1/2		
3 3/4	97.5	44.278	3 3/4	81.777	3 3/4	1,188.50	3 3/4	1,561.36	3 3/4	1,934.21	3 3/4	2,307.07	3 3/4	2,679.93	3 3/4	3,052.79	3 3/4	3,425.65	3 3/4	3,798.51	3 3/4	4,171.37	3 3/4		
4	104.0	45.055	4	82.569	4	1,196.26	4	1,569.12	4	1,941.98	4	2,314.84	4	2,687.70	4	3,060.56	4	3,433.42	4	3,806.28	4	4,179.14	4		
4 1/4	110.5	45.831	4 1/4	83.361	4 1/4	1,204.03	4 1/4	1,576.89	4 1/4	1,949.75	4 1/4	2,322.61	4 1/4	2,695.47	4 1/4	3,068.33	4 1/4	3,441.19	4 1/4	3,814.05	4 1/4	4,186.91	4 1/4		
4 1/2	117.0	46.608	4 1/2	84.153	4 1/2	1,211.80	4 1/2	1,584.66	4 1/2	1,957.52	4 1/2	2,330.38	4 1/2	2,703.24	4 1/2	3,076.10	4 1/2	3,448.96	4 1/2	3,821.81	4 1/2	4,194.67	4 1/2		
4 3/4	123.5	47.385	4 3/4	84.945	4 3/4	1,219.57	4 3/4	1,592.43	4 3/4	1,965.29	4 3/4	2,338.15	4 3/4	2,711.00	4 3/4	3,083.86	4 3/4	3,456.72	4 3/4	3,829.58	4 3/4	4,202.44	4 3/4		
5	130.0	48.162	5	85.737	5	1,227.34	5	1,600.20	5	1,973.05	5	2,345.91	5	2,718.77	5	3,091.63	5	3,464.49	5	3,837.35	5	4,210.21	5		
5 1/4	136.5	48.939	5 1/4	86.529	5 1/4	1,235.10	5 1/4	1,607.96	5 1/4	1,980.82	5 1/4	2,353.68	5 1/4	2,726.54	5 1/4	3,099.40	5 1/4	3,472.26	5 1/4	3,845.12	5 1/4	4,217.98	5 1/4		
5 1/2	143.0	49.715	5 1/2	87.321	5 1/2	1,242.87	5 1/2	1,615.73	5 1/2	1,988.59	5 1/2	2,361.45	5 1/2	2,734.31	5 1/2	3,107.17	5 1/2	3,480.03	5 1/2	3,852.89	5 1/2	4,225.75	5 1/2		
5 3/4	149.5	50.492	5 3/4	88.113	5 3/4	1,250.64	5 3/4	1,623.50	5 3/4	1,996.36	5 3/4	2,369.22	5 3/4	2,742.08	5 3/4	3,114.94	5 3/4	3,487.79	5 3/4	3,860.65	5 3/4	4,233.51	5 3/4		
6	156.0	51.269	6	88.905	6	1,258.41	6	1,631.27	6	2,004.13	6	2,376.99	6	2,749.84	6	3,122.70	6	3,495.56	6	3,868.42	6	4,241.28	6		
6 1/4	162.5	52.046	6 1/4	89.697	6 1/4	1,266.18	6 1/4	1,639.03	6 1/4	2,011.89	6 1/4	2,384.75	6 1/4	2,757.61	6 1/4	3,130.47	6 1/4	3,503.33	6 1/4	3,876.19	6 1/4	4,249.05	6 1/4		
6 1/2	169.0	52.822	6 1/2	90.489	6 1/2	1,273.94	6 1/2	1,646.80	6 1/2	2,019.66	6 1/2	2,392.52	6 1/2	2,765.38	6 1/2	3,138.24	6 1/2	3,511.10	6 1/2	3,883.96	6 1/2	4,256.82	6 1/2		
6 3/4	175.5	53.599	6 3/4	91.281	6 3/4	1,281.71	6 3/4	1,654.57	6 3/4	2,027.43	6 3/4	2,400.29	6 3/4	2,773.15	6 3/4	3,146.01	6 3/4	3,518.87	6 3/4	3,891.73	6 3/4	4,264.58	6 3/4		
7	182.0	54.376	7	92.073	7	1,289.48	7	1,662.34	7	2,035.20	7	2,408.06	7	2,780.92	7	3,153.78	7	3,526.63	7	3,899.49	7	4,272.35	7		
7 1/4	188.5	55.153	7 1/4	92.865	7 1/4	1,297.25	7 1/4	1,670.11	7 1/4	2,042.97	7 1/4	2,415.82	7 1/4	2,788.68	7 1/4	3,161.54	7 1/4	3,534.40	7 1/4	3,907.26	7 1/4	4,280.12	7 1/4		
7 1/2	195.0	55.930	7 1/2	93.657	7 1/2	1,305.01	7 1/2	1,677.87	7 1/2	2,050.73	7 1/2	2,423.59	7 1/2	2,796.45	7 1/2	3,169.31	7 1/2	3,542.17	7 1/2	3,915.03	7 1/2	4,287.89	7 1/2		
7 3/4	201.5	56.706	7 3/4	94.449	7 3/4	1,312.78	7 3/4	1,685.64	7 3/4	2,058.50	7 3/4	2,431.36	7 3/4	2,804.22	7 3/4	3,177.08	7 3/4	3,549.94	7 3/4	3,922.80	7 3/4	4,295.66	7 3/4		
8	208.0	57.483	8	95.241	8	1,320.55	8	1,693.41	8	2,066.27	8	2,439.13	8	2,811.99	8	3,184.85	8	3,557.71	8	3,930.57	8	4,303.42	8		
8 1/4	214.5	58.260	8 1/4	96.033	8 1/4	1,328.32	8 1/4	1,701.18	8 1/4	2,074.04	8 1/4	2,446.90	8 1/4	2,819.76	8 1/4	3,192.61	8 1/4	3,565.47	8 1/4	3,938.33	8 1/4	4,311.19	8 1/4		
8 1/2	221.0	59.037	8 1/2	96.825	8 1/2	1,336.09	8 1/2	1,708.95	8 1/2	2,081.80	8 1/2	2,454.66	8 1/2	2,827.52	8 1/2	3,200.38	8 1/2	3,573.24	8 1/2	3,946.10	8 1/2	4,318.96	8 1/2		
8 3/4	227.5	59.814	8 3/4	97.617	8 3/4	1,343.85	8 3/4	1,716.71	8 3/4	2,089.57	8 3/4	2,462.43	8 3/4	2,835.29	8 3/4	3,208.15	8 3/4	3,581.01	8 3/4	3,953.87	8 3/4	4,326.73	8 3/4		
9	234.0	60.590	9	98.409	9	1,351.62	9	1,724.48	9	2,097.34	9	2,470.20	9	2,843.06	9	3,215.92	9	3,588.78	9	3,961.64	9	4,334.50	9		
9 1/4	240.5	61.367	9 1/4	99.201	9 1/4	1,359.39	9 1/4	1,732.25	9 1/4	2,105.11	9 1/4	2,477.97	9 1/4	2,850.83	9 1/4	3,223.69	9 1/4	3,596.55	9 1/4	3,969.40	9 1/4	4,342.26	9 1/4		
9 1/2	247.0	62.144	9 1/2	100.000	9 1/2	1,367.16	9 1/2	1,740.02	9 1/2	2,112.88	9 1/2	2,485.74	9 1/2	2,858.59	9 1/2	3,231.45	9 1/2	3,604.31	9 1/2	3,977.17	9 1/2	4,350.03	9 1/2		
9 3/4	253.5	62.921	9 3/4	100.792	9 3/4	1,374.93	9 3/4	1,747.79	9 3/4	2,120.64	9 3/4	2,493.50	9 3/4	2,866.36	9 3/4	3,239.22	9 3/4	3,612.08	9 3/4	3,984.94	9 3/4	4,357.80	9 3/4		
10	260.0	63.69																							

BARGE NUMBER IB940
 PREVIOUSLY NARGE NUMBER "CHOTIN 1216"

TANK GAUGE TABLE
AFT. COMPT.

GAUGE HEIGHT 15' 4 5/8"

IN	12 FT	IN	13 FT	IN	14 FT	IN	15 FT	IN	16 FT	IN	17 FT	IN	18 FT	IN	19 FT	IN	20 FT	IN	21 FT	IN	22 FT	IN	23 FT	IN
0	4.42 7.7 1	0	4.80 0.2 7	0	5.17 3.4 3	0		0		0		0		0		0		0		0		0		0
1/4	4.43 5.4 8	1/4	4.80 8.3 4	1/4	5.18 1.2 0	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.44 3.2 5	1/2	4.81 6.1 1	1/2	5.18 8.9 6	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.45 1.0 1	3/4	4.82 3.8 7	3/4	5.19 6.7 3	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.45 8.7 8	1	4.83 1.6 4	1	5.20 4.5 0	1		1		1		1		1		1		1		1		1		1
1/4	4.46 6.5 5	1/4	4.83 9.4 1	1/4	5.21 1.6 2	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.47 4.3 2	1/2	4.84 7.1 8	1/2	5.21 8.7 4	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.48 2.0 9	3/4	4.85 4.9 5	3/4	5.22 4.5 7	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.48 9.8 5	1	4.86 2.7 1	1	5.23 0.4 0	1		1		1		1		1		1		1		1		1		1
1/4	4.49 7.6 2	1/4	4.87 0.4 8	1/4	5.23 4.9 3	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.50 5.3 9	1/2	4.87 8.2 5	1/2	5.23 9.4 6	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.51 3.1 6	3/4	4.88 6.0 2	3/4	5.24 2.7 0	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.52 0.9 3	1	4.89 3.7 8	1	5.24 5.9 4	1		1		1		1		1		1		1		1		1		1
1/4	4.52 8.6 9	1/4	4.90 1.5 5	1/4	5.24 7.8 8	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.53 6.4 6	1/2	4.90 9.3 2	1/2	5.24 9.8 2	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.54 4.2 3	3/4	4.91 7.0 9	3/4	5.25 0.4 7	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.55 2.0 0	1	4.92 4.8 6	1	5.25 1.1 2	1		1		1		1		1		1		1		1		1		1
1/4	4.55 9.7 6	1/4	4.93 2.6 2	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.56 7.5 3	1/2	4.94 0.3 9	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.57 5.3 0	3/4	4.94 8.1 6	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.58 3.0 7	1	4.95 5.9 3	1		1		1		1		1		1		1		1		1		1		1
1/4	4.59 0.8 4	1/4	4.96 3.7 0	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.59 8.6 0	1/2	4.97 1.4 6	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.60 6.3 7	3/4	4.97 9.2 3	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.61 4.1 4	1	4.98 7.0 0	1		1		1		1		1		1		1		1		1		1		1
1/4	4.62 1.9 1	1/4	4.99 4.7 7	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.62 9.6 8	1/2	5.00 2.5 4	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.63 7.4 4	3/4	5.01 0.3 0	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.64 5.2 1	1	5.01 8.0 7	1		1		1		1		1		1		1		1		1		1		1
1/4	4.65 2.9 8	1/4	5.02 5.8 4	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.66 0.7 5	1/2	5.03 3.6 1	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.66 8.5 2	3/4	5.04 1.3 7	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.67 6.2 8	1	5.04 9.1 4	1		1		1		1		1		1		1		1		1		1		1
1/4	4.68 4.0 5	1/4	5.05 6.9 1	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.69 1.8 2	1/2	5.06 4.6 8	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.69 9.5 9	3/4	5.07 2.4 5	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.70 7.3 6	1	5.08 0.2 1	1		1		1		1		1		1		1		1		1		1		1
1/4	4.71 5.1 2	1/4	5.08 7.9 8	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.72 2.8 9	1/2	5.09 5.7 5	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.73 0.6 6	3/4	5.10 3.5 2	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.73 8.4 3	1	5.11 1.2 9	1		1		1		1		1		1		1		1		1		1		1
1/4	4.74 6.1 9	1/4	5.11 9.0 5	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.75 3.9 6	1/2	5.12 6.8 2	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.76 1.7 3	3/4	5.13 4.5 9	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1	4.76 9.5 0	1	5.14 2.3 6	1		1		1		1		1		1		1		1		1		1		1
1/4	4.77 7.2 7	1/4	5.15 0.1 3	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
1/2	4.78 5.0 3	1/2	5.15 7.8 9	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
3/4	4.79 2.8 0	3/4	5.16 5.6 6	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4

NOTE: STRAPPED FOR CHOTIN TRANSPORTATION COMPANY, NEW ORLEANS, LOUISIANA.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

SHEET 4 OF 4 SHEETS

FORM 73

STRAPPED BY: RFR 4/24/66
 COMPUTED BY: MLS 5/6/66
 CHECKED BY: ES 5/9/66



E. W. SAYBOLT & CO., INC.

BY *J.S. Rowan*

DEPUTY INSPECTOR OF PETROLEUM
 APPROVED BY NEW YORK PRODUCE EXCHANGE

