

# DANFORD 1D900

GAGE HEIGHT 14"-8 3/8"

	0	1	2	3	4	5	6	7	8	9
0	6.46	144.89	283.32	421.68	560.13	698.57	837.01	975.45	1113.89	1252.33
1	9.35	147.78	286.20	424.57	563.01	701.45	839.89	978.33	1116.78	1255.22
2	12.23	150.66	289.08	427.45	565.89	704.34	842.78	981.22	1119.66	1258.10
3	15.11	153.55	291.96	430.34	568.78	707.22	845.66	984.10	1122.54	1260.98
4	18.00	156.43	294.84	433.22	571.66	710.10	848.55	986.99	1125.43	1263.86
5	20.88	159.31	297.73	436.10	574.55	712.97	851.43	989.87	1128.31	1266.74
6	23.77	162.20	300.61	438.99	577.43	715.87	854.31	992.76	1131.20	1269.62
7	26.65	165.08	303.49	441.87	580.31	718.76	857.20	995.64	1134.08	1272.50
8	29.52	167.97	306.37	444.76	583.20	721.64	860.08	998.52	1136.97	1275.39
9	32.42	170.85	309.25	447.64	586.08	724.52	862.97	1001.41	1139.85	1278.27
10	35.30	173.73	312.13	450.53	588.97	727.41	865.85	1004.29	1142.73	1281.15
11	38.19	176.62	315.02	453.41	591.85	730.29	868.73	1007.18	1145.62	1284.03
12	41.07	179.50	317.90	456.29	594.74	733.18	871.62	1010.06	1148.50	1286.91
13	43.95	182.39	320.78	459.18	597.62	736.06	874.50	1012.94	1151.39	1289.79
14	46.84	185.27	323.66	462.06	600.50	738.95	877.39	1015.83	1154.27	1292.68
15	49.72	188.15	326.54	464.95	603.39	741.83	880.27	1018.71	1157.15	1295.56
16	52.61	191.04	329.42	467.83	606.27	744.71	883.16	1021.60	1160.04	1298.44
17	55.49	193.92	332.31	470.72	609.16	747.60	886.04	1024.48	1162.92	1301.32
18	58.37	196.81	335.19	473.60	612.04	750.48	888.92	1027.37	1165.81	1304.20
19	61.26	199.69	338.07	476.48	614.93	753.37	891.81	1030.25	1168.69	1307.08
20	64.14	202.57	340.95	479.37	617.81	756.25	894.69	1033.13	1171.58	1309.97
21	67.03	205.46	343.83	482.25	620.69	759.14	897.58	1036.02	1174.46	1312.85
22	69.91	208.34	346.72	485.14	623.58	762.02	900.46	1038.90	1177.34	1315.73
23	72.79	211.23	349.60	488.02	626.46	764.90	903.35	1041.79	1180.23	1318.61
24	75.68	214.11	352.48	490.90	629.35	767.79	906.23	1044.67	1183.11	1321.49
25	78.56	216.99	355.36	493.79	632.23	770.67	909.11	1047.56	1186.00	1324.37
26	81.45	219.88	358.24	496.67	635.11	773.56	912.00	1050.44	1188.88	1327.26
27	84.33	222.76	361.12	499.56	638.00	776.44	914.88	1053.32	1191.77	1330.14
28	87.21	225.65	364.01	502.44	640.88	779.32	917.77	1056.21	1194.65	1333.02
29	90.10	228.53	366.89	505.33	643.77	782.21	920.65	1059.09	1197.53	1335.90
30	92.98	231.41	369.77	508.21	646.65	785.09	923.53	1061.98	1200.42	1338.78
31	95.87	234.30	372.65	511.09	649.54	787.98	926.42	1064.86	1203.30	1341.66
32	98.75	237.18	375.52	513.98	652.42	790.86	929.30	1067.74	1206.19	1344.54
33	101.63	240.07	378.41	516.86	655.30	793.75	932.19	1070.63	1209.07	1347.41
34	104.52	242.95	381.31	519.75	658.19	796.63	935.07	1073.51	1211.95	1350.31
35	107.40	245.83	384.19	522.63	661.07	799.51	937.96	1076.40	1214.84	1353.20
36	110.29	248.72	387.07	525.52	663.96	802.40	940.84	1079.28	1217.72	1356.08
37	113.17	251.60	389.96	528.40	666.84	805.28	943.72	1082.17	1220.61	1358.97
38	116.05	254.49	392.84	531.28	669.73	808.17	946.61	1085.05	1223.49	1361.85
39	118.94	257.37	395.73	534.17	672.61	811.05	949.49	1087.93	1226.38	1364.73
40	121.82	260.25	398.61	537.05	675.49	813.94	952.38	1090.82	1229.26	1367.62
41	124.71	263.14	401.49	539.94	678.38	816.82	955.26	1093.70	1232.14	1370.50
42	127.59	266.02	404.38	542.82	681.26	819.70	958.15	1096.59	1235.03	1373.39
43	130.47	268.91	407.26	545.70	684.15	822.59	961.03	1099.47	1237.91	1376.27
44	133.36	271.79	410.15	548.59	687.03	825.47	963.91	1102.36	1240.80	1379.16
45	136.24	274.67	413.02	551.47	689.91	828.36	966.80	1105.24	1243.68	1382.04
46	139.13	277.55	415.92	554.36	692.80	831.24	969.68	1108.12	1246.57	1384.92
47	142.01	280.44	418.80	557.24	695.68	834.12	972.57	1111.01	1249.45	1387.81

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS  
 GAUGE POINT LOCATED TO REFLECT NEW GAUGE LOCATIONS.  
 GAUGE POINT LOCATED 7'-0" OFF CENTERLINE BULKHEAD AND 17'-3" FORWARD OF AFT. BULKHEAD.  
 TANK HAS A 1/2" DATUM PLATE AT GAUGE POINT.  
 THIS CHART IS DERIVED FROM THE ABOVE NAMED TANK ONLY NO CHANGES OR  
 ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY  
 E. W. BAYBOLT & CO., INC.

**BARREL** 1R988

GAGE HEIGHT 14'-8 3/8"

	10	11	12	13	14	15	16	17	18	19
1	1390.52	1525.04	1659.55							
1/2	1392.33	1527.84	1662.35							
3/4	1396.12	1530.64	1665.15							
1	1398.94	1533.45	1667.96							
1/2	1401.74	1536.25	1670.76							
3/4	1404.54	1539.05	1673.56							
1	1407.34	1541.85	1676.36							
1/2	1410.14	1544.65	1679.17							
3/4	1412.95	1547.46	1681.97							
1	1415.75	1550.26	1684.77							
1/2	1418.55	1553.06	1687.57							
3/4	1421.35	1555.86	1690.37							
1	1424.16	1558.67	1693.18							
1/2	1426.96	1561.47	1695.98							
3/4	1429.76	1564.27	1698.78							
1	1432.56	1567.07	1701.58							
1/2	1435.36	1569.88	1704.39							
3/4	1438.17	1572.68	1707.19							
1	1440.97	1575.48	1709.99							
1/2	1443.77	1578.28	1712.79							
3/4	1446.57	1581.08	1715.59							
1	1449.38	1583.89	1718.39							
1/2	1452.18	1586.69	1721.19							
3/4	1454.98	1589.49	1723.99							
1	1457.78	1592.29	1726.79							
1/2	1460.59	1595.10	1729.59							
3/4	1463.39	1597.90	1732.39							
1	1466.19	1600.70	1735.19							
1/2	1468.99	1603.50	1737.99							
3/4	1471.79	1606.31	1740.79							
1	1474.60	1609.11	1743.59							
1/2	1477.40	1611.91	1746.39							
3/4	1480.20	1614.71	1749.19							
1	1483.00	1617.51	1751.99							
1/2	1485.81	1620.32								
3/4	1488.61	1623.12								
1	1491.41	1625.92								
1/2	1494.21	1628.72								
3/4	1497.02	1631.53								
1	1499.82	1634.33								
1/2	1502.62	1637.13								
3/4	1505.42	1639.93								
1	1508.22	1642.74								
1/2	1511.01	1645.54								
3/4	1513.83	1648.34								
1	1516.63	1651.14								
1/2	1519.43	1653.94								
3/4	1522.24	1656.75								

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS DESIGNED FOR THE ABOVE MAND TANK ONLY NO CHANGES OR  
 ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

# BARREL 1B988

GAUGE HEIGHT 14'-8 3/8"

IN	0	1	2	3	4	5	6	7	8	9
0	6.43	144.04	281.50	418.38	556.00	693.62	831.24	968.86	1106.48	1244.10
1/4	9.29	146.91	284.35	421.24	558.87	696.49	834.11	971.73	1109.35	1246.97
1/2	12.16	149.77	287.19	424.11	561.73	699.35	836.97	974.59	1112.22	1249.84
3/4	15.03	152.64	290.04	426.98	564.60	702.22	839.84	977.46	1115.08	1252.70
1	17.89	155.51	292.88	429.85	567.47	705.09	842.71	980.33	1117.95	1255.57
1 1/4	20.76	158.37	295.73	432.71	570.33	707.95	845.58	983.20	1120.82	1258.44
1 1/2	23.63	161.24	298.58	435.58	573.20	710.82	848.44	986.06	1123.68	1261.30
1 3/4	26.50	164.11	301.42	438.45	576.07	713.69	851.31	988.93	1126.55	1264.17
2	29.36	166.97	304.27	441.31	578.93	716.56	854.18	991.80	1129.42	1267.04
2 1/4	32.23	169.84	307.11	444.18	581.80	719.42	857.04	994.66	1132.29	1269.91
2 1/2	35.10	172.71	309.96	447.05	584.67	722.29	859.91	997.53	1135.15	1272.77
2 3/4	37.96	175.57	312.80	449.92	587.54	725.16	862.78	1000.40	1138.02	1275.64
3	40.83	178.44	315.65	452.78	590.40	728.02	865.64	1003.27	1140.89	1278.51
3 1/4	43.70	181.31	318.50	455.65	593.27	730.89	868.51	1006.13	1143.75	1281.37
3 1/2	46.56	184.18	321.34	458.52	596.14	733.76	871.38	1009.00	1146.62	1284.24
3 3/4	49.43	187.04	324.19	461.38	599.00	736.63	874.25	1011.87	1149.49	1287.11
4	52.30	189.91	327.03	464.25	601.87	739.49	877.11	1014.73	1152.35	1289.98
4 1/4	55.16	192.78	329.88	467.12	604.74	742.36	879.98	1017.60	1155.22	1292.84
4 1/2	58.03	195.64	332.72	469.99	607.61	745.23	882.85	1020.47	1158.09	1295.71
4 3/4	60.90	198.51	335.57	472.85	610.47	748.09	885.71	1023.34	1160.96	1298.58
5	63.77	201.38	338.42	475.72	613.34	750.96	888.58	1026.20	1163.82	1301.44
5 1/4	66.63	204.24	341.26	478.59	616.21	753.83	891.45	1029.07	1166.69	1304.31
5 1/2	69.50	207.11	344.11	481.45	619.07	756.70	894.32	1031.94	1169.56	1307.18
5 3/4	72.37	209.98	346.95	484.32	621.92	759.56	897.19	1034.80	1172.42	1310.05
6	75.23	212.84	349.80	487.19	624.81	762.43	900.05	1037.67	1175.29	1312.91
6 1/4	78.10	215.71	352.65	490.05	627.68	765.30	902.92	1040.54	1178.16	1315.78
6 1/2	80.97	218.58	355.49	492.92	630.54	768.16	905.78	1043.41	1181.03	1318.65
6 3/4	83.83	221.44	358.34	495.79	633.41	771.03	908.65	1046.27	1183.89	1321.51
7	86.70	224.31	361.18	498.66	636.28	773.90	911.52	1049.14	1186.76	1324.38
7 1/4	89.57	227.18	364.03	501.52	639.14	776.76	914.39	1052.01	1189.63	1327.25
7 1/2	92.43	230.05	366.88	504.39	642.01	779.63	917.25	1054.87	1192.49	1330.12
7 3/4	95.30	232.91	369.72	507.26	644.88	782.50	920.12	1057.74	1195.36	1332.98
8	98.17	235.78	372.57	510.12	647.75	785.37	922.99	1060.61	1198.23	1335.85
8 1/4	101.04	238.65	375.41	512.99	650.61	788.23	925.85	1063.47	1201.10	1338.72
8 1/2	103.90	241.51	378.26	515.86	653.48	791.10	928.72	1066.34	1203.96	1341.58
8 3/4	106.77	244.38	381.11	518.73	656.35	793.97	931.59	1069.21	1206.83	1344.45
9	109.64	247.25	383.97	521.59	659.21	796.83	934.46	1072.08	1209.70	1347.32
9 1/4	112.50	250.11	386.84	524.46	662.08	799.70	937.32	1074.94	1212.56	1350.18
9 1/2	115.37	252.98	389.71	527.33	664.95	802.57	940.19	1077.81	1215.43	1353.05
9 3/4	118.24	255.85	392.57	530.19	667.82	805.44	943.06	1080.68	1218.30	1355.92
10	121.10	258.71	395.44	533.06	670.68	808.30	945.92	1083.54	1221.17	1358.79
10 1/4	123.97	261.58	398.31	535.93	673.55	811.17	948.79	1086.41	1224.03	1361.65
10 1/2	126.84	264.43	401.17	538.80	676.42	814.04	951.66	1089.28	1226.90	1364.52
10 3/4	129.70	267.27	404.04	541.66	679.28	816.90	954.53	1092.15	1229.77	1367.39
11	132.57	270.12	406.91	544.53	682.15	819.77	957.39	1095.01	1232.63	1370.25
11 1/4	135.44	272.96	409.78	547.40	685.02	822.64	960.26	1097.88	1235.50	1373.12
11 1/2	138.30	275.81	412.64	550.26	687.88	825.51	963.13	1100.75	1238.37	1375.99
11 3/4	141.17	278.66	415.51	553.13	690.75	828.37	965.99	1103.61	1241.24	1378.82

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

NOTES: GAUGE TABLES RECOMPUTED TO REFLECT NEW GAUGE LOCATIONS.

NOTE: GAUGE POINT LOCATED 7'-5" OFF CENTERLINE BULKHEAD AND 17'-3" FORWARD OF AFT. BULKHEAD.

THIS GAUGE IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OR

ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

E. W. BAYBOLT & CO. INC.

# BARGE 18988

GAGE HEIGHT 14'-8 3/8"

	10	11	12	13	14	15	16	17	18	19
0	1381.46	1512.69	1643.92							
1/4	1384.19	1515.42	1646.65							
1/2	1386.92	1518.15	1649.39							
3/4	1389.65	1520.89	1652.12							
1	1392.39	1523.62	1654.85							
1 1/4	1395.13	1526.36	1657.59							
1 1/2	1397.86	1529.09	1660.32							
1 3/4	1400.59	1531.83	1663.06							
2	1403.33	1534.56	1665.79							
1/4	1406.06	1537.29	1668.53							
1/2	1408.80	1540.03	1671.26							
3/4	1411.53	1542.76	1673.99							
1	1414.26	1545.50	1676.73							
1 1/4	1417.00	1548.23	1679.46							
1 1/2	1419.73	1550.96	1682.20							
1 3/4	1422.47	1553.70	1684.93							
2	1425.20	1556.43	1687.66							
1/4	1427.93	1559.17	1690.40							
1/2	1430.67	1561.90	1693.13							
3/4	1433.40	1564.63	1695.87							
1	1436.14	1567.37	1698.60							
1 1/4	1438.87	1570.10	1701.34							
1 1/2	1441.60	1572.84	1704.07							
1 3/4	1444.34	1575.57	1706.81							
2	1447.07	1578.30	1709.54							
1/4	1449.81	1581.04	1712.28							
1/2	1452.54	1583.77	1715.02							
3/4	1455.27	1586.51	1717.76							
1	1458.01	1589.24	1720.50							
1 1/4	1460.74	1591.97	1723.24							
1 1/2	1463.48	1594.71	1725.98							
1 3/4	1466.21	1597.44	1728.72							
2	1468.94	1600.18	1731.46							
1/4	1471.68	1602.91	1734.20							
1/2	1474.41	1605.64	1736.94							
3/4	1477.15	1608.38	1739.68							
1	1479.88	1611.11	1742.42							
1 1/4	1482.61	1613.85	1745.16							
1 1/2	1485.35	1616.58	1747.90							
1 3/4	1488.08	1619.31	1750.64							
2	1490.82	1622.05	1753.38							
1/4	1493.55	1624.78	1756.12							
1/2	1496.28	1627.52	1758.86							
3/4	1499.02	1630.25	1761.60							
1	1501.75	1632.98	1764.34							
1 1/4	1504.49	1635.72	1767.08							
1 1/2	1507.22	1638.45	1769.82							
1 3/4	1509.95	1641.19	1772.56							

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OR  
 ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

# BARGE 18988

GAUGE HEIGHT 14'-8 1/2"

0	1	2	3	4	5	6	7	8	9
6.45	144.70	282.95	421.16	559.42	697.68	835.94	974.20	1112.46	1250.72
9.33	147.58	285.83	424.04	562.30	700.56	838.82	977.08	1115.34	1253.60
12.21	150.46	288.71	426.92	565.18	703.44	841.70	979.96	1118.22	1256.48
15.09	153.34	291.59	429.80	568.06	706.32	844.58	982.84	1121.10	1259.36
17.98	156.22	294.46	432.68	570.94	709.20	847.46	985.72	1123.98	1262.24
20.86	159.10	297.34	435.56	573.82	712.08	850.34	988.60	1126.86	1265.12
23.74	161.98	300.22	438.44	576.70	714.96	853.22	991.48	1129.74	1268.00
26.62	164.87	303.10	441.33	579.58	717.84	856.10	994.36	1132.62	1270.88
29.50	167.75	305.98	444.21	582.46	720.72	858.98	997.24	1135.50	1273.76
32.38	170.63	308.86	447.09	585.35	722.60	861.86	1000.12	1138.38	1276.64
35.26	173.51	311.74	449.97	588.23	726.48	864.74	1003.00	1141.26	1279.52
38.14	176.39	314.62	452.85	591.11	729.37	867.62	1005.88	1144.14	1282.40
41.02	179.27	317.49	455.73	593.99	732.25	870.50	1008.76	1147.02	1285.28
43.90	182.15	320.37	458.61	596.87	735.13	873.39	1011.64	1149.90	1288.16
46.78	185.03	323.25	461.49	599.75	738.01	876.27	1014.52	1152.78	1291.04
49.66	187.91	326.13	464.37	602.63	740.89	879.15	1017.41	1155.66	1293.92
52.54	190.79	329.01	467.25	605.51	743.77	882.03	1020.29	1158.54	1296.80
55.42	193.67	331.89	470.13	608.39	746.65	884.91	1023.17	1161.43	1299.68
58.30	196.55	334.77	472.01	611.27	749.53	887.79	1026.05	1164.31	1302.56
61.18	199.43	337.65	473.89	614.15	752.41	890.67	1028.93	1167.19	1305.44
64.06	202.31	340.53	475.77	617.03	755.29	893.55	1031.81	1170.07	1308.32
66.94	205.19	343.41	481.65	619.91	758.17	896.43	1034.69	1172.95	1311.21
69.82	208.07	346.28	484.53	622.79	761.05	899.31	1037.57	1175.83	1314.09
72.70	210.95	349.16	487.41	625.67	763.93	902.19	1040.45	1178.71	1316.97
75.58	213.83	352.04	490.29	628.55	766.81	905.07	1043.33	1181.59	1319.85
78.46	216.71	354.92	493.17	631.43	769.69	907.95	1046.21	1184.47	1322.73
81.34	219.59	357.80	496.05	634.31	772.57	910.83	1049.09	1187.35	1325.61
84.22	222.47	360.68	498.93	637.19	775.45	913.71	1051.97	1190.23	1328.49
87.10	225.35	363.56	501.81	640.07	778.33	916.59	1054.85	1193.11	1331.37
89.98	228.23	366.44	504.69	642.95	781.21	919.47	1057.73	1195.99	1334.25
92.86	231.11	369.32	507.57	645.83	784.09	922.35	1060.61	1198.87	1337.13
95.74	233.99	372.20	510.45	648.71	786.97	925.23	1063.49	1201.75	1340.01
98.62	236.87	375.08	513.34	651.59	789.85	928.11	1066.37	1204.63	1342.89
101.50	239.75	377.96	516.22	654.47	792.73	930.99	1069.25	1207.51	1345.77
104.38	242.63	380.84	519.10	657.36	795.61	933.87	1072.13	1210.39	1348.65
107.26	245.51	383.72	521.98	660.24	798.49	936.75	1075.01	1213.27	1351.53
110.14	248.39	386.60	524.86	663.12	801.38	939.63	1077.89	1216.15	1354.41
113.02	251.27	389.48	527.74	666.00	804.26	942.51	1080.77	1219.03	1357.29
115.90	254.15	392.36	530.62	668.88	807.14	945.40	1083.65	1221.91	1360.17
118.78	257.03	395.24	533.50	671.76	810.02	948.28	1086.53	1224.79	1363.05
121.66	259.91	398.12	536.38	674.64	812.90	951.16	1089.42	1227.67	1365.93
124.54	262.79	401.00	539.26	677.52	815.78	954.04	1092.30	1230.55	1368.81
127.42	265.67	403.88	542.14	680.40	818.66	956.92	1095.18	1233.44	1371.69
130.30	268.55	406.76	545.02	683.28	821.54	959.80	1098.06	1236.32	1374.57
133.18	271.43	409.64	547.90	686.16	824.42	962.68	1100.94	1239.20	1377.46
136.06	274.31	412.52	550.78	689.04	827.30	965.56	1103.82	1242.08	1380.34
138.94	277.19	415.40	553.66	691.92	830.18	968.44	1106.70	1244.96	1383.22
141.82	280.07	418.28	556.54	694.80	833.06	971.32	1109.58	1247.84	1386.10

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE TABLES RECOMPUTED TO REFLECT NEW GAUGE LOCATIONS.

# BARREL CHOICE 1214

GAGE HEIGHT 14'-8 1/2"

	10 ft	11 ft	12 ft	13 ft	14 ft	15 ft	16 ft	17 ft	18 ft	19 ft
0	1388.98	1527.24	1665.50							
1/4	1391.86	1530.12	1668.38							
1/2	1394.74	1533.00	1671.26							
3/4	1397.62	1535.88	1674.14							
1	1400.50	1538.76	1677.02							
1 1/4	1403.38	1541.64	1679.90							
1 1/2	1406.26	1544.52	1682.78							
1 3/4	1409.14	1547.40	1685.66							
2	1412.02	1550.28	1688.54							
2 1/4	1414.90	1553.16	1691.42							
2 1/2	1417.78	1556.04	1694.30							
2 3/4	1420.66	1558.92	1697.18							
3	1423.54	1561.80	1700.06							
3 1/4	1426.42	1564.68	1702.94							
3 1/2	1429.30	1567.56	1705.82							
3 3/4	1432.18	1570.44	1708.70							
4	1435.06	1573.32	1711.58							
4 1/4	1437.94	1576.20	1714.46							
4 1/2	1440.82	1579.08	1717.34							
4 3/4	1443.70	1581.96	1720.22							
5	1446.58	1584.84	1723.10							
5 1/4	1449.47	1587.72	1725.98							
5 1/2	1452.35	1590.60	1728.86							
5 3/4	1455.23	1593.48	1731.74							
6	1458.11	1596.37	1734.62							
6 1/4	1460.99	1599.25	1737.50							
6 1/2	1463.87	1602.13	1740.38							
6 3/4	1466.75	1605.01	1743.26							
7	1469.63	1607.89	1746.14							
7 1/4	1472.51	1610.77	1749.02							
7 1/2	1475.39	1613.65	1751.90							
7 3/4	1478.27	1616.53	1754.78							
8	1481.15	1619.41	1757.66							
8 1/4	1484.03	1622.29	1760.54							
8 1/2	1486.91	1625.17	1763.42							
8 3/4	1489.79	1628.05	1766.30							
9	1492.67	1630.93	1769.18							
9 1/4	1495.55	1633.81	1772.06							
9 1/2	1498.43	1636.69	1774.94							
9 3/4	1501.31	1639.57	1777.82							
10	1504.19	1642.45	1780.70							
10 1/4	1507.07	1645.33	1783.58							
10 1/2	1509.95	1648.21	1786.46							
10 3/4	1512.83	1651.09	1789.34							
11	1515.71	1653.97	1792.22							
11 1/4	1518.59	1656.85	1795.10							
11 1/2	1521.48	1659.73	1797.98							
11 3/4	1524.36	1662.61	1800.86							

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

GAGE HEIGHT 14'-8 3/4"

	0	1	2	3	4	5	6	7	8	9
0	6.45	144.54	282.50	419.96	558.06	696.16	834.26	972.36	1110.46	1248.56
1	9.32	147.41	285.36	422.83	560.93	699.03	837.14	975.24	1113.34	1251.44
2	12.20	150.29	288.22	425.71	563.81	701.91	840.01	978.11	1116.21	1254.31
3	15.08	153.17	291.08	428.59	566.69	704.79	842.89	981.01	1119.09	1257.19
4	17.95	156.04	293.93	431.46	569.57	707.67	845.77	983.87	1121.97	1260.07
5	20.83	158.92	296.79	434.34	572.44	710.54	848.64	986.74	1124.85	1262.95
6	23.71	161.80	299.65	437.22	575.32	713.42	851.52	989.62	1127.72	1265.82
7	26.58	164.68	302.51	440.10	578.20	716.30	854.40	992.50	1130.60	1268.70
8	29.46	167.55	305.37	442.97	581.07	719.17	857.28	995.38	1133.48	1271.58
9	32.34	170.43	308.23	445.85	583.95	722.05	860.15	998.25	1136.35	1274.45
10	35.22	173.31	311.08	448.73	586.83	724.93	863.03	1001.13	1139.23	1277.33
11	38.09	176.18	313.94	451.60	589.70	727.81	865.91	1004.01	1142.11	1280.21
12	40.97	179.06	316.80	454.48	592.58	730.68	868.78	1006.88	1144.99	1283.09
13	43.85	181.94	319.66	457.36	595.46	733.56	871.66	1009.76	1147.86	1285.96
14	46.72	184.81	322.52	460.24	598.34	736.44	874.54	1012.64	1150.74	1288.84
15	49.60	187.69	325.38	463.11	601.21	739.31	877.41	1015.52	1153.62	1291.72
16	52.48	190.57	328.24	465.99	604.09	742.19	880.29	1018.39	1156.49	1294.59
17	55.35	193.44	331.10	468.87	606.97	745.07	883.17	1021.27	1159.37	1297.47
18	58.23	196.32	333.95	471.74	609.84	747.95	886.05	1024.15	1162.25	1300.35
19	61.11	199.20	336.81	474.62	612.72	750.82	888.92	1027.02	1165.12	1303.23
20	63.98	202.08	339.67	477.50	615.60	753.70	891.80	1029.90	1168.00	1306.10
21	66.86	204.95	342.53	480.37	618.48	756.58	894.68	1032.78	1170.88	1308.98
22	69.74	207.83	345.39	483.25	621.35	759.45	897.55	1035.66	1173.76	1311.86
23	72.61	210.71	348.25	486.13	624.23	762.33	900.43	1038.53	1176.63	1314.73
24	75.49	213.58	351.11	489.01	627.11	765.21	903.31	1041.41	1179.51	1317.61
25	78.37	216.46	353.97	491.88	629.98	768.08	906.19	1044.29	1182.39	1320.49
26	81.25	219.34	356.82	494.76	632.86	770.96	909.06	1047.16	1185.26	1323.37
27	84.12	222.21	359.68	497.64	635.74	773.84	911.94	1050.04	1188.14	1326.24
28	87.00	225.09	362.54	500.51	638.62	776.72	914.82	1052.92	1191.02	1329.12
29	89.88	227.97	365.40	503.39	641.49	779.59	917.69	1055.79	1193.90	1332.00
30	92.75	230.84	368.26	506.27	644.37	782.47	920.57	1058.67	1196.77	1334.87
31	95.63	233.72	371.12	509.15	647.25	785.35	923.45	1061.55	1199.65	1337.75
32	98.51	236.60	373.98	512.02	650.12	788.22	926.33	1064.43	1202.53	1340.63
33	101.38	239.48	376.84	514.90	653.00	791.10	929.20	1067.30	1205.40	1343.50
34	104.26	242.35	379.69	517.78	655.88	793.98	932.08	1070.18	1208.28	1346.38
35	107.14	245.23	382.55	520.65	658.76	796.86	934.96	1073.06	1211.16	1349.26
36	110.01	248.11	385.43	523.53	661.63	799.73	937.83	1075.93	1214.04	1352.14
37	112.89	250.98	388.31	526.41	664.51	802.61	940.71	1078.81	1216.91	1355.01
38	115.77	253.86	391.18	529.29	667.39	805.49	943.59	1081.69	1219.79	1357.89
39	118.65	256.74	394.06	532.16	670.26	808.36	946.47	1084.57	1222.67	1360.77
40	121.52	259.61	396.94	535.04	673.14	811.24	949.34	1087.44	1225.54	1363.64
41	124.40	262.49	399.82	537.92	676.02	814.12	952.22	1090.32	1228.42	1366.52
42	127.28	265.35	402.69	540.79	678.89	817.00	955.10	1093.20	1231.30	1369.40
43	130.15	268.21	405.57	543.67	681.77	819.87	957.97	1096.07	1234.18	1372.28
44	133.03	271.07	408.45	546.55	684.65	822.75	960.85	1098.95	1237.05	1375.15
45	135.91	273.92	411.32	549.43	687.53	825.63	963.73	1101.83	1239.93	1378.03
46	138.78	276.78	414.20	552.30	690.40	828.50	966.60	1104.71	1242.81	1380.91
47	141.66	279.64	417.08	555.18	693.28	831.38	969.48	1107.58	1245.68	1383.78

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS  
NOTE: GAUGE POINT LOCATED 7'-6" OFF CENTERLINE BULKHEAD AND 16'-8" FORWARD OF SET BULKHEAD  
TANK SHOULD BE CENTERED FROM THE ABOVE MARKED TANK ONLY NO CHANGES OR ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

GAGE HEIGHT 14'-8 3/4"

10	11	12	13	14	15	16	17	18	19
1386.66	1524.76	1662.86							
1389.54	1527.64	1665.74							
1392.42	1530.52	1668.62							
1395.29	1533.39	1671.49							
1398.17	1536.27	1674.37							
1401.05	1539.15	1677.25							
1403.92	1542.02	1680.13							
1406.80	1544.90	1683.00							
1409.68	1547.78	1685.88							
1412.56	1550.66	1688.76							
1415.43	1553.53	1691.63							
1418.31	1556.41	1694.51							
1421.19	1559.29	1697.39							
1424.06	1562.16	1700.27							
1426.94	1565.04	1703.14							
1429.82	1567.92	1706.02							
1432.70	1570.80	1708.90							
1435.57	1573.67	1711.77							
1438.45	1576.55	1714.65							
1441.33	1579.43	1717.53							
1444.20	1582.30	1720.41							
1447.08	1585.18	1723.29							
1449.96	1588.06	1726.17							
1452.83	1590.94	1729.05							
1455.71	1593.81	1731.93							
1458.59	1596.69	1734.81							
1461.47	1599.57	1737.69							
1464.34	1602.44	1740.57							
1467.22	1605.32	1743.45							
1470.10	1608.20	1746.33							
1472.97	1611.08	1749.21							
1475.85	1613.95	1752.09							
1478.73	1616.83	1754.97							
1481.61	1619.71	1757.85							
1484.48	1622.58	1760.73							
1487.36	1625.46	1763.61							
1490.24	1628.34	1766.49							
1493.11	1631.21	1769.37							
1495.99	1634.09	1772.25							
1498.87	1636.97	1775.13							
1501.75	1639.85	1778.01							
1504.62	1642.72	1780.89							
1507.50	1645.60	1783.77							
1510.38	1648.48	1786.65							
1513.25	1651.35	1789.53							
1516.13	1654.23	1792.41							
1519.01	1657.11	1795.29							
1521.89	1659.99	1798.17							

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS ESTIMATED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY



# BARREL 1B988

GAUGE HEIGHT 14"-8 5/8"

	0	1	2	3	4	5	6	7	8	9
0	6.45	144.69	282.93	421.14	559.39	697.64	835.89	974.14	1112.39	1250.64
1	9.32	147.57	285.81	424.02	562.27	700.52	838.77	977.02	1115.27	1253.52
2	12.21	150.45	288.69	426.90	565.15	703.40	841.65	979.90	1118.15	1256.40
3	15.09	153.33	291.57	429.78	568.03	706.28	844.53	982.78	1121.03	1259.28
4	17.97	156.21	294.44	432.66	570.91	709.16	847.41	985.66	1123.91	1262.16
5	20.85	159.09	297.32	435.54	573.79	712.04	850.29	988.54	1126.79	1265.04
6	23.73	161.97	300.20	438.42	576.67	714.92	853.17	991.42	1129.67	1267.92
7	26.61	164.85	303.08	441.30	579.55	717.80	856.05	994.30	1132.55	1270.80
8	29.49	167.73	305.96	444.18	582.43	720.68	858.93	997.18	1135.43	1273.68
9	32.37	170.61	308.84	447.06	585.31	723.56	861.81	1000.06	1138.31	1276.56
10	35.25	173.49	311.72	449.94	588.19	726.44	864.69	1002.94	1141.19	1279.44
11	38.13	176.37	314.59	452.82	591.07	729.32	867.57	1005.82	1144.07	1282.32
12	41.01	179.25	317.47	455.70	593.95	732.20	870.45	1008.70	1146.95	1285.20
13	43.89	182.13	320.35	458.58	596.83	735.08	873.33	1011.58	1149.83	1288.08
14	46.77	185.01	323.23	461.46	599.71	737.96	876.21	1014.46	1152.71	1290.96
15	49.65	187.89	326.11	464.34	602.59	740.84	879.09	1017.34	1155.59	1293.84
16	52.53	190.77	328.99	467.22	605.47	743.72	881.97	1020.22	1158.47	1296.72
17	55.41	193.65	331.87	470.10	608.35	746.60	884.85	1023.10	1161.35	1299.60
18	58.29	196.53	334.75	472.98	611.23	749.48	887.73	1025.98	1164.23	1302.48
19	61.17	199.41	337.63	475.86	614.11	752.36	890.61	1028.86	1167.11	1305.36
20	64.05	202.29	340.50	478.74	616.99	755.24	893.49	1031.74	1169.99	1308.24
21	66.93	205.17	343.38	481.62	619.87	758.12	896.37	1034.62	1172.87	1311.12
22	69.81	208.05	346.26	484.50	622.75	761.00	899.25	1037.50	1175.75	1314.00
23	72.69	210.93	349.14	487.38	625.63	763.88	902.13	1040.38	1178.63	1316.88
24	75.57	213.81	352.02	490.26	628.51	766.76	905.01	1043.26	1181.51	1319.76
25	78.45	216.69	354.90	493.14	631.39	769.64	907.89	1046.14	1184.39	1322.64
26	81.33	219.57	357.78	496.02	634.27	772.52	910.77	1049.02	1187.27	1325.52
27	84.21	222.45	360.66	498.90	637.15	775.40	913.65	1051.90	1190.15	1328.40
28	87.09	225.33	363.54	501.78	640.03	778.28	916.53	1054.78	1193.03	1331.28
29	89.97	228.21	366.42	504.66	642.91	781.16	919.41	1057.66	1195.91	1334.16
30	92.85	231.09	369.30	507.54	645.79	784.04	922.29	1060.54	1198.79	1337.04
31	95.73	233.97	372.18	510.43	648.67	786.92	925.17	1063.42	1201.67	1339.92
32	98.61	236.85	375.06	513.31	651.55	789.80	928.05	1066.30	1204.55	1342.80
33	101.49	239.73	377.94	516.19	654.44	792.68	930.93	1069.18	1207.43	1345.68
34	104.37	242.61	380.82	519.07	657.32	795.56	933.81	1072.06	1210.31	1348.56
35	107.25	245.49	383.70	521.95	660.20	798.45	936.69	1074.94	1213.19	1351.44
36	110.13	248.37	386.58	524.83	663.08	801.33	939.57	1077.82	1216.07	1354.32
37	113.01	251.25	389.46	527.71	665.96	804.21	942.46	1080.70	1218.95	1357.20
38	115.89	254.13	392.34	530.59	668.84	807.09	945.34	1083.58	1221.83	1360.08
39	118.77	257.01	395.22	533.47	671.72	809.97	948.22	1086.47	1224.71	1362.96
40	121.65	259.89	398.10	536.35	674.60	812.85	951.10	1089.35	1227.59	1365.84
41	124.53	262.77	400.98	539.23	677.48	815.73	953.98	1092.23	1230.48	1368.72
42	127.41	265.65	403.86	542.11	680.36	818.61	956.86	1095.11	1233.36	1371.60
43	130.29	268.53	406.74	544.99	683.24	821.49	959.74	1097.99	1236.24	1374.49
44	133.17	271.41	409.62	547.87	686.12	824.37	962.62	1100.87	1239.12	1377.37
45	136.05	274.29	412.50	550.75	689.00	827.25	965.50	1103.75	1242.00	1380.25
46	138.93	277.17	415.38	553.63	691.88	830.13	968.38	1106.63	1244.88	1383.13
47	141.81	280.05	418.26	556.51	694.76	833.01	971.26	1109.51	1247.76	1386.01

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS  
NOTE: GAUGE TABLES RECOMPUTED TO REFLECT NEW GAUGE LOCATIONS.  
TANK START IN CENTERED FROM THE ABOVE MARKED TANK ONLY. NO CORRECTION FOR  
ANY CURVATURE OF TANK WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

GAGE HEIGHT 14'-8 5/8"

	10	11	12	13	14	15	16	17	18	19
0	1388.89	1526.22	1661.07							
1/4	1391.77	1529.05	1663.86							
1/2	1394.65	1531.88	1666.65							
3/4	1397.53	1534.71	1669.42							
1	1400.41	1537.54	1672.19							
1/4	1403.29	1540.37	1674.96							
1/2	1406.17	1543.20	1677.73							
3/4	1409.05	1546.03	1680.50							
1	1411.93	1548.86	1683.27							
1/4	1414.80	1551.69	1686.04							
1/2	1417.67	1554.52	1688.81							
3/4	1420.54	1557.35	1691.58							
1	1423.41	1560.18	1694.35							
1/4	1426.28	1563.01	1697.12							
1/2	1429.15	1565.84	1699.89							
3/4	1432.02	1568.65	1702.66							
1	1434.89	1571.46	1705.43							
1/4	1437.76	1574.27	1708.20							
1/2	1440.63	1577.08	1710.97							
3/4	1443.50	1579.89	1713.74							
1	1446.37	1582.70	1716.51							
1/4	1449.24	1585.51	1719.28							
1/2	1452.11	1588.32	1722.05							
3/4	1454.98	1591.13	1724.82							
1	1457.85	1593.94	1727.59							
1/4	1460.72	1596.75	1730.36							
1/2	1463.59	1599.56	1733.13							
3/4	1466.44	1602.37	1735.90							
1	1469.29	1605.18	1738.67							
1/4	1472.14	1607.99	1741.44							
1/2	1474.99	1610.80	1744.21							
3/4	1477.84	1613.61	1746.98							
1	1480.69	1616.42	1749.75							
1/4	1483.54	1619.23	1752.52							
1/2	1486.39	1622.04	1755.29							
3/4	1489.24	1624.85	1758.06							
1	1492.09	1627.66	1760.83							
1/4	1494.94	1630.47	1763.60							
1/2	1497.79	1633.28	1766.37							
3/4	1500.64	1636.09	1769.14							
1	1503.49	1638.90	1771.91							
1/4	1506.34	1641.71	1774.68							
1/2	1509.19	1644.52	1777.45							
3/4	1512.04	1647.33	1780.22							
1	1514.89	1650.14	1782.99							
1/4	1517.73	1652.95	1785.76							
1/2	1520.56	1655.76	1788.53							
3/4	1523.39	1658.57	1791.30							

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OR  
 ANY OTHER CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

**BARREL** 1B988

GAGE HEIGHT 14'-8 1/2"

0	1	2	3	4	5	6	7	8	9
6.46	144.79	283.10	421.35	559.69	698.03	836.37	974.71	1113.06	1251.40
9.34	147.67	285.98	424.23	562.57	700.91	839.26	977.60	1115.94	1254.28
12.22	150.55	288.86	427.12	565.46	703.80	842.14	980.48	1118.82	1257.16
15.10	153.43	291.74	430.00	568.34	706.68	845.02	983.36	1121.70	1260.04
17.98	156.31	294.62	432.88	571.22	709.56	847.90	986.24	1124.58	1262.92
20.87	159.20	297.50	435.76	574.10	712.44	850.78	989.12	1127.47	1265.81
23.75	162.08	300.38	438.64	576.98	715.32	853.67	992.01	1130.35	1268.69
26.63	164.96	303.26	441.52	579.87	718.21	856.55	994.89	1133.23	1271.57
29.51	167.84	306.14	444.41	582.75	721.09	859.43	997.77	1136.11	1274.45
32.39	170.72	309.02	447.29	585.63	723.97	862.31	1000.65	1138.99	1277.33
35.27	173.61	311.90	450.17	588.51	726.85	865.19	1003.54	1141.88	1280.22
38.16	176.49	314.78	453.05	591.40	729.74	868.08	1006.42	1144.76	1283.10
41.04	179.37	317.66	455.94	594.28	732.62	870.96	1009.30	1147.64	1285.98
43.92	182.25	320.54	458.82	597.16	735.50	873.84	1012.18	1150.52	1288.86
46.80	185.13	323.42	461.70	600.04	738.38	876.72	1015.06	1153.40	1291.75
49.68	188.02	326.30	464.58	602.92	741.26	879.61	1017.95	1156.29	1294.63
52.57	190.90	329.18	467.46	605.81	744.15	882.49	1020.83	1159.17	1297.51
55.45	193.78	332.06	470.35	608.69	747.03	885.37	1023.71	1162.05	1300.39
58.33	196.66	334.93	473.23	611.57	749.91	888.25	1026.59	1164.93	1303.27
61.21	199.54	337.81	476.11	614.45	752.79	891.13	1029.47	1167.82	1306.16
64.09	202.43	340.69	478.99	617.33	755.67	894.02	1032.35	1170.70	1309.04
66.98	205.31	343.57	481.88	620.22	758.56	896.90	1035.24	1173.58	1311.92
69.86	208.19	346.45	484.76	623.10	761.44	899.78	1038.12	1176.46	1314.80
72.74	211.07	349.33	487.64	625.98	764.32	902.66	1041.00	1179.34	1317.68
75.62	213.95	352.21	490.52	628.86	767.20	905.54	1043.88	1182.23	1320.57
78.50	216.83	355.09	493.40	631.74	770.09	908.43	1046.77	1185.11	1323.45
81.39	219.72	357.97	496.29	634.63	772.97	911.31	1049.65	1187.99	1326.33
84.27	222.60	360.85	499.17	637.51	775.85	914.19	1052.53	1190.87	1329.21
87.15	225.48	363.72	502.05	640.39	778.73	917.07	1055.41	1193.75	1332.09
90.03	228.36	366.60	504.93	643.27	781.61	919.95	1058.30	1196.64	1334.98
92.91	231.24	369.48	507.81	646.16	784.50	922.84	1061.18	1199.52	1337.86
95.79	234.13	372.36	510.70	649.04	787.38	925.72	1064.06	1202.40	1340.74
98.68	237.01	375.24	513.58	651.92	790.26	928.60	1066.94	1205.28	1343.62
101.56	239.89	378.12	516.46	654.80	793.14	931.48	1069.82	1208.16	1346.51
104.44	242.77	381.00	519.34	657.68	796.02	934.37	1072.71	1211.05	1349.39
107.32	245.65	383.88	522.22	660.57	798.91	937.25	1075.59	1213.93	1352.27
110.20	248.54	386.77	525.11	663.45	801.79	940.13	1078.47	1216.81	1355.15
113.09	251.42	389.65	527.99	666.33	804.67	943.01	1081.35	1219.69	1358.03
115.97	254.30	392.53	530.87	669.21	807.55	945.89	1084.23	1222.58	1360.92
118.85	257.18	395.41	533.75	672.09	810.43	948.78	1087.12	1225.46	1363.80
121.73	260.06	398.29	536.64	674.98	813.32	951.66	1090.00	1228.34	1366.68
124.61	262.95	401.18	539.52	677.86	816.20	954.54	1092.88	1231.22	1369.56
127.50	265.82	404.06	542.40	680.74	819.08	957.42	1095.76	1234.10	1372.44
130.38	268.70	406.94	545.28	683.62	821.96	960.30	1098.64	1236.99	1375.33
133.26	271.58	409.82	548.16	686.50	824.85	963.19	1101.53	1239.87	1378.21
136.14	274.46	412.70	551.05	689.39	827.73	966.07	1104.41	1242.75	1381.09
139.02	277.34	415.59	553.93	692.27	830.61	968.95	1107.29	1245.63	1383.97
141.91	280.22	418.47	556.81	695.15	833.49	971.83	1110.17	1248.51	1386.85

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

NOTE: GAUGE POINT LOCATED 7'-0" OFF CENTERLINE BULKHEAD AND 17'-3" FORWARD OF AFT. BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE MAPPED TANK ONLY AND ENCLOSED BY

ANY OTHER GAGE OR MARK WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

E. W. BAYBROT & CO. INC.

NOTE: THIS BARGE STRAPPED FOR CHOTIN TRANSPORTATION, BATON, ROUGE, LA.

	10 ft.	11 ft.	12 ft.	13 ft.	14 ft.	15 ft.	16 ft.	17 ft.	18 ft.	19 ft.
0	1389.74	1527.16	1662.09							
1/4	1392.62	1529.99	1664.88							
1/2	1395.50	1532.82	1667.68							
3/4	1398.38	1535.65	1670.45							
1	1401.27	1538.49	1673.22							
1 1/4	1404.15	1541.32	1675.98							
1 1/2	1407.03	1544.15	1678.76							
1 3/4	1409.91	1546.98	1681.53							
2	1412.79	1549.81	1684.31							
2 1/4	1415.67	1552.65	1687.08							
2 1/2	1418.54	1555.48	1689.85							
2 3/4	1421.41	1558.31	1692.62							
3	1424.28	1561.14	1695.39							
3 1/4	1427.15	1563.97	1698.17							
3 1/2	1430.03	1566.81	1700.94							
3 3/4	1432.90	1569.62	1703.71							
4	1435.77	1572.43	1706.48							
4 1/4	1438.64	1575.24	1709.25							
4 1/2	1441.51	1578.05	1712.03							
4 3/4	1444.39	1580.87	1714.80							
5	1447.26	1583.68	1717.57							
5 1/4	1450.12	1586.49	1720.34							
5 1/2	1452.99	1589.30	1723.11							
5 3/4	1455.88	1592.11	1725.88							
6	1458.75	1594.93	1728.65							
6 1/4	1461.62	1597.74	1731.42							
6 1/2	1464.49	1600.55	1734.19							
6 3/4	1467.34	1603.36	1736.96							
7	1470.20	1606.17	1739.73							
7 1/4	1473.05	1608.99	1742.50							
7 1/2	1475.90	1611.80	1745.27							
7 3/4	1478.75	1614.61	1748.04							
8	1481.60	1617.42	1750.81							
8 1/4	1484.46	1620.21	1753.58							
8 1/2	1487.31	1623.01	1756.35							
8 3/4	1490.16	1625.80	1759.12							
9	1493.01	1628.59	1761.89							
9 1/4	1495.86	1631.38	1764.66							
9 1/2	1498.72	1634.17	1767.43							
9 3/4	1501.57	1636.96	1770.20							
10	1504.42	1639.76	1772.97							
10 1/4	1507.27	1642.55	1775.74							
10 1/2	1510.13	1645.34	1778.51							
10 3/4	1512.98	1648.13	1781.28							
11	1515.83	1650.92	1784.05							
11 1/4	1518.66	1653.72	1786.82							
11 1/2	1521.49	1656.51	1789.59							
11 3/4	1524.33	1659.30	1792.36							

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS  
 THIS QUANT IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY NO CHANGES OR  
 NEW GAUGE HEIGHTS AND NEW GAUGE LOCATIONS ESTABLISHED BY BL-BC 3/4/83.  
 ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY