

E. W. SAYBOLT & CO., INC.
JOE. H. MCELREY JR. & W. H. WEAVER JR.
APPROVED AND LICENSED BY
THE NEW YORK PRODUCE EXCHANGE
INSPECTORS OF PETROLEUM

BARGE NUMBER IB921
HULL 2913

TANK GAGE TABLE
NO. 1
GAGE HEIGHT 15'-1 3/4"

INNAGE TABLE

Table with 12 columns (0-11) and 20 rows (0-19). Each cell contains a numerical value representing gage height in feet and inches. The values are arranged in a grid format with fractional inches indicated by a slash and a number.

CAPACITIES GIVEN IN U. S. GALLONS

NOTE: GAGES TAKEN AT EXPANSION DOME CENTERED PORT TO STARBOARD AND 5'-0" FROM FORWARD BULKHEAD. TABLE COMPUTED FROM STRAPPINGS OF BARGE OEL-917 (HULL 2909) ONLY.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

Strapped By: OPS & LV
Computed by: WLS
Checked by: DRG
AUGUST
DATE: SEPT.
1971

E. W. SAYBOLT & CO., INC.



BARGE NUMBER IB921

HULL 2913

TANK GAGE TABLE

NO. 1

INNAGE TABLE

GAGE HEIGHT 18'-1 3/4"

IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT
0	12	0	13	0	14																						
1/4	12 4	1/4	13 3 1/4	1/4	14 3 1/4																						
1/2	12 8	1/2	13 6 1/2	1/2	14 6 1/2																						
3/4	12 12	3/4	13 9 3/4	3/4	14 9 3/4																						
1	12 16	1	14 0	1	15 0																						
1 1/4	12 20	1 1/4	14 3 1/4	1 1/4	15 3 1/4																						
1 1/2	12 24	1 1/2	14 6 1/2	1 1/2	15 6 1/2																						
1 3/4	12 28	1 3/4	14 9 3/4	1 3/4	15 9 3/4																						
2	12 32	2	15 0	2	16 0																						
2 1/4	12 36	2 1/4	15 3 1/4	2 1/4	16 3 1/4																						
2 1/2	12 40	2 1/2	15 6 1/2	2 1/2	16 6 1/2																						
2 3/4	12 44	2 3/4	15 9 3/4	2 3/4	16 9 3/4																						
3	12 48	3	16 0	3	17 0																						
3 1/4	12 52	3 1/4	16 3 1/4	3 1/4	17 3 1/4																						
3 1/2	12 56	3 1/2	16 6 1/2	3 1/2	17 6 1/2																						
3 3/4	12 60	3 3/4	16 9 3/4	3 3/4	17 9 3/4																						
4	12 64	4	17 0	4	18 0																						
4 1/4	12 68	4 1/4	17 3 1/4	4 1/4	18 3 1/4																						
4 1/2	12 72	4 1/2	17 6 1/2	4 1/2	18 6 1/2																						
4 3/4	12 76	4 3/4	17 9 3/4	4 3/4	18 9 3/4																						
5	12 80	5	18 0	5	19 0																						
5 1/4	12 84	5 1/4	18 3 1/4	5 1/4	19 3 1/4																						
5 1/2	12 88	5 1/2	18 6 1/2	5 1/2	19 6 1/2																						
5 3/4	12 92	5 3/4	18 9 3/4	5 3/4	19 9 3/4																						
6	12 96	6	19 0	6	20 0																						
6 1/4	12 100	6 1/4	19 3 1/4	6 1/4	20 3 1/4																						
6 1/2	12 104	6 1/2	19 6 1/2	6 1/2	20 6 1/2																						
6 3/4	12 108	6 3/4	19 9 3/4	6 3/4	20 9 3/4																						
7	12 112	7	20 0	7	21 0																						
7 1/4	12 116	7 1/4	20 3 1/4	7 1/4	21 3 1/4																						
7 1/2	12 120	7 1/2	20 6 1/2	7 1/2	21 6 1/2																						
7 3/4	12 124	7 3/4	20 9 3/4	7 3/4	21 9 3/4																						
8	12 128	8	21 0	8	22 0																						
8 1/4	12 132	8 1/4	21 3 1/4	8 1/4	22 3 1/4																						
8 1/2	12 136	8 1/2	21 6 1/2	8 1/2	22 6 1/2																						
8 3/4	12 140	8 3/4	21 9 3/4	8 3/4	22 9 3/4																						
9	12 144	9	22 0	9	23 0																						
9 1/4	12 148	9 1/4	22 3 1/4	9 1/4	23 3 1/4																						
9 1/2	12 152	9 1/2	22 6 1/2	9 1/2	23 6 1/2																						
9 3/4	12 156	9 3/4	22 9 3/4	9 3/4	23 9 3/4																						
10	12 160	10	23 0	10	24 0																						
10 1/4	12 164	10 1/4	23 3 1/4	10 1/4	24 3 1/4																						
10 1/2	12 168	10 1/2	23 6 1/2	10 1/2	24 6 1/2																						
10 3/4	12 172	10 3/4	23 9 3/4	10 3/4	24 9 3/4																						
11	12 176	11	24 0	11	25 0																						
11 1/4	12 180	11 1/4	24 3 1/4	11 1/4	25 3 1/4																						
11 1/2	12 184	11 1/2	24 6 1/2	11 1/2	25 6 1/2																						
11 3/4	12 188	11 3/4	24 9 3/4	11 3/4	25 9 3/4																						

CAPACITIES GIVEN IN U. S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

Strapped By: OPS & LV AUGUST
 Computer by: WLS DATE SEPT.
 Checked by: DRJ 1971



E. W. SAYBOLT & CO., INC.

BARGE NUMBER IB921
HULL 2913

TANK GAGE TABLE

INNAGE TABLE

NO. 2

GAGE HEIGHT 15'-1 3/8"

E. W. SAYBOLT & CO., INC.
J. W. McFARLAND, JR. and J. W. McFARLAND, JR.
REGISTERED PROFESSIONAL ENGINEERS
INSPECTORS OF PETROLEUM

0 FT		1 FT		2 FT		3 FT		4 FT		5 FT		6 FT		7 FT		8 FT		9 FT		10 FT		11 FT	
0	5	10	13.32	21	6.93	33	2.53	44	2.29	56	4.03	67	9.77	79	5.50	91	11.24	102	6.98	114	2.72	125	8.45
0	4.5	10	3.73	21	9.34	33	4.96	44	5.70	56	6.44	67	2.18	79	7.91	91	13.63	102	9.39	114	5.13	125	6.87
0	8.6	10	6.14	22	1.74	33	7.38	44	5.11	56	8.85	68	4.59	80	7.03	91	16.06	103	1.80	114	7.54	126	3.28
1	1.26	11	10.96	22	4.13	33	9.79	44	5.52	57	1.26	68	7.00	80	5.57	91	18.47	103	4.21	114	9.95	126	5.69
1	1.66	11	10.96	22	6.55	34	2.20	45	7.94	57	3.67	68	9.41	80	5.15	92	20.89	103	6.62	115	2.36	127	8.10
1	2.86	11	3.37	22	8.93	34	4.61	46	0.35	57	6.08	69	1.62	80	7.56	92	33.30	103	9.03	115	4.77	127	0.51
1	4.07	11	5.78	23	1.36	34	7.02	46	2.76	57	8.50	69	4.23	80	9.97	92	25.71	104	1.45	115	7.18	127	2.92
2	5.28	11	8.20	23	3.76	34	9.43	46	5.17	58	0.91	69	6.64	81	2.38	92	28.12	104	3.66	115	9.59	127	5.33
2	6.48	12	10.61	23	6.16	35	1.64	46	7.58	58	3.32	69	9.06	81	4.79	93	30.53	104	6.27	116	2.01	127	7.74
2	8.64	12	3.02	23	8.57	35	4.25	46	9.99	58	5.73	70	1.47	81	7.20	93	22.94	104	8.68	116	4.42	128	0.15
3	10.50	12	5.43	24	0.97	35	6.67	47	2.40	58	8.14	70	3.88	81	9.62	93	35.35	105	1.09	116	6.83	128	2.57
3	1.25	12	7.84	24	3.38	35	9.08	47	4.81	59	0.55	70	6.29	82	2.03	93	37.76	105	3.50	116	9.24	128	4.98
3	1.45	13	10.25	24	5.78	36	1.49	47	7.23	59	3.55	70	8.70	82	4.44	94	40.18	105	5.91	117	1.65	128	7.39
3	1.69	13	2.66	24	8.18	36	3.90	47	9.64	59	5.99	71	1.11	82	6.85	94	22.59	105	8.32	117	4.06	128	9.80
3	1.93	13	5.07	25	0.59	36	6.31	48	2.05	59	7.79	71	3.52	82	9.26	94	45.00	106	0.74	117	6.47	129	2.21
4	2.17	13	7.48	25	2.99	36	8.72	48	4.46	60	0.20	71	5.93	82	3.32	94	47.41	106	3.15	117	8.88	129	4.62
4	2.41	13	9.90	25	5.39	37	1.15	48	6.87	60	2.61	71	8.35	83	4.64	94	49.82	106	5.56	118	1.30	129	7.03
4	2.65	14	2.31	25	7.81	37	3.54	48	9.28	60	5.02	72	2.07	83	6.49	95	22.23	106	7.97	118	3.71	129	9.44
4	2.89	14	4.72	25	10.22	37	5.95	49	1.69	60	7.43	72	3.17	83	8.91	95	24.64	107	0.38	118	6.12	130	1.86
5	3.14	14	7.13	26	2.63	37	8.37	49	4.10	60	9.84	72	5.58	84	3.32	95	27.05	107	2.79	118	8.53	130	4.27
5	3.38	14	9.54	26	5.04	38	0.78	49	6.51	61	2.25	72	7.99	84	3.73	95	29.47	107	5.20	119	0.94	130	6.68
5	3.62	15	1.95	26	7.45	38	3.19	49	8.93	61	4.66	73	0.40	84	6.15	96	1.88	107	7.61	119	3.35	130	9.09
5	3.86	15	4.36	26	9.86	38	5.60	50	1.34	61	7.07	73	2.81	84	8.55	96	4.29	108	0.03	119	5.76	131	1.50
5	4.10	15	6.77	27	2.27	38	8.01	50	3.75	61	9.49	73	5.22	85	0.96	96	6.70	108	2.44	119	8.17	131	3.91
6	4.35	15	9.18	27	4.68	39	0.42	50	6.16	62	1.90	73	7.63	85	3.37	96	9.11	108	4.85	120	0.59	131	6.32
6	4.59	16	1.60	27	7.10	39	2.83	50	8.57	62	4.31	74	0.05	85	5.78	97	1.52	108	7.26	120	3.00	131	8.73
6	4.83	16	4.01	27	9.51	39	5.24	51	0.98	62	6.72	74	2.46	85	8.19	97	3.93	108	9.67	120	5.41	132	1.15
7	5.08	16	6.42	28	1.92	39	7.66	51	3.39	62	9.13	74	4.87	86	0.61	97	6.34	109	2.08	120	7.82	132	3.56
7	5.32	16	8.83	28	4.33	40	0.07	51	5.80	63	1.54	74	7.28	86	3.02	97	8.75	109	4.49	121	1.02	132	5.97
7	5.56	17	1.24	28	6.74	40	2.48	51	8.22	63	3.95	74	9.69	86	5.43	98	1.17	109	6.90	121	2.64	132	8.38
7	5.80	17	3.65	28	9.15	40	4.89	52	0.66	63	6.36	75	2.10	86	7.84	98	3.58	109	9.31	121	5.05	133	0.79
8	6.04	17	6.06	29	1.56	40	7.30	52	3.04	63	8.78	75	4.51	87	0.25	98	5.99	110	1.73	121	7.46	133	3.20
8	6.28	17	8.47	29	3.97	40	9.71	52	5.45	64	1.19	75	6.92	87	2.66	98	8.40	110	4.14	121	9.87	133	5.61
8	6.52	18	0.88	29	6.39	41	2.12	52	7.86	64	3.60	75	9.34	87	5.07	99	0.81	110	6.55	122	2.29	133	8.02
8	6.76	18	3.28	29	8.80	41	4.53	53	0.27	64	6.01	76	1.75	87	7.46	99	3.22	110	8.96	122	4.70	134	0.43
8	7.00	18	5.68	30	1.21	41	6.95	53	2.68	64	8.42	76	4.16	87	9.90	99	5.63	111	1.37	122	7.11	134	2.85
9	7.24	18	8.09	30	3.62	41	9.36	53	5.09	65	0.83	76	6.57	88	2.31	99	8.04	111	3.78	122	9.52	134	5.26
9	7.48	19	0.49	30	6.03	42	1.77	53	7.51	65	3.24	76	8.98	88	4.72	100	0.46	111	6.19	122	1.93	134	7.67
9	7.72	19	2.90	30	8.44	42	4.18	53	9.92	65	5.65	77	1.39	88	7.13	100	2.87	111	8.60	122	4.34	135	0.08
9	7.96	19	5.30	30	10.85	42	6.59	54	2.33	65	8.07	77	3.80	88	9.54	100	5.28	112	1.02	122	3.67	135	2.49
10	8.20	19	7.70	31	2.26	42	9.00	54	4.74	66	0.48	77	6.21	89	1.95	100	7.69	112	3.43	122	6.16	135	4.90
10	8.44	20	0.11	31	4.67	43	2.41	54	7.15	66	2.89	77	8.63	89	4.36	101	0.10	112	5.84	122	1.58	135	7.31
10	8.68	20	2.51	31	7.09	43	4.82	54	9.56	66	5.30	78	1.04	89	6.77	101	2.51	112	8.25	122	3.99	135	9.72
10	8.92	20	4.91	32	0.50	43	7.23	54	9.97	66	7.71	78	3.45	89	9.19	101	4.92	112	6.66	122	6.40	136	2.14
11	9.16	20	7.32	32	2.91	43	9.65	55	3.38	67	0.12	78	5.86	90	1.60	101	7.33	112	3.07	122	8.81	136	4.55
11	9.40	20	9.72	32	5.32	44	1.06	55	5.79	67	2.53	78	8.27	90	4.01	101	9.75	112	5.48	122	1.22	136	6.96
11	9.64	21	2.13	32	7.73	44	3.47	55	8.21	67	4.94	79	0.68	90	6.42	102	2.16	112	7.89	122	3.63	136	9.37
11	9.88	21	4.53	33	0.14	44	5.68	56	1.62	67	7.35	79	3.09	90	8.83	102	4.57	112	10.31	122	6.04	137	1.78

NOTE: GAGES TAKEN AT EXPANSION DOME CENTERED PORT TO STARBOARD AND 1'-3" FROM FORWARD BULKHEAD. TABLE COMPUTED FROM STRAPPINGS OF BARGE OHL-91* (HULL 2909) ONLY.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

CAPACITIES GIVEN IN U. S. GALLONS
Strapped By: OPS & LV
Computed by: WLS
Checked by: DMC
AUGUST
DATE SEPT.
1971



E. W. SAYBOLT & CO., INC.

TANK GAGE TABLE

NO. 3

GAGE HEIGHT 15'-1 3/4"

BARGE NUMBER IB921
HULL 2913

INNAOS TABLE

E. W. SAYBOLT & CO., INC.
JES. H. MCAREE JES. H. MCAREE, JR.
APPROVED AND LICENSED BY
THE NEW YORK PRODUCE EXCHANGE
INSPECTORS OF PETROLEUM

IN	0 FT IN	1 FT IN	2 FT IN	3 FT IN	4 FT IN	5 FT IN	6 FT IN	7 FT IN	8 FT IN	9 FT IN	10 FT IN	11 FT IN
0	0	0	0	0	0	0	0	0	0	0	0	0
1	42	92	198	304	410	516	622	728	835	939	1045	1151
2	79	122	200	308	414	520	626	732	839	944	1050	1156
3	116	153	207	311	416	522	628	734	841	946	1052	1158
4	152	185	209	313	418	524	630	736	843	948	1054	1160
5	189	211	211	315	420	526	632	738	845	950	1056	1162
6	226	233	213	317	422	528	634	740	847	952	1058	1164
7	263	251	215	319	424	530	636	742	849	954	1060	1166
8	300	269	217	321	426	532	638	744	851	956	1062	1168
9	337	287	219	323	428	534	640	746	853	958	1064	1170
10	374	305	221	325	430	536	642	748	855	960	1066	1172
11	411	323	223	327	432	538	644	750	857	962	1068	1174
12	448	341	225	329	434	540	646	752	859	964	1070	1176
13	485	359	227	331	436	542	648	754	861	966	1072	1178
14	522	377	229	333	438	544	650	756	863	968	1074	1180
15	559	395	231	335	440	546	652	758	865	970	1076	1182
16	596	413	233	337	442	548	654	760	867	972	1078	1184
17	633	431	235	339	444	550	656	762	869	974	1080	1186
18	670	449	237	341	446	552	658	764	871	976	1082	1188
19	707	467	239	343	448	554	660	766	873	978	1084	1190
20	744	485	241	345	450	556	662	768	875	980	1086	1192
21	781	503	243	347	452	558	664	770	877	982	1088	1194
22	818	521	245	349	454	560	666	772	879	984	1090	1196
23	855	539	247	351	456	562	668	774	881	986	1092	1198
24	892	557	249	353	458	564	670	776	883	988	1094	1200
25	929	575	251	355	460	566	672	778	885	990	1096	1202
26	966	593	253	357	462	568	674	780	887	992	1098	1204
27	1003	611	255	359	464	570	676	782	889	994	1100	1206
28	1040	629	257	361	466	572	678	784	891	996	1102	1208
29	1077	647	259	363	468	574	680	786	893	998	1104	1210
30	1114	665	261	365	470	576	682	788	895	1000	1106	1212
31	1151	683	263	367	472	578	684	790	897	1002	1108	1214
32	1188	701	265	369	474	580	686	792	899	1004	1110	1216
33	1225	719	267	371	476	582	688	794	901	1006	1112	1218
34	1262	737	269	373	478	584	690	796	903	1008	1114	1220
35	1299	755	271	375	480	586	692	798	905	1010	1116	1222
36	1336	773	273	377	482	588	694	800	907	1012	1118	1224
37	1373	791	275	379	484	590	696	802	909	1014	1120	1226
38	1410	809	277	381	486	592	698	804	911	1016	1122	1228
39	1447	827	279	383	488	594	700	806	913	1018	1124	1230
40	1484	845	281	385	490	596	702	808	915	1020	1126	1232
41	1521	863	283	387	492	598	704	810	917	1022	1128	1234
42	1558	881	285	389	494	600	706	812	919	1024	1130	1236
43	1595	899	287	391	496	602	708	814	921	1026	1132	1238
44	1632	917	289	393	498	604	710	816	923	1028	1134	1240
45	1669	935	291	395	500	606	712	818	925	1030	1136	1242
46	1706	953	293	397	502	608	714	820	927	1032	1138	1244
47	1743	971	295	399	504	610	716	822	929	1034	1140	1246
48	1780	989	297	401	506	612	718	824	931	1036	1142	1248
49	1817	1007	299	403	508	614	720	826	933	1038	1144	1250
50	1854	1025	301	405	510	616	722	828	935	1040	1146	1252
51	1891	1043	303	407	512	618	724	830	937	1042	1148	1254
52	1928	1061	305	409	514	620	726	832	939	1044	1150	1256
53	1965	1079	307	411	516	622	728	834	941	1046	1152	1258
54	2002	1097	309	413	518	624	730	836	943	1048	1154	1260
55	2039	1115	311	415	520	626	732	838	945	1050	1156	1262
56	2076	1133	313	417	522	628	734	840	947	1052	1158	1264
57	2113	1151	315	419	524	630	736	842	949	1054	1160	1266
58	2150	1169	317	421	526	632	738	844	951	1056	1162	1268
59	2187	1187	319	423	528	634	740	846	953	1058	1164	1270
60	2224	1205	321	425	530	636	742	848	955	1060	1166	1272
61	2261	1223	323	427	532	638	744	850	957	1062	1168	1274
62	2298	1241	325	429	534	640	746	852	959	1064	1170	1276
63	2335	1259	327	431	536	642	748	854	961	1066	1172	1278
64	2372	1277	329	433	538	644	750	856	963	1068	1174	1280
65	2409	1295	331	435	540	646	752	858	965	1070	1176	1282
66	2446	1313	333	437	542	648	754	860	967	1072	1178	1284
67	2483	1331	335	439	544	650	756	862	969	1074	1180	1286
68	2520	1349	337	441	546	652	758	864	971	1076	1182	1288
69	2557	1367	339	443	548	654	760	866	973	1078	1184	1290
70	2594	1385	341	445	550	656	762	868	975	1080	1186	1292
71	2631	1403	343	447	552	658	764	870	977	1082	1188	1294
72	2668	1421	345	449	554	660	766	872	979	1084	1190	1296
73	2705	1439	347	451	556	662	768	874	981	1086	1192	1298
74	2742	1457	349	453	558	664	770	876	983	1088	1194	1300
75	2779	1475	351	455	560	666	772	878	985	1090	1196	1302
76	2816	1493	353	457	562	668	774	880	987	1092	1198	1304
77	2853	1511	355	459	564	670	776	882	989	1094	1200	1306
78	2890	1529	357	461	566	672	778	884	991	1096	1202	1308
79	2927	1547	359	463	568	674	780	886	993	1098	1204	1310
80	2964	1565	361	465	570	676	782	888	995	1100	1206	1312
81	3001	1583	363	467	572	678	784	890	997	1102	1208	1314
82	3038	1601	365	469	574	680	786	892	999	1104	1210	1316
83	3075	1619	367	471	576	682	788	894	1001	1106	1212	1318
84	3112	1637	369	473	578	684	790	896	1003	1108	1214	1320
85	3149	1655	371	475	580	686	792	898	1005	1110	1216	1322
86	3186	1673	373	477	582	688	794	900	1007	1112	1218	1324
87	3223	1691	375	479	584	690	796	902	1009	1114	1220	1326
88	3260	1709	377	481	586	692	798	904	1011	1116	1222	1328
89	3297	1727	379	483	588	694	800	906	1013	1118	1224	1330
90	3334	1745	381	485	590	696	802	908	1015	1120	1226	1332
91	3371	1763	383	487	592	698	804	910	1017	1122	1228	1334
92	3408	1781	385	489	594	700	806	912	1019	1124	1230	1336
93	3445	1799	387	491	596	702	808	914	1021	1126	1232	1338
94	3482	1817	389	493	598	704	810	916	1023	1128	1234	1340
95	3519	1835	391	495	600	706	812	918	1025	1130	1236	1342
96	3556	1853	393	497	602	708	814	920	1027	1132	1238	1344
97	3593	1871	395	499	604	710	816	922	1029	1134	1240	1346
98	3630	1889	397	501	606	712	818	924	1031	1136	1242	1348
99	3667	1907	399	503	608	714	820	926	1033	1138	1244	1350
100	3704	1925	401	505	610	716	822	928	1035	1140	1246	1352

CAPACITIES GIVEN IN U. S. GALLONS

Strapped By: OPS & LV
Computed by: WLS
Checked by: DHC
AUGUST
DATE SEPT.
1971

NOTE: GAUGES TAKEN AT EXPANSION DOME CENTERED PORT TO STARBOARD AND 1'-3" FROM FORWARD BULKHEAD. TABLE COMPUTED FROM STRAPPINGS OF BARGE OBL-917 (HULL 2909) ONLY.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY



E. W. SAYBOLT & CO., INC.

E. W. SAYBOLT & CO., INC.
JES. H. MCGARE JES. H. MCGARE, JR.
APPROVED AND LICENSED BY
THE NEW YORK PRODUCE EXCHANGE
INSPECTORS OF PETROLEUM

BARGE NUMBER IB921
HULL 2913

TANK GAGE TABLE

NO. 3

GAGE HEIGHT 15'-1 3/4"

INRAGE TABLE

IN.	12	FT.	IN.	13	FT.	IN.	14	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.
0	12	57	50	13	48	33	13	50	63											
1/4	12	59	71	13	48	88	13	50	64											
1/2	12	61	92	13	49	43	13	50	65											
3/4	12	64	12	13	49	61	13	50	66											
1	12	66	33	13	49	60	13	50	67											
1 1/4	12	68	53	13	49	98	13	50	68											
1 1/2	12	70	74	13	50	16	13	50	69											
1 3/4	12	72	95	13	50	18	13	50	70											
2	12	75	15	13	50	19	13	50	71											
2 1/4	12	77	36	13	50	20	13	50	73											
2 1/2	12	79	56	13	50	21	13	50	74											
2 3/4	12	81	77	13	50	22	13	50	75											
3	12	83	98	13	50	23	13	50	76											
3 1/4	12	86	18	13	50	24	13	50	77											
3 1/2	12	88	39	13	50	25	13	50	78											
3 3/4	12	90	60	13	50	26	13	50	79											
4	12	92	80	13	50	27	13	50	80											
4 1/4	12	95	01	13	50	29	13	50	81											
4 1/2	12	97	21	13	50	30	13	50	82											
4 3/4	12	99	42	13	50	31	13	50	84											
5	13	00	63	13	50	32	13	50	85											
5 1/4	13	00	83	13	50	33	13	50	86											
5 1/2	13	00	04	13	50	34	13	50	87											
5 3/4	13	00	25	13	50	35	13	50	88											
6	13	01	45	13	50	36	13	50	89											
6 1/4	13	01	66	13	50	37														
6 1/2	13	01	86	13	50	38														
6 3/4	13	01	07	13	50	40														
7	13	01	28	13	50	41														
7 1/4	13	02	48	13	50	42														
7 1/2	13	02	69	13	50	43														
7 3/4	13	02	90	13	50	44														
8	13	02	11	13	50	45														
8 1/4	13	02	32	13	50	46														
8 1/2	13	03	53	13	50	47														
8 3/4	13	03	74	13	50	48														
9	13	03	95	13	50	49														
9 1/4	13	03	16	13	50	51														
9 1/2	13	03	37	13	50	52														
9 3/4	13	03	58	13	50	53														
10	13	04	09	13	50	54														
10 1/4	13	04	30	13	50	55														
10 1/2	13	04	51	13	50	56														
10 3/4	13	04	72	13	50	57														
11	13	04	93	13	50	58														
11 1/4	13	04	14	13	50	59														
11 1/2	13	04	35	13	50	60														
11 3/4	13	04	56	13	50	62														

CAPACITIES GIVEN IN U. S. GALLONS

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED VESSEL ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

Strapped By: OPS & LV AUGUST
Computed by: WLS DATE SEPT.
Checked by: DHC 1971



E. W. SAYBOLT & CO., INC.